





PRICE LIST
march
2021
TUTONDO


TUTONDO

a brand of Atec srl




EVAC EN 54 | PUBLIC ADDRESS | HOME AUDIO




Company Profile



ATEC srl has been producing and selling products and accessories for audio & video broadcasting for more than 30 years, becoming one of the leaders on this sector.
Composed of a team of people motivated by love and passion for the pure and quality sound and his spreading at professional level.
By the owner brand "TUTONDO", the company is able to provide equipment and advanced - systems to realize installations where music, images, video, voice and other multimedia co-ntents, have to be distributed, shared, reproduced, both in public or private places of all dimensions and all complexity.
We pay serious attention -to the design and the esthetics, to the choice of materials and colors, as well as to the use of innovative and functional technologies, offering original and exclu-sive solutions for each market demand, thanks to a wide range of articles such as: loudspeakers for all needs (for inside and outside, recessed wall or wall mounting), amplifiers, central units for audio & video dis-tribution, multiroom matrices, local control units, so-und sources, desktop paging microphones, and all the complementary accessories
A modern and organized corporate structure that works pursuing regulatory requirements on quality certifications, guaranteeing its customers the best support and service thank- s to a technical and com mercial staff competent, skilled and helpful.








HOME SYSTEMS 5

MONDO TA Multiroom System
MONDO TAS Multiroom System
SA 2500 Multiroom System
Modus Pro Multiroom System
Modus Lite Audio System
ST3 Multiroom System

AUDIO SOURCES 10

EVAC SYSTEMS EN54-25 12

MET System

P.A. BUILDING SYSTEMS 15

Mondo T main units matrix, multiprogram
R561 main unit matrix, multiprogram
RD501, 511 and R1500S main units
RD4501 main unit, multiprogram
Matrix, Mixers
100V Integrated amplifiers
Intercom system
Conference system
Audio processors
Power amplifiers
Power supply units
Interfaces and devices
Digital control units and remote controls
Microphones, wireless microphones

LOUDSPEAKERS 23

CABLES AND CONNECTION CABLE 45

RACK 46






ADAPTERS FOR CONTROL UNITS 47

ALPHABETIC PRICE LIST 49

GENERAL TERMS OF SALE 55





CONTACT

AUDIO-VIDEO MATRIX SYSTEM.
Works with 8 ohm or active, amplified speakers type 508, 530.

	Code	Description	kg	TIMH ΧΩΡΙΣ Φ.Π.Α Euro	Pack	U. R.
	TU MTA816	**Programmable audio matrix** Programmable matrix with 8 audio inputs + 1 local audio input, 6 outputs (extendable to 48), backlight LCD graphic display, control of the zones through the front panel and remote controls, functions control of the sources, Ethernet and RS232 interface for building automation; power supply unit for 20 active speakers type 508 or 530-10. Embedded with App, Integrated Web Server and Pc Software.	5,43	**2463,00**	1	2
	TU MTAE816	**Expansion for programmable audio matrix** Programmable matrix expansion with 8 audio inputs + 1 local audio input, 6 outputs. Control of the zones through the central matrix and remote controls; power supply unit for 20 active speakers type 508 or 530-10.	6,1	**1841,00**	1	2
	TU DMH44K	**HDMI video matrix, 4 in, 4 out** HDMI v1.4 (FullHD/4K) high definition video matrix: 4 HDMI inputs, 4 HDMI outputs, 1 RS232 serial port for remote control, Infrared remote controller. Brackets for 19" rack installation (1U) included. 110/230 Vac.	1,5	**1454,00**	1	1
		Digital control unit Digital control for V/A matrix, with OLED display. On/off of V/A sources and of zone speakers, volume and tone controls, program and functions control. Graphic display; complete with infrared receiver for remote control. Alarm priority. Can show the text of the song listen.				
	TU MZ830B	White.	0,04	**228,00**	1	
	TU MZ830N	Black (Anthracite grey).	0,04	**230,00**	1	
	TU MZ830MC	Chrome Metal (silver). *Note: for assembly, see: "35x35 Adapters"*	0,04	**230,00**	1	
		Digital control for V/A matrix On/off of the V/A sources and of zone speakers, volume and tone controls, program and function control, sleep; numeric display; complete with infrared receiver for remote control. Alarm priority.				
	TU CZ83B	White.	0,04	**117,00**	1	
	TU CZ83N	Black (Anthracite grey).	0,04	**117,00**	1	
	TU CZ83MC	Chrome Metal (silver). *Note: for assembly, see: "35x35 Adapters"*	0,04	**130,00**	1	
	TU RC8300	**Universal Infrared Remote control** 16 devices, learning function, backlighting.	0,171	**242,00**	1	
	TU RC3MZ	**Infrared remote control for MZ830** **R**emote control for Modus serie control units. Compatible for MZ3532L, MZ3532BL, MZ71T,MZ71BT, MZ830.	0,17	**22,00**	1	
	TU RC83R	**Wireless remote control for R1NTR** for multiroom Mondo T systems.	0,17	**131,00**	1	
	TU R1NTR	**Radio receiver for remote control** RC83R, for Mondo T Multiroom system.	0,08	**157,00**	1	
		Recessed selective microphone module Electret type microphone, digital zone control with display, for paging selected zones or general announcements.				
	TU MC1NTCB	White.	0,042	**193,00**	1	
	TU MC1NTCN	Black (Anthracite grey).	0,042	**193,00**	1	
	TU MC1NTCMC	Chrome Metal (silver). *Note: for assembly, see: "35x35 Adapters"*	0,042	**202,00**	1	
		Recessed active microphone module Electret type microphone, astable button, 24 Vdc.				
	TU MC1501B	White.	0,04	**130,00**	1	
	TU MC1501N	Black (Anthracite grey).	0,04	**130,00**	1	
	TU MC1501MC	Chrome Metal (silver) *Note: for assembly, see: "35x35 Adapters"*	0,04	**134,00**	1	
	TU PINJ3K	**Kit local input** kit AUX input 3,5 mm Jack 12 Vpp output.		**42,00**	1	
	TU BTWJK	**Bluetooth kit module with local input** Dual Mode, audio Blue tooth receiver module. Customizable device name. Can be configured in "home" or "hotel" mode. Aux stereo input 3,5mm jack. Advanced Audio Distribution Profile (A2DP). Power supply 24 Vdc.		**140,00**	1	
	JL IS61	**Audio streaming receiver**. Wi-Fi internet radio receiver and audio streaming Wi-Fi audio device with internet radio receiver, AUX input jack, RJ45 LAN jack, USB. Compatible with Apple iOS and Android. *Note: audio source on pag 10-11*		**243,00**	1	
		MP3 player module with integrated USB plug 6 Function keys : Play-Pause, Stop, Skip +, Skip - , Volume +, Volume -. 1 Led signalling Play-Pause function. 24 Vdc.				
	TU MUSBCB	White.	0,04	**132,00**	1	
	TU MUSBCN	Black (Anthracite grey).	0,04	**132,00**	1	
	TU MUSBCMC	Chrome metal (silver) *Note: for assembly, see "Control adapters"*	0,04	**132,00**	1	

MONDO TAS SYSTEM




AUDIO-VIDEO MATRIX SYSTEM.
Works with 8 ohm or active, amplified speakers type 508, 530.

	Code	Description	kg	ΤΙΜΗ ΧΩΡΙΣ Φ.Π.Α Euro	Pack	U. R.
	TU **MTAM816S**	Programmable audio matrix with 8 audio inputs + 1 local audio input, 6 outputs (extendable to 48). Graphic display, control of the zones through remote controls, App, functions control of the sources, Ethernet and RS232 interface for building automation; power supply unit for 12 speakers type 8 ohm or active 508 or 530-10. Embedded with App, Integrated Web Server and Pc Software.	5,4	**1947,00**	1	2
	TU **MTAE816S**	Expansion for programmable audio matrix Programmable matrix expansion with 8 audio inputs + 1 local audio input, 6 outputs. Control of the zones through the central matrix and remote controls; power supply unit for 12 speakers type 8 ohm or active 508, 530-10.	5,1	**1711,00**	1	2
	TU **DMH44K**	**HDMI video matrix, 4 in, 4 out** HDMI v1.4 (FullHD) high definition video matrix: 4 HDMI inputs, 4 HDMI outputs, 1 RS232 serial port for remote control, Infrared remote controller. Brackets for 19" rack installation (1U) included. 110/230 Vac.	1,5	**1454,00**	1	1
		Digital control unit Digital control unit for V/A matrix, with OLED display. On/off of V/A sources and of zone speakers, volume and tone controls, program and functions control. Graphic display; complete with infrared receiver for remote control. Alarm priority. Can show the text of the song listen.				
	TU **MZ830B**	White.	0,04	**228,00**	1	
	TU **MZ830N**	Black (Anthracite grey).	0,04	**230,00**	1	
	TU **MZ830MC**	Chrome Metal (silver). *Note: for assembly, see: "35x35 Adapters"*	0,04	**230,00**	1	
		Digital control for V/A matrix On/off of the V/A sources and of zone speakers, volume and tone controls, program and functions control, sleep; numeric display; complete with infrared receiver for remote control. Alarm priority.				
	TU **CZ83B**	White.	0,04	**117,00**	1	
	TU **CZ83N**	Black (Anthracite grey).	0,04	**117,00**	1	
	TU **CZ83MC**	Chrome Metal (silver). *Note: for assembly, see: " Control adapters"*	0,04	**130,00**	1	
	TU **RC8300**	**Universal Infrared Remote control** 16 devices, learning function, backlighting.	0,171	**242,00**	1	
	TU **RC3MZ**	**Remote control for Modus system** **R**emote control for Modus serie control units. Compatible for MZ3532L, MZ3532BL, MZ71T,MZ71BT, MZ830.	0,17	**22,00**	1	
	TU **RC83R**	**Wireless remote control for R1NTR** for multiroom Mondo T systems.	0,17	**131,00**	1	
	TU **R1NTR**	**Radio receiver for remote control** RC83R, for Mondo T Multiroom system.	0,08	**157,00**	1	
		Recessed selective microphone module Electret type microphone, digital zone control with display, for paging selected zones or general announcements.				
	TU **MC1NTCB**	White.	0,042	**193,00**	1	
	TU **MC1NTCN**	Black (Anthracite grey).	0,042	**193,00**	1	
	TU **MC1NTCMC**	Chrome Metal (silver). *Note: for assembly, see: " Control adapters"*	0,042	**202,00**	1	
		Recessed active microphone module Electret type microphone, astable button, 24 Vdc.				
	TU **MC1501B**	White.	0,04	**130,00**	1	
	TU **MC1501N**	Black (Anthracite grey).	0,04	**130,00**	1	
	TU **MC1501MC**	Chrome Metal (silver). *Note: for assembly, see: " Control adapters"*	0,04	**134,00**	1	
	TU **PINJ3K**	**Kit input** kit AUX input 3,5 mm Jack 12 Vpp output.		**42,00**	1	
	TU **BTWJK**	**Bluetooth kit module with local input** Dual Mode, audio Bluetooth receiver module. Customizable device name. Can be configured in "home" or "hotel" mode. Aux stereo input 3,5mm jack. Advanced Audio Distribution Profile (A2DP). Power supply 24 Vdc.		**140,00**	1	
	JL **IS61**	**Audio streaming receiver. Wi-Fi internet radio receiver and audio streaming** Wi-Fi audio device with internet radio receiver, AUX input jack, RJ45 LAN jack, USB. Compatible with Apple iOS and Android. Power supply included.		**243,00**	1	
		Note: audio source pag 10-11				
		MP3 player module with integrated USB plug 6 Function keys : Play-Pause, Stop, Skip +, Skip - , Volume +, Volume -. 1 Led signalling Play-Pause function. 24 Vdc.				
	TU **MUSBCB**	White.	0,04	**132,00**	1	
	TU **MUSBCN**	Black (Anthracite grey).	0,04	**132,00**	1	
	TU **MUSBCMC**	Chrome metal (silver)	0,04	**132,00**	1	
		Note: for assembly, see "Control adapters"				

KARIOTIS Audio & Lighting
TUTONDO

SA2500 SYSTEM

2 STEREO audio sources, with functions control, (for home and offices).
Works with active speakers type 508, 530.

		Code	Description	kg	ΤΙΜΗ ΧΩΡΙΣ Φ.Π.Α Euro	Pack	U. R.
	TU	RD2502N	**Main unit for 2 stereo audio sources** for 2 independent stereo audio sources with functions control, pass through IR, priority active microphone input (alarm), 24 Vdc power supply for 20 active speakers type 508 or 530-10. Slim line.Black	3,7	**789,00**	1	1
			Audio control unit Modus Lite, for 3 stereo audio sources 3 input programs or 2 programs +1 external Add-on (USB o radio DAB). Oled display. Volume, on/off and tone controls. Priority, function change and IR control. 24 Vdc power supply.				
	TU	MZ3532LB	White.	0,048	**201,00**	1	
	TU	MZ3532LN	Black (Anthracite grey).	0,048	**205,00**	1	
	TU	MZ3532LMC	Chrome metal (silver).	0,048	**205,00**	1	
			Note: for assembly, see "Control adapters"				
			Audio control unit Modus Lite, for 3 stereo audio sources with Bluetooth 3 input programs + Bluetooth or 2 programs + Bluetooth + 1 external Add-on (USB o radio DAB). Oled display. Volume, on/off and tone controls. Priority, function change and IR control. 24 Vdc power supply.				
	TU	MZ3532BLB	White.	0,048	**238,00**	1	
	TU	MZ3532BLN	Black (Anthracite grey).	0,048	**241,00**	1	
	TU	MZ3532BLMC	Chrome metal (silver).	0,048	**241,00**	1	
			Note: for assembly, see "Control adapters"				
	TU	RC3MZ	**Infrared remote control for Modus system** **R**emote control for Modus serie control units. Compatible for MZ3532L, MZ3532BL, MZ71T,MZ71BT	0,17	**22,00**	1	
			Recessed active microphone module, Electret type microphone, astable button, 24 Vdc.				
	TU	MC1501B	White.	0,04	**130,00**	1	
	TU	MC1501N	Black (Anthracite grey).	0,04	**130,00**	1	
	TU	MC1501MC	Chrome metal (silver).	0,04	**134,00**	1	
			Note: for assembly, see "Control adapters"				
			MP3 player module with integrated USB plug 6 Function keys : Play-Pause, Stop, Skip +, Skip - , Volume +, Volume -. 1 Led signalling Play-Pause function. 24 Vdc.				
	TU	MUSBCB	White.	0,04	**132,00**	1	
	TU	MUSBCN	Black (Anthracite grey).	0,04	**132,00**	1	
	TU	MUSBCMC	Chrome metal (silver)	0,04	**132,00**	1	
			Note: for assembly, see "Control adapters"				
	TU	PINJ3K	**Kit local input** kit AUX input 3,5 mm Jack 12 Vpp output 24 Vdc.		**42,00**	1	
	TU	BTWJK	**Bluetooth kit module with local input** Dual Mode, audio Blue tooth receiver module. Customizable device name. Can be configured in "home" or "hotel" mode. Aux stereo input 3,5mm jack. Advanced Audio Distribution Profile (A2DP). Power supply 24 Vdc.		**140,00**	1	
	JL	IS61	**Audio streaming receiver. Wi-Fi internet radio receiver and audio streaming** Wi-Fi audio device with internet radio receiver, AUX input jack, RJ45 LAN jack, USB. Compatible with Apple iOS and Android. Power supply included.		**243,00**	1	
	JL	IS61KA	**Audio streaming receiver. Wi-Fi internet radio receiver and audio streaming** Wi-Fi audio device with internet radio receiver, AUX input jack, RJ45 LAN jack, USB. Compatible with Apple iOS and Android. With active line out 12 Vpp *Note: Audio sources on pag 10-11*		**281,00**	1	


MODUS PRO SYSTEM

MODUS PRO, compact stereo audio system (for home, offices, Hotel).
Works with active, amplified speakers type 508, 530.

		Code	Description	kg	ΤΙΜΗ ΧΩΡΙΣ Φ.Π.Α Euro	Pack	U. R.
			Modus Pro compact stereo audio system, FM tuner, Oled display,proximity on/off, volume and functions control, Alarm priority, IR control, digital Bus, 24 Vdc.				
	TU	MZ71TB	White.	0,048	**284,00**	1	
	TU	MZ71TN	Black (Anthracite grey).	0,048	**287,00**	1	
	TU	MZ71TMC	Chrome metal (silver).	0,048	**287,00**	1	
			Note: for assembly, see "35x35 adapters"				
			Modus Pro compact stereo audio system with Bluetooth, FM tuner, Bluetooth, Oled display,proximity on/off, volume and functions control, Alarm priority, IR control, digital Bus, 24 Vdc.				
	TU	MZ71BTB	White.	0,048	**365,00**	1	
	TU	MZ71BTN	Black (Anthracite grey).	0,048	**369,00**	1	
	TU	MZ71BTMC	Chrome metal (silver).	0,048	**369,00**	1	
			Note: for assembly, see "35x35 adapters"				
	TU	USBJ71	**In-wall Ad-on module with USB port and aux in.** MP3 player module with USB port for MZ module. White, black and silver films colors included.	0,048	**72,00**	1	
	TU	DAB71	Compact receiver DAB kit for MZ module.	0,048	**110,00**	1	
	TU	PINJ71	**Ad-on kit for local input** kit AUX input 3,5 mm Jack. Line output for MZ module.		**30,00**	1	
	TU	RC3MZ	**Remote control for Modus system** Remote control for Modus serie control units. Compatibile con MZ51T, MZ71T,MZ71BT	0,17	**22,00**	1	
	TU	GM3	**Modus system interface** Interface for Modus MZ71 system, 24 V dc.	0,17	**146,00**	1	
	TU	RDAB71	**Add-on kit for remote connection** of the DAB71 unit in Modus MZ Tutondo systems. The kit includes a DAB71 module and a plastic container for insulation.	0,11	**145,00**	1	
	TU	CRC71	**Add-on kit for remote connection** of the USBJ71 unit in Modus MZ Tutondo systems. The kit consists of two interfaces (CAT5 cable, RJ45 and USBJ71 connectors are not included).	0,11	**33,00**	1	

PERSONAL Wi-Fi SYSTEM

Audio Wi-Fi system 130W + 130W

	JL	IS61AP	**Audio streaming receiver. Wi-Fi internet radio receiver and audio streaming** Wi-Fi audio device with internet radio receiver, AUX input jack, RJ45 LAN jack, USB. Compatible with Apple iOS and Android.Stereo amplifier with 2x130 W on 4 ohm or 2x70 W on 8 ohm. Power supply included.		**486,00**	1	

MODUS LITE SYSTEM

MODUS LITE, compact stereo audio system (for home, offices, Hotel).
Works with active, amplified speakers type 508, 530.




	Code	Description	kg	ΤΙΜΗ ΧΩΡΙΣ Φ.Π.Α Euro	Pack	U. R.
		Modus Lite, audio control unit for 3 stereo audio sources 3 input programs or 2 programs +1 external Add-on (USB o radio DAB). Oled display. Volume, on/off and tone controls. Priority, function change and IR control. 24 Vdc power supply.				
TU	MZ3532LB	White.	0,048	**201,00**	1	
TU	MZ3532LN	Black (Anthracite grey).	0,048	**205,00**	1	
TU	MZ3532LMC	Chrome metal (silver).	0,048	**205,00**	1	
		Note: for assembly, see "Control adapters"				
		Modus Lite, audio control unit for 3 stereo audio sources with Bluetooth. 3 input programs + Bluetooth or 2 programs + Bluetooth + 1 external Add-on (USB o radio DAB). Oled display. Volume, on/off and tone controls. Priority, function change and IR control. 24 Vdc power supply.				
TU	MZ3532BLB	White.	0,048	**238,00**	1	
TU	MZ3532BLN	Black (Anthracite grey).	0,048	**241,00**	1	
TU	MZ3532BLMC	Chrome metal (silver).	0,048	**241,00**	1	
		Note: for assembly, see "Control adapters"				
TU	USBJ71	**In-wall Ad-on module with USB port and aux in.** MP3 player module with USB port for MZ module. White, black and silver films colors included.	0,048	**72,00**	1	
TU	DAB71	Compact receiver DAB kit for MZ module.	0,048	**110,00**	1	
TU	PINJ71	**Ad-on kit for local input.** kit AUX input 3,5 mm Jack. Line output for MZ module.		**30,00**	1	
TU	RC3MZ	**Remote control for Modus system.** Remote control for Modus serie control units. Compatibile con MZ51T, MZ71T,MZ71BT	0,17	**22,00**	1	
		Audio control unit for 1 stereo / mono audio Selection of 1 audio source, on/off, volume and functions control, alarm priority, 24 Vdc.				
TU	CZ1522B	White.	0,043	**121,00**	1	
TU	CZ1522N	Black (Anthracite grey).	0,043	**121,00**	1	
TU	CZ1522MC	Chrome metal (silver).	0,043	**130,00**	1	
		Note: for assembly, see "35x35 adapters"				
		MP3 player module with integrated USB plug 6 Function keys : Play-Pause, Stop, Skip +, Skip - , Volume +, Volume -. 1 Led signalling Play-Pause function. 24 Vdc.				
TU	MUSBCB	White.	0,04	**132,00**	1	
TU	MUSBCN	Black (Anthracite grey).	0,04	**132,00**	1	
TU	MUSBCMC	Chrome metal (silver)	0,04	**132,00**	1	
		Note: for assembly, see "35x35 adapters"				
TU	PINJ3K	**Kit input** kit AUX input 3,5 mm Jack 12 Vpp output, 24 Vdc.		**42,00**	1	
TU	BTWJK	Bluetooth kit module with local input Dual Mode, audio Bluetooth receiver module. Customizable device name. Can be configured in "home" or "hotel" mode. Aux stereo input 3,5mm jack. Advanced Audio Distribution Profile (A2DP). Power supply 24 Vdc.		**140,00**	1	
TU	ALBD502	**DIN Rail switching power supply, 24 Vdc, 2 A** for 6 active loudspeakers model 508 max(or 530 type set to 10W).	0,09	**81,00**	1	
TU	ALBD504	**DIN Rail switching power supply, 24 Vdc, 4 A** for 12 active loudspeakers model 508 max(or 530 type set to 10W).	0,1	**122,00**	1	
JL	IS61KA	**Audio streaming receiver. Wi-Fi internet radio receiver and audio streaming** Wi-Fi audio device with internet radio receiver, AUX input jack, RJ45 LAN jack, USB. Compatible with Apple iOS and Android. With active line out 12 Vpp		**281,00**	1	

ST3 SYSTEM

1 audio SOURCE, function control, (for Homes and Offices).
Use 80 ohm speakers type T3 and T43. e.g. PT43, FT43, ST43, RT43, etc…

		Audio control unit for 80 ohm T3 speakers, 1 audio source.Volume control for 1 80 ohm T3 speaker.				
TU	CZ1B	White.	0,046	**69,00**	1	
TU	CZ1N	Black (Anthracite grey).	0,046	**69,00**	1	
TU	CZ1MC	Chrome metal (silver).	0,046	**78,00**	1	
		Note: for assembly, see "Control adapters"				


AUDIO SOURCES

		Code	Description	kg	ΤΙΜΗ ΧΩΡΙΣ Φ.Π.Α Euro	Pack	U. R.
			AUDIO SOURCES WITH FUNCTIONS CONTROL/CHANGER FOR MONDO T:				
	**TU**	**S2R2UT**	**Multichannel audio sources** Multichannel audio source, 2 FM tuners with RDS, 2 USB/ Sdcard players,graphic display, RS232, Ethernet port. Functions control device for remote controlling, RDS and file name informations sent to controlling device.	4,4	**1917,00**	1	2
	**TU**	**TRCD4T**	**Multichannel audio sources** Multichannel audio source for Mondo T, 1 DAB and FM tuners and 1 CD player, USB/ Sdcard. With function control device, change radio stations and CD and USB controls.	4,4	**1123,00**	1	1
	**TU**	**DAP90**	Communication and service messages **USB player** Digital audio player, on non-volatile memory. It can play warning messages, commercials, etc.. It reads MP3 and Wav files, from Micro SD card (internal) or USB stick, 24 Vdc.	1,7	**431,00**	1	1
	**TU**	**BTWJK**	**Bluetooth kit module with local input** Dual Mode, audio Blue tooth receiver module. Customizable device name. Can be configured in "home" or "hotel" mode. Aux stereo input 3,5mm jack. Advanced Audio Distribution Profile (A2DP). Power supply 24 Vdc.		**140,00**	1	
	**JL**	**IS61**	**Audio streaming receiver. Wi-Fi internet radio receiver and audio streaming** Wi-Fi audio device with internet radio receiver, AUX input jack, RJ45 LAN jack, USB. Compatible with Apple iOS and Android.		**243,00**	1	
			AUDIO SOURCES WITH FUNCTIONS CONTROL/CHANGER FOR SA2500				
	**TU**	**TRCD4C**	**Multiple audio source** with 2 function control, DAB and FM radio tuner and CD player, card reader and USB port. For S2500.	4,9	**1123,00**	1	1
			AUDIO SOURCES WITH FUNCTIONS CONTROL/CHANGER FOR SA2500:				
	**JL**	**IS61**	**Audio streaming receiver. Wi-Fi internet radio receiver and audio streaming** Wi-Fi audio device with internet radio receiver, AUX input jack, RJ45 LAN jack, USB. Compatible with Apple iOS and Android.		**243,00**	1	
			FUNCTIONS CONTROL DEVICE FOR CONSUMER AUDIO SOURCES:				
	**TU**	**STIFM**	External infrared function control for 120 functions control, installed on audio with infrared remote controls.	0,107	**339,00**	1	
	TU	**STIFK**	As above, not installed.	0,107	**244,00**	1	

AUDIO SOURCES

	Code	Description	kg	ΤΙΜΗ ΧΩΡΙΣ Φ.Π.Α Euro	Pack	U. R.
		MP3 player module with integrated USB plug 6 Function keys : Play-Pause, Stop, Skip +, Skip - , Volume +, Volume -. 1 Led signalling Play-Pause function. 24 Vdc.				
	**TU MUSBCB**	White.	0,04	**132,00**	1	
	TU MUSBCN	Black (Anthracite grey).	0,04	**132,00**	1	
	TU MUSBCMC	Chrome metal (silver).	0,04	**132,00**	1	
		Note: for assembly, see "Control adapters"				
	**TU BTWJK**	**Bluetooth kit module with local input** Dual Mode, audio Blue tooth receiver module. Customizable device name. Can be configured in "home" or "hotel" mode. Aux stereo input 3,5mm jack. Advanced Audio Distribution Profile (A2DP). Power supply 24 Vdc.		**140,00**	1	
	**JL IS61KA**	**Audio streaming receiver**. Wi-Fi internet radio receiver and audio streaming Wi-Fi audio device with internet radio receiver, AUX input jack, RJ45 LAN jack, USB. Compatible with Apple iOS and Android. With active line out 12 Vpp		**281,00**	1	

AUDIO SOURCES for PA systems

	**TU TRCD4**	**Multiple audio source** with DAB tuner, FM radio tuner and CD player, card reader and USB port.	4,7	**828,00**	1	1
	**TU TRCD4T**	**Multiple audio source for Mondo T** with 2 functions control devices, DAB tuner, FM radio tuner and CD player, card reader and USB port. Mondo T.		**1123,00**	1	1
	**TU S2R2UT**	**Multichannel audio sources for Mondo T** Multichannel audio source, 2 FM tuners with RDS, 2 USB/Sdcard players, graphic display, RS232, Ethernet port. Change functions device for remote controlling, RDS and file name informations sent to controlling device.	4,4	**1917,00**	1	2
	**TU DAP90**	Communication and service messages **USB player** Digital audio player, on non-volatile memory. It can play warning messages, commercials, etc.. It reads MP3 and Wav files, from Micro SD card (internal) or USB stick. Power supply not included.	1,7	**431,00**	1	1
	**JL IS61**	**Audio streaming receiver. Wi-Fi internet radio receiver and audio streaming** Wi-Fi audio device with internet radio receiver, AUX input jack, RJ45 LAN jack, USB. Compatible with Apple iOS and Android. Power supply included.		**243,00**	1	
		MP3 player module with integrated USB plug 6 Function keys : Play-Pause, Stop, Skip +, Skip - , Folder +, Folder -. 1 Led signalling Play-Pause function. 24 Vdc.				
	**TU MUSBCB**	White.	0,04	**132,00**	1	
	TU MUSBCN	Black (Anthracite grey).	0,04	**132,00**	1	
	TU MUSBCMC	Chrome metal (silver).	0,04	**132,00**	1	
		Note: for assembly, see "Control adapters"				
	**TU BTWJK**	**Bluetooth kit module with local input** Dual Mode, audio Blue tooth receiver module. Customizable device name. Can be configured in "home" or "hotel" mode. Aux stereo input 3,5mm jack. Advanced Audio Distribution Profile (A2DP). Power supply 24 Vdc.		**140,00**	1	

Compact
EN54-16 and EN54-4 certified

METCUBE

174 COMBINATIONS

Fulfill all security needs of an evacuation system

13 VERSIONS

EN-54 certified

2 MODELS OF CHASSIS

Flexible & easier installation everywhere



UP TO 16 OUTPUT LINES

for an excellent control of the zones

3 DIFFERENT SIZES AMPLIFIERS

studied to fit every request

2 REDUNDANDT DOUBLE LINE A/B SYSTEMS

increase the reliability of the system

WIDE RANGE OF BATTERIES INSTALLABLE








2 SLOTS


amplifiers installation versatility


To guarantee the best support in developing your system, please contact our technical office







TUTONDO

EN54 CONTROL UNIT AND DEVICES for voice evacuation systems.

		Code	Description	kg	ΤΙΜΗ ΧΩΡΙΣ Φ.Π.Α Euro	Pack	U. R.
	TU	**MET8CV4**	**Main unit** complete with monitoring and displaying system for voice evacuation systems, 4 single lines (or double lines with optional interface). Built-in microphone and pre recorded messages that can be activated from the front panel or remotely, with the possibility of sending messages / calls simultaneously on multiple zones. 4 monitored analog AUX inputs + 2 digital audio streams. Power supply: 230V ac and 24V dc. Proprietary bus for paging stations, RS232 serial port, Ethernet port. EN54-16 compliant,		**3265,00**	1	2
	TU	**MET8CV8**	**Main unit** complete with monitoring and displaying system for voice evacuation systems, 8 single lines (or double lines with optional interface). Built-in microphone and pre recorded messages that can be activated from the front panel or remotely, with the possibility of sending messages / calls simultaneously on multiple zones. 4 monitored analog AUX inputs + 8 unmonitored analog AUX inputs + 2 digital audio streams. Power supply: 230V ac and 24V dc. Proprietary bus for paging stations, RS232 serial port, Ethernet port. EN54-16 compliant.		**3634,00**	1	2
	TU	**MET8CVE8**	**Expansion unit**, for evac system. The system is designed for connecting 8 single lines (or double lines with optional interface). 8 analog AUX inputs. Power supply: 24V dc. EN54-16 compliant.		**2070,00**	1	2
			PAGING STATION EN54				
	TU	**METMC1A**	**Microphone in cabinet**, general emergency calls, 24V dc supply. EN54-16 compliant. Red colour.		**450,00**	1	
	TU	**METMC1AC**	**Microphone in cabinet**, with digital CAN Bus, for general emergency calls, 24V dc supply. EN54-16 compliant. Red colour.		**613,00**	1	
	TU	**METMC1**	**Paging station** for general emergency calls, 24V dc supply. EN54-16 compliant.		**386,00**	1	
	TU	**METMC8C**	Paging station for voice messages, 8 zones selection or general emergency calls , a selection of pre-recorded emergency messages, system status display, 24V dc supply. Digital bus transmission. EN54-16 compliant.		**532,00**	1	
	TU	**METMC8CP**	Paging station for voice messages, 8 zones selection or general paging calls, system status display, 24V dc supply. Digital bus transmission.		**519,00**	1	
	TU	**MET8TZ**	8 expansion zones, for MC8C and MC8CP paging stations.		**274,00**	1	
	TU	**MET16TZ**	16 expansion zones, for MC8C and MC8CP paging stations.		**430,00**	1	
	TU	**METARMMC8**	Cabinet for METMC8 paging station. Red color.		**243,00**	1	
	TU	**METCR5**	Can repeater module, 5 channel. 1 audio input and 4 balanced outputs.		**492,00**	1	
	TU	**MET8SC**	Double line interface for 8 lines. EN54-16 compliant.		**146,00**	1	
	TU	**MET4SC**	Double line interface for 4 lines. EN54-16 compliant.		**99,00**	1	
	TU	**KESPR**	Bus Expansion Kit for MET Regie, consisting of 2 cards on din supports, 4 CAT5 cables and 2 flat cables.		**220,00**	1	
	TU	**PPUS**	Panel with USB socket, RCA STIpa signal input, 3.5mm AUX Jack input. Dimension 1 UR.		**70,00**	1	
			END OF LINE DEVICE EN54				
	TU	**MET1CFLE**	**End of line load device**, to control the continuity of the conductors. Two-wire connection. EN54-16 compliant.		**34,00**	1	
	TU	**MET1CFL**	**End of line load device**, to control the continuity of the conductors. Two-wire connection. EN54-16 compliant.		**34,00**	1	
	TU	**MET1CTL**	**End of line device**, to control the continuity of the conductors. Three-wire connection. EN54-16 compliant.		**34,00**	1	
			AMPLIFIER MODULES EN54-16				
			Note: for rack supports see PP3A2, PP5A3 and BEKFA series.				
	TU	**MET50A2S**	Class D, 2 amplifiers module, for 100V audio lines, 500+500 Wrms @ 29 Vdc, 24V dc nominal power supply.		**1500,00**	1	2/3
	TU	**MET50A1S**	Class D, 1 amplifier module, for 100V audio lines, 500 Wrms @ 29 Vdc, 24V dc nominal power supply.		**845,00**	1	2/3
	TU	**MET18A1P**	Class D amplifier module, for 100V audio lines, 180W rms 29 Vdc, power supply 230V ac and 24V dc.		**528,00**	1	2/3
	TU	**MET18A1S**	Class D amplifier module, for 100V audio lines, 180W rms 29 Vdc, power supply 24V dc.		**411,00**	1	2/3
	TU	**MET15A2S**	Class D, 2 amplifiers module, for 100V audio lines, 150+150W rms 29 Vdc, power supply 24V dc.		**710,00**	1	2/3
	TU	**MET15A2SL**	Class D, 2 amplifiers module, for 100V audio lines, 150+150W rms @ 29 Vdc, power supply 24V dc (without volume control).		**525,00**	1	2/3
	TU	**MET15A1S**	Class D amplifier module, for 100V audio lines, 150W rms 29 Vdc, power supply 24V dc.		**404,00**	1	2/3
	TU	**MET15A1SL**	Class D amplifier module, for 100V audio lines, 150W rms @ 29 Vdc, power supply 24V dc (without volume control).		**353,00**	1	2/3
	TU	**MET6A3P**	Class D, 3 amplifiers module, for 100V audio lines, 60+60+60W rms 29 Vdc, power supply 230V ac and 24V dc.		**640,00**	1	2/3
	TU	**MET6A3S**	Class D, 3 amplifiers module, for 100V audio lines, 60+60+60W rms 29 Vdc, power supply 24V dc.		**493,00**	1	2/3
	TU	**MET6A2S**	Class D, 2 amplifiers module, for 100V audio lines, 60+60W rms 29 Vdc, power supply 24V dc.		**393,00**	1	2/3


		Code	Description	kg	ΤΙΜΗ ΧΩΡΙΣ Φ.Π.Α Euro	Pack	U. R.
			POWER SUPPLY MODULES EN54-16				
	TU	MET720P1	**Power supply module**, with high efficiency, low ripple for audio amplifier modules. 720W music power. 29 Vdc, power supply 230Vac.		452,00	1	2/3
	TU	MET720P2	**Power supply module**, with high efficiency, low ripple for audio amplifier modules. 720+720W music power. 29 Vdc, power supply 230Vac.		715,00	1	2/3
			Note: for rack supports see PP3A2, PP5A3 and BEKFA series.				
			BATTERY CHARGER EN54-4				
	TU	MET6CB	**Monitoring unit with battery charger** of 100Ah for up to 6 power supplies. Control unit and status display of up to 6 power supplies, charger for lead-acid type batteries, up to 100Ah complete with probe for temperature control of the charge. Rated operating voltage 24V dc, 32A maximum capacity for each output. RS232 port. EN54-4 certified.		1331,00	1	2
			BATTERY KIT, FIXED SHELF, ACCESSORIES EN54				
	TU	BEKF27A3U	Two batteries kit of 27Ah kit, 24V dc total, with mounting bracket for bottom of the rack mounting, with closing rack panel and 10x38 fuse.		673,00	1	3
	TU	BEKF42A4U	Two batteries kit of 42Ah kit, 24V dc total, with mounting bracket for bottom of the rack mounting, with closing rack panel and 10x38 fuse.		952,00	1	4
	TU	BEKF80A6U	Two batteries kit of 80Ah kit, 24V dc total, with mounting bracket for bottom of the rack mounting, with closing rack panel and 22x58fuse.		1629,00	1	6
	TU	BEKF100A6U	Two batteries kit of 100Ah kit, 24V dc total, with mounting bracket for bottom of the rack mounting, with closing rack panel and 22x58 fuse.		1888,00	1	6
	TU	BEKFA27A3U	Two batteries kit, (27 Ah, 24V dc) with mounting bracket for bottom of the rack mounting, complete with closing panel and fuse. Slot for installing 3 power amplifier module.		612,00	1	3
	TU	BEKFA42A4U	Two batteries kit, (42 Ah, 24V dc) with mounting bracket for bottom of the rack mounting, complete with closing panel and fuse. Slot for installing 3 power amplifier module.		957,00	1	4
	TU	BEK27A3U	Two batteries kit of 27Ah kit, 24V dc total, with suspended support for rack mounting, with closing rack panel and 10x38 fuse.		860,00	1	3
	TU	BEK42A4U	Two batteries kit of 42Ah kit, 24V dc total, with suspended support for rack mounting, with closing rack panel and 10x38 fuse.		1144,00	1	4
	TU	BEK80A6U	Two batteries kit of 80Ah kit, 24V dc total, with suspended support for rack mounting, with closing rack panel and 22x58 fuse.		1817,00	1	6
	TU	BEK100A6U	Two batteries kit of 100Ah kit, 24V dc total, with suspended support for rack mounting, with closing rack panel and 22x58 fuse.		2093,00	1	6
			WALL BRACKET FOR METCUBE				
	TU	METSPC	**Wall bracket** for Metcube.(except Metcube V)		122,00	1	
			DIGITAL CONTROL UNITS				
			Digital control unit Digital control for V/A matrix, with OLED display. On/off of V/A sources and of zone speakers, volume controls, program and functions control. Graphic display; complete with infrared receiver for remote control. Alarm priority. Can show the text of the song listen.				
	TU	MZ830B	White.		228,00	1	
	TU	MZ830N	Black (Anthracite grey).		230,00	1	
	TU	MZ830MC	Chrome Metal (silver). *Note: for assembly, see: "35x35 Adapters"*		230,00	1	
			**Digital control unit for MET SYSTEM** On/off of the V/A sources and of zone speakers, volume and tone controls, program and functions control, sleep; numeric display; complete with infrared receiver for remote control. Alarm priority.				
	TU	CZ83B	White.		117,00	1	
	TU	CZ83N	Black (Anthracite grey).		117,00	1	
	TU	CZ83MC	Chrome Metal (silver). *Note: for assembly, see: "35x35 Adapters"*		130,00	1	

	Code	Description	kg	ΤΙΜΗ ΧΩΡΙΣ Φ.Π.Α Euro	Pack	U. R.
		PA MATRIX SYSTEMS				
		Zone with indipendent audio programs selection.				
	TU **MTA816PRO**	**Programmable audio matrix** Programmable audio matrix with 8 balanced inputs + 1 local audio input, 6 balanced outputs (extendable to 48), backlight LCD graphic display, control of the zones through the front panel and remote controls, functions control of the sources, Ethernet and RS232 interface for building automation. Embedded with Integrated Web Server and Pc Software.	6,3	**1903,00**	1	2
	TU **MTAE816PRO**	**Expansion for programmable Audio matrix** Programmable matrix expansion with 8 balanced inputs + 1 local audio input, 6 balanced outputs. Control of the zones through the central matrix and remote controls.	6,1	**1337,00**	1	2
	TU **DMH44K**	**HDMI video matrix, 4 in, 4 out** HDMI v1.4 (FullHD/4K) high definition video matrix: 4 HDMI inputs, 4 HDMI outputs, 1 RS232 serial port for remote control, Infrared remote controller. Brackets for 19" rack installation (1U) included. 110/230 Vac.	1,5	**1454,00**	1	1
	TU **MTA816**	**Programmable matrix Audio** Programmable matrix with 8 audio inputs + 1 local audio input, 6 outputs (extendable to 48), backlight LCD graphic display, control of the zones through the front panel and remote controls, functions control of the sources, Ethernet and RS232 interface for building automation; power supply unit for 20 active speakers type 508, 530-10.	5,43	**2463,00**	1	2
	TU **MTAE816**	**Expansion for programmable Audio matrix** Programmable matrix expansion with 8 audio inputs + 1 local audio input, 6 outputs. Control of the zones through the central matrix and remote controls; power supply unit for 20 active speakers type 508, 530-10.	6,1	**1841,00**	1	2
	TU **MTAM816S**	Programmable audio matrix with 8 audio inputs + 1 local audio input, 6 outputs (extendable to 48). Graphic display, control of the zones through remote controls, App, functions control of the sources, Ethernet and RS232 interface for building automation; power supply unit for 12 speakers type 8 ohm or active 508. Embedded with App, Integrated Web Server and Pc Software.	5,4	**1947,00**	1	2
	TU **MTAE816S**	Expansion for programmable audio matrix Programmable matrix expansion with 8 audio inputs + 1 local audio input, 6 outputs. Control of the zones through the central matrix and remote controls; power supply unit for 12 speakers type 8 ohm or active 508.	5,1	**1711,00**	1	2
	TU **MTA561**	Active central unit, matrix 6 independent zones, 8 programs, selective microphone, App. Up to 20 active speakers 530-10, 508. Front panel in black painted steel. Active balanced output.	5,1	**1337,00**	1	2
	TU **RD561**	**Active audio matrix** 6 zones, 6 audio source inputs, selective paging input, for 20 active speakers type 508, 530-10.	4	**1098,00**	1	1
		PA SYSTEMS with general main program				
	TU **RD501**	**Active main unit** 6 audio source inputs, selective paging input, 6 adjustable outputs, 150W internal power supply for 20 active speakers type 508.	4	**738,00**	1	1
	TU **RD511**	**Active mixer main unit** 3 AUX inputs, 1 MIC input, 1ACTIVE prioritary input, 2 adjustable outputs, internal power supply 24 Vdc - 150W for n° 20 model 508 active loudspeakers.	3,92	**738,00**	1	1
	TU **R1500S**	**Main unit for 1 audio source** 1 audio source, function control, priority active microphone input, one 24 Vdc power supply for 10 active speakers type 508, 530-10.	3,9	**553,00**	1	1
		PA SYSTEMS with locally selectable audio programs.				
	TU **RD4501**	**Active main unit for 4 audio** for 4 independent audio sources, 1 general paging input, 1 built-in 150W 24 Vdc power supply unit, for 20 active speaker type 508, 530-10.	5,2	**758,00**	1	1
		Notes: For large audio systems, use 4 TR600 audio transformers combined with the RD4501 control unit. Consult Tutondo technical office.				
		**Audio control unit for 3 stereo/mono audio sources** 3 input programs or 2 programs +1 external Add-on (USB o radio DAB). Oled display. Volume, on/off and tone controls. Priority, function change and IR control. 24 Vdc power supply.				
	TU **MZ3532LB**	White.	0,048	**201,00**	1	
	TU **MZ3532LN**	Black (Anthracite grey).	0,048	**205,00**	1	
	TU **MZ3532LMC**	Chrome metal (silver).	0,048	**205,00**	1	
		Note: for assembly, see "Control adapters"				
		**Audio control unit for 3 stereo/mono audio sources and Bluetooth** 3 input programs + Bluetooth or 2 programs + Bluetooth + 1 external Add-on (USB o radio DAB). Oled display. Volume, on/off and tone controls. Priority, function change and IR control. 24 Vdc power supply.				
	TU **MZ3532BLB**	White.	0,048	**238,00**	1	
	TU **MZ3532BLN**	Black (Anthracite grey).	0,048	**241,00**	1	
	TU **MZ3532BLMC**	Chrome metal (silver).	0,048	**241,00**	1	
		Note: for assembly, see "Control adapters"				
		**Modus Pro** compact stereo audio system with Bluetooth, FM tuner, Bluetooth, Oled display,proximity on/off, volume and functions control, Alarm priority, IR control, digital Bus, 24 Vdc.				
	TU **MZ71BTB**	White.	0,048	**365,00**	1	
	TU **MZ71BTN**	Black (Anthracite grey).	0,048	**369,00**	1	
	TU **MZ71BTMC**	Chrome metal (silver).	0,048	**369,00**	1	
		Note: for assembly, see "35x35 adapters"				


		Code	Description	kg	TIMH ΧΩΡΙΣ Φ.Π.Α Euro	Pack	U. R.
			DIGITAL AUDIO MATRIX AND MIXER				
	TU	DMP128	**Digital audio matrix/automatic mixer** with DSP, 12 inputs, 8 outputs. Touch screen display and App control.	5,8	**4090,00**	1	2
	TU	MX4U	**Mixer** with 2 mic. bal/aux in, 1 stereo aux in, Phantom, balanced out, eco, delay and USB MP3 player	2,5	**244,00**	1	
	JL	SM1625	**Mixer** with 6 mic/aux in, 2 stereo aux in, 1 stereo tape in, Phantom, balanced out.		**480,00**	1	
	TU	MX8U	**Mixer** with 6 mic/aux in, 2 stereo aux in, Phantom, balanced out, eco, delay and USB MP3 player	2,5	**491,00**	1	
	TU	MX952	**Mixer** with 9 mic/aux in, Phantom, 2 balanced out.	4,5	**680,00**	1	1
	TU	MXL503	**Audio Mixer** XLR, Aux RCA and 3,5mm jack. 24 V dc power supply. For 503 box.	0,5	**116,00**	1	
			AMPLIFIER / MIXER FOR 100V SYSTEMS				
	TU	PP4020V	20W, 100V integrated amplifier,chime and priority, 12 Vdc and 230 VAC power supply	4,8	**97,00**	1	2
	TU	PP4060V	60W, 100V **integrated amplifier**, 3 mic+ 2 aux inputs; input 1 with priority.	8,6	**308,00**	1	2
	TU	PP4240V	**Integrated Amplifier** 240W - 100V Phantom 1-zone mixer amplifier. Volume adjustment Mic1, Mic2, Mic3, Mic4, AUX1.	8,6	**924,00**	1	2
			AMPLIFIER WITH AUDIO SOURCE FOR 100V SYSTEMS				
	TU	PSR4120V	**Six zones compact amplifier with audio sources** 100V amplifier, 120W with FM AM tuner and MP3 USB player. Six zone with volume adjustment. Note: suitable for BM40J microphone paging station.	8,6	**329,00**	1	2
	TU	PS4121V	**Amplifier with audio sources** 150W, 100V, 1 zone amplifier, complete with FM, DAB +, Bluetooth, USB audio sources. Microphone priority.	8,6	**341,00**	1	2
	TU	PSRS4352V	**Sis zones amplifier with audio sources** Six zones 350W, 100V, 1 priority mic, 4 mic, 3 aux, 1 tel-em, priority, din-don. FM tuner e MP3 USB player. Six zone with volume adjustment. *Note: suitable for BMR6Z microphone paging station.*	8,6	**1298,00**	1	2
	TU	PSRS3352V	**Sis zones amplifier with audio sources** Amplifier with Bluetooth, DAB / FM radio, MP3 player (USB). Power 350 W, line100 V. Six zones with volume adjustment and on/off. Selective microphone call with MCZ and MCC series microphone bases. Phantom. Black colour.	8,6	**1143,00**	1	2
			INTERCOM SYSTEM Works with active amplified speakers: 530, 508, 503.				
	TU	MV1511	**Client's active microphone** Freestanding active microphone for horizontal or vertical surfaces.	0,4	**183,00**	1	
	TU	MC500	**Operator's active microphone base** Active stand with microphone, volume control, mechanical button, 24 Vdc.	1,13	**228,00**	1	
	TU	CENT-PA	Intercom system, 24Vdc.	3,9	**172,00**	1	
			CONFERENCE SYSTEM				
	TU	CRM501	**Conference main mixer unit** Main conference unit complete with mixer and power supply for microphone units.	4	**747,00**	1	1
	TU	CBD560	**Delegate's microphone base** With MIC on/off, complete with microphone with luminous indicator ring.	1,3	**492,00**	1	
	TU	CBP561	**Chairman's microphone base** with MIC on/off, priority paging, complete with microphone with luminous indicator ring.	1,3	**512,00**	1	
			Extension cable				
	TU	CCP505	5 m. extension cord for connecting bases.		**99,00**	1	
	TU	CCP510	10 m. extension cord for connecting bases.		**121,00**	1	
	TU	CCP515	15 m. extension cord for connecting bases.		**144,00**	1	
	TU	CCP530	30 m. extension cord for connecting bases.		**212,00**	1	

KARIOTIS Audio & Lighting
TUTONDO

POWER AMPLIFIER

		Code	Description	kg	ΤΙΜΗ ΧΩΡΙΣ Φ.Π.Α Euro	Pack	U. R.
			8 ohm and 100V line POWER AMPLIFIERS				
			Stereo power amplifiers				
	TU	PS600	320+320W on 4 ohm; 170+170W on 8 ohm; 620W on 8 ohm, bridge.	10	**702,00**	1	1
	TU	PS1201	850+850W on 2 ohm; 600+600W on 4 ohm; 350+350W on 8 ohm.	15	**2142,00**	1	2
	TU	PS2001	1500+1500W on 2 ohm; 1000+1000W on 4 ohm; 600+600W on 8 ohm.	18	**2385,00**	1	2
	TU	PQ415	Multichannels power amplifier on 4 ohm 4x150W, on 8 ohm 4x80W.	15	**1078,00**	1	1
			Module 100 V line, amplifiers				
			Note: for rack supports see PP3A2, PP5A3 and BEKFA series.				
	TU	MET50A2S	**Class D amplifier module**, for 100V audio lines, 500+500 Wrms @ 29 Vdc, 24V dc nominal power supply.		**1500,00**	1	2/3
	TU	MET50A1S	**Class D amplifier module**, for 100V audio lines, 500 Wrms @ 29 Vdc, 24V dc nominal power supply.		**845,00**	1	2/3
	TU	MET18A1P	**Modular power amplifier**, class D, 100V system, 180Wrms at 29Vdc, 230 Vac and 24Vdc power supply.		**528,00**	1	2/3
	TU	MET18A1S	**Modular power amplifier,** class D, 100V system, 180Wrms at 29Vdc, 24Vdc power supply.		**411,00**	1	2/3
	TU	MET15A2S	**Modular power amplifier**, class D, 100V system, 150+150Wrms at 29Vdc, 24Vdc power supply.		**710,00**	1	2/3
	TU	MET15A1S	**Modular power amplifier**, class D, 100V system, 150Wrms at 29Vdc, 24Vdc power supply.		**404,00**	1	2/3
	TU	MET6A3P	**Modular power amplifier**, class D, 100V system, 60+60+60Wrms at 29Vdc, 230 Vac and 24Vdc power supply.		**640,00**	1	2/3
	TU	MET6A3S	**Modular power amplifier**, class D, 100V system, 60+60+60Wrms at 29Vdc, 24Vdc power supply.		**493,00**	1	2/3
	TU	MET6A2S	**Modular power amplifier,** class D, 100V system, 60+60Wrms at 29Vdc, 24Vdc power supply.		**393,00**	1	2/3

POWER SUPPLIES

		Code	Description	kg	ΤΙΜΗ ΧΩΡΙΣ Φ.Π.Α Euro	Pack	U. R.
			24 VDC POWER SUPPLIES				
	JL	L24DE	24V 1A switching power supply. Jeans Line.	0,2	**64,00**	1	
	TU	ALBD502	DIN Rail switching power supply, 24 Vdc, 2.5 A. For 6 active loudspeakers model 508, 530-10 max.	0,09	**81,00**	1	
 AL505S  ALBD502/ALBD504	TU	ALBD504	DIN Rail switching power supply, 24 Vdc, 4 A. For 12 active loudspeakers model 508, 530-10 max.	0,1	**122,00**	1	
	TU	AL505S	24V 6A stabilized servo power supply unit (for 20 speakers type 508, 530-10).	4,3	**470,00**	1	
	TU	ALD516	24V 6A stabilized servo power supply unit (for 20 speakers type 508, 530-10).	3,3	**557,00**	1	1
 AD516/526/536	TU	ALD526	24V 6+6A stabilized servo power supply unit (for 20+20 speakers type 508, 530-10).	5,4	**748,00**	1	1
	TU	ALD536	24A 6+6+6A stabilized servo power supply unit (for 20+20+20 speakers type 508, 530-10).	6,6	**938,00**	1	1
			INTERFACES AND DEVICES				
	TU	GKT503	**KNX bus - RS232 compatible gateway** for Tutondo audio and video multiroom systems. As: MTA816, MTAM816S	0,121	**684,00**	1	
	TU	ATM502T	**Automatic interface for telephone exchanges** with insulation transformers.		**295,00**	1	




PA REMOTE CONTROL UNITS

	Code	Description	kg	ΤΙΜΗ ΧΩΡΙΣ Φ.Π.Α Euro	Pack	U. R.
		Remote digital control unit remote digital control for V/A matrix, with OLED display. On/off of V/A sources and of zone speakers, volume controls, program and functions control. Graphic display; complete with infrared receiver for remote control. Alarm priority. Can show the text of the song listen.				
						
TU	**MZ830B**	White.	0,04	**228,00**	1	
TU	**MZ830N**	Black (Anthracite grey)	0,04	**230,00**	1	
TU	**MZ830MC**	Chrome Metal (silver).	0,04	**230,00**	1	
		Note: for assembly, see: "Control Adapters"				
		Remote digital control unit for Mondo T, EVAC MET SYSTEM On/off of the V/A sources and of zone speakers, volume and tone controls, program and functions control, sleep; numeric display; complete with infrared receiver for remote control. Alarm priority.				
						
TU	**CZ83B**	White.	0,04	**117,00**	1	
TU	**CZ83N**	Black (Anthracite grey).	0,04	**117,00**	1	
TU	**CZ83MC**	Chrome Metal (silver).	0,04	**130,00**	1	
		Note: for assembly, see: "Control Adapters"				

REMOTE AUDIO CONTROL UNITS for 12Vpp ACTIVE System


Selection of 1 audio source on/off; volume and alarm priority.

						
TU	**CZ1522B**	White.	0,041	**121,00**	1	
TU	**CZ1522N**	Black (Anthracite grey).		**121,00**	1	
TU	**CZ1522MC**	Chrome metal (silver).		**130,00**	1	
		Note: for assembly, see "Control Adapters"				
		Modus Lite, digital audio control unit for 3 stereo/mono audio sources 3 input programs or 2 programs +1 external Add-on (USB o radio DAB). Oled display. Volume, on/off and tone controls. Priority, function change and IR control. 24 Vdc power supply.				
						
TU	**MZ3532LB**	White.	0,048	**201,00**	1	
TU	**MZ3532LN**	Black (Anthracite grey).	0,048	**205,00**	1	
TU	**MZ3532LMC**	Chrome metal (silver).	0,048	**205,00**	1	
		Note: for assembly, see "Control adapters"				
		Modus Lite digital audio control unit for 3 stereo/mono audio sources with Bluetooth 3 input programs + Bluetooth or 2 programs + Bluetooth + 1 external Add-on (USB o radio DAB). Oled display. Volume, on/off and tone controls. Priority, function change and IR control. 24 Vdc power supply.				
						
TU	**MZ3532BLB**	White.	0,048	**238,00**	1	
TU	**MZ3532BLN**	Black (Anthracite grey).	0,048	**241,00**	1	
TU	**MZ3532BLMC**	Chrome metal (silver).	0,048	**241,00**	1	
		Note: for assembly, see "Control adapters"				
		Modus Pro compact stereo audio system, FM tuner, Oled display,proximity on/off, volume and functions control, Alarm priority, IR control, digital Bus, 24 Vdc.				
						
TU	**MZ71TB**	White.	0,048	**284,00**	1	
TU	**MZ71TN**	Black (Anthracite grey).	0,048	**287,00**	1	
TU	**MZ71TMC**	Chrome metal (silver).	0,048	**287,00**	1	
		Note: for assembly, see "35x35 adapters"				
		Modus Pro compact stereo audio system with Bluetooth, FM tuner, Bluetooth, Oled display,proximity on/off, volume and functions control, Alarm priority, IR control, digital Bus, 24 Vdc.				
						
TU	**MZ71BTB**	White.	0,048	**365,00**	1	
TU	**MZ71BTN**	Black (Anthracite grey).	0,048	**369,00**	1	
TU	**MZ71BTMC**	Chrome metal (silver).	0,048	**369,00**	1	
		Note: for assembly, see "35x35 adapters"				

		Code	Description	kg	ΤΙΜΗ ΧΩΡΙΣ Φ.Π.Α Euro	Pack	U. R.
			REMOTE AUDIO CONTROL UNITS for 100V line system				
			**Remote audio control unit for 100V speakers max 20W**				
	TU	CZ100V20B	Stepping attenuator for 100V lines, 20W. White.	0,181	**72,00**	1	
	TU	CZ100V20N	Black (Anthracite grey).	0,181	**72,00**	1	
	TU	CZ100V20MC	Chrome Metal (silver).	0,181	**72,00**	1	
			As above with priority alarm (24 Vdc).				
	TU	CZ100V20RB	White.	0,181	**79,00**	1	
	TU	CZ100V20RN	Black (Anthracite grey).	0,181	**79,00**	1	
	TU	CZ100V20RMC	Chrome Metal (silver).	0,181	**79,00**	1	
			Note: for assembly, see "Control Adapters"				
			Remote audio control unit for 100V speakers, 50W max				
	TU	CZ100V50B	Stepping attenuator 100V line, 50W. White.	0,182	**84,00**	1	
	TU	CZ100V50N	Black (Anthracite grey).	0,182	**84,00**	1	
	TU	CZ100V50MC	Chrome Metal (silver).	0,182	**84,00**	1	
			As above with priority alarm (24 Vdc).				
	TU	CZ100V50RB	White.	0,182	**94,00**	1	
	TU	CZ100V50RN	Black (Anthracite grey).	0,182	**94,00**	1	
	TU	CZ100V50RMC	Chrome Metal (silver).	0,182	**94,00**	1	
			Note: for assembly, see "Control Adapters". *Attention: for assembly with "Now" series is needed a modification by our company*				
			REMOTE CONTROLS for MONDO T Systems				
	TU	RC8300	**Universal Infrared Remote control** 16 devices, learning function, backlighting.	0,171	**242,00**	1	
	TU	RC3MZ	**Remote control for Modus system** **R**emote control for Modus serie control units. Compatible for MZ3532L, MZ3532BL, MZ71T,MZ71BT, MZ830.	0,17	**22,00**	1	
	TU	RC83R	**Wireless remote control for R1NTR**	0,17	**131,00**	1	
	TU	R1NTR	**Radio receiver for remote control** RC83R, for Mondo T Multiroom system.	0,08	**157,00**	1	



















	Code	Description	kg	TIMH ΧΩΡΙΣ Φ.Π.Α Euro	Pack	U. R.
		Microphones				
JL	**AVL2500X**	Unidirectional dynamic mic., 250 ohm with switch, cable with XLR pin complete with removable bracket and standard adapter.	0,35	**122,00**	1	
JL	**AVL1002X**	Unidirectional dynamic mic., 500 ohm with switch, cable with XLR pin complete with removable bracket and standard adapter.	0,22	**54,00**	1	
JL	**AVL1002J**	Unidirectional dynamic mic., 500 ohm, with switch, cable with 6.3 mm jack. Complete with removable bracket and standard adapter.	0,22	**54,00**	1	
JL	**PA101X**	**Dynamic Gooseneck type mic.,** 500 ohm, XLR pin, 9 mm flexible stem, 456 mm long.	0,21	**66,00**	1	
JL	**PA229X**	**Electret high-sensitivity mic.**, unidirectional Gooseneck type, Phantom power supply, with XLR pin, sensitivity 1.59mV.	0,19	**234,00**	1	
JL	**PL13X**	**Electret Gooseneck type mic.**, Phantom power supply, with XLR pin, luminous indicator ring.	0,23	**138,00**	1	
JL	**PHM956X**	**Boundary-layer microphone with XLR pin** Phantom power supply, sensitivity 0.71mV. White. Jeans Line.	0,23	**483,00**	1	
JL	**PHM950**	**Electret ceiling microphone.** Jeans Line.	0,178	**234,00**	1	
JL	**AVL680**	**Super cardioid, high-sensitivity microphone** Electret high-sensitivity, high-directivity microphone phantom power supply, with XLR pin. Jeans Line.	0,95	**194,00**	1	
		Dynamic microphone consoles				
TU	**BM40J**	Dynamic microphone consoles, cable with 6,3 mm jack and XLR	1,3	**92,00**	1	
TU	**BMM32X**	Table-top console with 500 ohm microphone, on/off switch and priority, cable (4.5 m) with XLR pin.	1,3	**207,00**	1	
TU	**BMM30X**	Table-top console with 500 ohm microphone, on/off switch and priority, cable with XLR pin	1,3	**207,00**	1	
TU	**BMM29X**	Table-top console with 500 ohm microphone, on/off switch, cable with XLR pin.	1,2	**180,00**	1	
TU	**BMM29J**	Table-top console with 500 ohm microphone, on/off switch, cable with 6.3 mm jack.	1,2	**173,00**	1	
		Active recessed microphone module Electret type microphone, astable button, 24 Vdc.				
TU	**MC1501B**	White	0,04	**130,00**	1	
TU	**MC1501N**	Black (Anthracite grey).	0,04	**130,00**	1	
TU	**MC1501MC**	Chrome Metal (silver). *Note: for assembly, see "Control Adapters"*	0,04	**134,00**	1	
		Recessed microphone module for MondoT system Electret type microphone, digital zone control with display, for paging a selected zone or general announcements.				
TU	**MC1NTCB**	White.	0,042	**193,00**	1	
TU	**MC1NTCN**	Black (Anthracite grey).	0,042	**193,00**	1	
TU	**MC1NTCMC**	Chrome Metal (silver). *Note: for assembly, see "Control Adapters"*	0,042	**202,00**	1	
		Active console with microphone volume control, chime, priority, 24 Vdc.				
TU	**MCZ501N**	Black.	1,3	**352,00**	1	
TU	**MC500**	**Active console with microphone** volume control, chime, priority, mechanical button, 24 Vdc.	1,1	**228,00**	1	
TU	**MC500XLR**	**Active console with vol. control** chime, priority, with XLR socket, without mic., 24 Vdc.	0,89	**157,00**	1	
		Active console with microphone, 5 zone volume control, chime, priority, 5-zone + general selector, 24 Vdc.				
TU	**MCZ505N**	Black.	1,1	**411,00**	1	
TU	**MCZ510N**	Black.	1,1	**459,00**	1	
TU	**APM40**	**12 Vpp active lines attenuator**, with jack 6,3mm plug cable. 24 Vdc	0,8	**106,00**	1	
TU	**APM41**	**12 Vpp active lines attenuator**, with xlr plug cable. 24 Vdc	0,8	**106,00**	1	

	Code	Description	kg	ΤΙΜΗ ΧΩΡΙΣ Φ.Π.Α Euro	Pack	U. R.
		Professional True diversity wireless microphone				
JL	**UXD-100UF-61D**	Professional hand-held wireless microphone with True diversity receiver, balanced outputs. UHF Frequencies.Hand-held cardioids microphone.	2,9	**726,00**	1	1
JL	**RS-83 UF-18**	Professional hand-held wireless microphone with True diversity receiver, balanced outputs. UHF Frequencies. Fixed antennas on the front.	3	**433,00**	1	1
JL	**RS-95 UST-6**	Professional wireless microphone with True diversity receiver, balanced outputs. UHF Frequencies. Electret type microphone with headset and clamp.Fixed antennas on the front.	2,9	**682,00**	1	1
JL	**RS-83 UT-62**	Professional wireless microphone with True diversity receiver, balanced outputs. UHF Frequencies. Electret type microphone with headset and clamp. Fixed antennas on the front.	3	**551,00**	1	1
JL	**AVL6304**	**Table-top base** for XLR Gooseneck microphone.	1,2	**74,00**	1	
JL	**AVL6305S**	**Table-top base** for XLR Gooseneck microphone.	1,3	**110,00**	1	
		Table-top base with stem				
TU	**BMT82**	Table-top base for microphone with stem (wide base).	4,9	**228,00**	1	
TU	**BMT80**	Table-top base for microphone with stem (V-shaped base).	2,5	**117,00**	1	
TU	**GM38**	**Microphone floor base**.	3	**155,00**	1	
TU	**GM20**	Microphone floor base with boom (tubular floor stand).	2,3	**76,00**	1	
JL	**6315FS**	**Stand adapter** with switch for Gooseneck microphones. Jeans Line.	0,2	**62,00**	1	
TU	**PXLR**	**XLR extension**.	0,3	**61,00**	1	
TU	**SMP**	**Support clamp for microphone**	0,3	**23,00**	1	

TUTONDO®

Loudspeakers



DIMMI

IN-WALL FRAMLESS LOUDSPEAKER

Made in Italy

In-wall or ceiling, low impact,
Hi-Fi rectangular loudspeaker.

PLASTIC FREE




Free-standing or built-in with CF2D in-wall box.
Steel frame and metal protection net.



In-wall square speakers Plastic Free series



SONATA DI VENEZIA Square

	Code	Description	kg	ΤΙΜΗ ΧΩΡΙΣ Φ.Π.Α Euro	Pack
		**Flush mount speaker (installation requires an acoustic cabinet that can be purchased separately).**			
	OH SVH2G	2-way flush mount speaker 80-160W rms, 160 mm woofer, 8 ohm, SPL 107 dB max, 88 dB 1W/1m. (Without recessed acoustic cabinet cod.: OH CFSVHQ). Plastic Free.		**424,00**	1
	OH SVH530G	2-way flush mount speaker 160 mm woofer, 30-20-10W rms, SPL 103dB max. Active speaker, 24 Vdc. (Without recessed acoustic cabinet cod.: OH CFSVHQ). Plastic Free.		**479,00**	1
	OH SVHT43G46	2-way flush mount speaker 160 mm woofer, 46-24-12W rms Hi-Fi transformer, SPL 104dB max, 88dB 1W/1m. 100V - 80 ohm. (Without recessed acoustic cabinet cod.: OH CFSVHQ). Plastic Free.		**520,00**	1
		Recessed acustic cabinet			
	**OH CFSVHQ**	**Recessed acoustic cabinet** made of stainless steel, sealed for flush mounting on wall, for **Sonata di Venezia Square** speakers. Calculated volume for maximum acoustic output and linear frequency response. Sound-absorbing material, external plastic net for masonry fixed, front closure to prevent the entrance of dust or waste materials and sealing gaskets for cables entry. Dimensions: 372x372x86.5 mm.		**185,00**	1
		NOTES: Attention, each speaker must be completed with jersey fabric			
		Grille fabric (dim. 230x230 mm)			
	OH SV36TWB	Grille fabric, White.		**61,00**	1
	OH SV36TGR	Grille fabric, Grey.		**61,00**	1
	OH SV36TBN	Grille fabric, Black.		**61,00**	1
	OH SV36TOR	Grille fabric, Orange.		**61,00**	1
	OH SV36TBL	Grille fabric, Heavenly.		**61,00**	1
	**OH SV36TG**	Only frame (no fabric) for custom applications.		**29,00**	1
		Grille metal (dim. 230x230)			
	**OH SV36RWB**	White grid with screws.		**57,00**	1
	OH SV36RMC	Silver grid with screws.		**57,00**	1
	OH SV36RBN	Black grid with screws.		**57,00**	1


In-wall peakers Plastic Free series



SONATA DI VENEZIA Round

	Code	Description	kg	TIMH ΧΩΡΙΣ Φ.Π.Α Euro	Pack
		Flush mount speaker (installation requires an acoustic cabinet that can be purchased separately).			
OH	**SVH2G**	2-way flush mount speaker 80-160W rms, 160 mm woofer, 8 ohm, SPL 107 dB max, 88 dB 1W/1m. (Without recessed acoustic cabinet cod.:OH CFSVHC). Plastic Free.		**424,00**	1
OH	**SVH530G**	2-way flush mount speaker 160 mm woofer, 30-20-10W rms, SPL 103dB max. Active speaker, 24 Vdc. (Without recessed acoustic cabinet cod.:OH CFSVHC). Plastic Free.		**479,00**	1
OH	**SVHT43G46**	2-way flush mount speaker 160 mm woofer, 46-24-12W rms Hi-Fi transformer, SPL 104dB max, 88dB 1W/1m. 100V - 80 ohm (Without recessed acoustic cabinet cod.:OH CFSVHC). Plastic Free.		**520,00**	1

Recessed acoustic cabinet




OH	**CFSVHC**	**Recessed acoustic cabinet** made of stainless steel, sealed for flush mounting on wall, for **Sonata di Venezia Round** speakers. Calculated volume for maximum acoustic output and linear frequency response. Sound-absorbing material, external plastic net for masonry fixed, front closure to prevent the entrance of dust or waste materials and sealing gaskets for cables entry. Dimensions: 372x372x86.5 mm.		**185,00**	1

NOTES: Attention, each speaker must be completed with jersey fabric


Grille fabric (dimeter 230 mm)

OH	**SVC36TWB**	Grille fabric, White.		**61,00**	1
OH	**SVC36TGR**	Grille fabric, Grey.		**61,00**	1
OH	**SVC36TBN**	Grille fabric, Black.		**61,00**	1
OH	**SVC36TOR**	Grille fabric, Orange.		**61,00**	1
OH	**SVC36TBL**	Grille fabric, Heavenly.		**61,00**	1



OH	**SVC36TG**	Only round frame (no fabric) for custom applications.		**29,00**	1

Grille metal (dimeter 230 mm)



OH	**SVC36RWB**	White grid with screws.		**55,00**	1
OH	**SVC36RMC**	Silver grid with screws.		**55,00**	1
OH	**SVC36RBN**	Black grid with screws.		**55,00**	1

In-wall speakers Plastic Free series.



ARIA DI VENEZIA Square

	Code		kg	TIMH ΧΩΡΙΣ Φ.Π.Α Euro	Pack
		Flush mount speaker (installation requires an acoustic cabinet that can be purchased separately).			
OH	**AVH2G**	Main body 2-way speaker 80-120W rms, SPL 107 dB max, 88 dB 1W/1m. 8 ohm. (Without recessed acoustic cabinet cod. : OHCFAVHQ). Plastic Free.	4,2	**268,00**	1
OH	**AVH530G**	Main body 2-way speaker, active, 30-20-10W rms, SPL 102,7 dB max. (Without recessed acoustic cabinet cod. : OH CFAVHQ). Plastic Free.	4,2	**296,00**	1
OH	**AVHT43G46**	Main body 2-way speaker 46W Hi-Fi transformer, SPL 104,6 dB max, 88 dB 1W/1m. 100V and 80 ohm. (Without recessed acoustic cabinet cod. : OH CFAVHQ). Plastic Free.	4,9	**339,00**	1
OH	**EAVHT43G46**	Main body 2-way speaker 46W Hi-Fi transformer, 100V, SPL 104,5 dB max, 88 dB 1W/1m., EN54-24 certified. (Without recessed acoustic cabinet cod. : OH CFAVHQ). Plastic Free.	4,3	**362,00**	1

EVAC EN 54

Recessed acoustic cabinet

OH	**CFAVHQ**	**Recessed acoustic cabinet** made of stainless steel, sealed for flush mounting on wall, for **Aria di Venezia Square** speakers. Calculated volume for maximum acoustic output and linear frequency response. Sound-absorbing material, external plastic net for masonry fixed, front closure to prevent the entrance of dust or waste materials and sealing gaskets for cables entry. Dimensions: 277x277x86.5 mm.		**123,00**	1

NOTES: Attention, each speaker must be completed with a jersey fabric or a grille fabric (standard or internal)

Grille fabric (dim.177x177mm)

OH	**AV36TWB**	White.		**58,00**	1
OH	**AV36TGR**	Grey.		**58,00**	1
OH	**AV36TBN**	Black.		**58,00**	1
OH	**AV36TOR**	Orange.		**58,00**	1
OH	**AV36TBL**	Heavenly.		**58,00**	1
OH	**AV36TG**	Only frame (no fabric) for custom applications.		**23,00**	1

Grille metal (dim.177x177)

OH	**AV36RWB**	White grid with screws.		**55,00**	1
OH	**AV36RMC**	Silver grid with screws.		**55,00**	1
OH	**AV36RBN**	Black grid with screws.		**55,00**	1

Internal grille for frames (dim 134x134mm)

OH	**AV36RSWB**	White.		**44,00**	1
OH	**AV36RSMC**	Silver.		**44,00**	1
OH	**AV36RSBN**	Black.		**44,00**	1

NOTES: Attention, each internal grille fabric must be completed with a frame (flush mounted or wall frame)

Flush-mounted frames (dim. 177x177mm)

OH	**AV34FWB**	White.		**48,00**	1
OH	**AV34FMC**	Silver.		**48,00**	1
OH	**AV34FBN**	Black.		**48,00**	1

Wall frames (dim. 188x188mm)



OH	**AV34EWB**	White.		**48,00**	1
OH	**AV34EMC**	Silver.		**48,00**	1
OH	**AV34EBN**	Black.		**48,00**	1

ARIA DI VENEZIA

In-wall speakers Plastic Free series.




ARIA DI VENEZIA Round

	Code		kg	TIMH ΧΩΡΙΣ Φ.Π.Α Euro	Pack
		**Flush mount speaker (installation requires an acoustic cabinet that can be purchased separately).**			
OH	**AVH2G**	Main body 2-way speaker 80-120W rms, SPL 107 dB max, 88 dB 1W/1m. 8 ohm. (Without recessed acoustic cabinet code: OH CFAVHC). Plastic Free.	4,2	**268,00**	1
OH	**AVH530G**	Main body 2-way speaker, active, 30-20-10W rms, SPL 102,7 dB max. (Without recessed acoustic cabinet code: OH CFAVHC). Plastic Free.	4,2	**296,00**	1
OH	**AVHT43G46**	Main body 2-way speaker 46W Hi-Fi transformer, SPL 104,6 dB max, 88 dB 1W/1m. 100V and 80 ohm. (Without recessed acoustic cabinet code: OH CFAVHC). Plastic Free.	4,9	**339,00**	1
EVAC EN 54					
OH	**EAVHT43G46**	Main body 2-way speaker 46W Hi-Fi transformer, 100V, SPL 104,5 dB max, 88 dB 1W/1m., EN54-24 certified. (Without recessed acoustic cabinet box code: OH CFAVHC). Plastic Free.	4,3	**362,00**	1
		Recessed acoustic cabinet			
					
OH	**CFAVHC**	**Recessed acoustic cabinet** made of stainless steel, sealed for flush mounting on wall, for **Aria di Venezia Round** speakers. Calculated volume for maximum acoustic output and linear frequency response. Sound-absorbing material, external plastic net for masonry fixed, front closure to prevent the entrance of dust or waste materials and sealing gaskets for cables entry. Dimensions: 277x277x86.5 mm.		**123,00**	1
		NOTES: Attention, each speaker must be completed with a jersey fabric or a grille fabric (standard or internal)			
		Grille fabric (dimeter 207 mm)			
OH	**AVC36TWB**	White.		**58,00**	1
OH	**AVC36TGR**	Grey.		**58,00**	1
OH	**AVC36TBN**	Black.		**58,00**	1
OH	**AVC36TOR**	Orange.		**58,00**	1
OH	**AVC36TBL**	Heavenly.		**58,00**	1
					
OH	**AVC36TG**	Only frame (no fabric) for custom applications.		**23,00**	1
		Grille metal (dimeter 207 mm)			
					
OH	**AVC36RWB**	White grid with screws.		**55,00**	1
OH	**AVC36RMC**	Silver grid with screws.		**55,00**	1
OH	**AVC36RBN**	Black grid with screws.		**55,00**	1


Complete in-wall speakers

VELA




	Code	Description	kg	ΤΙΜΗ ΧΩΡΙΣ Φ.Π.Α Euro	Pack
		Frameless speaker for CFVLC / CFVLS box (not included) or for plasterboard with mounting hole: 316x196 mm			
TU	**VL2GB**	In-wall 2-way 8 ohm speaker, 50W, SPL 104 dB max, 88 dB 1W/1m, white.	2	**107,00**	2
TU	**VL2GPROB**	In-wall 2-way 8 ohm speaker, 100W, 88 dB 1W/1m, white.	2,1	**130,00**	2
TU	**VLT43G12B**	In-wall 2-way speaker with 80 ohm and 100V Hi-Fi transformer, 12-6-3W, 100V, SPL 96,7 dB max, 86 dB 1W/1m, white.	2,62	**127,00**	2
TU	**VLT43G24B**	In-wall 2-way speaker with 80 ohm and 100V Hi-Fi transformer, 24-12-6W, SPL 99,8 dB max, 86 dB 1W/1m,white.	3	**140,00**	2
TU	**VL530GB**	In-wall 2-way speaker with amplifier, 30-20-10W, active, SPL 100,7 dB max, white.	2,18	**136,00**	2
TU	**VL530PROB**	In-wall 2-way speaker with amplifier 30W, active, SPL 100,7 dB max, white.	2,2	**156,00**	2

EDOTTO FREE



		In-wall boxless power speaker (e.g. plasterboard, mounting hole 329x229 mm)			
TU	**EF2GB**	In-wall boxless 2-way 8 ohm speaker, 30W, SPL 107 dB max, 91 dB 1W/1m, white.	2,02	**125,00**	1
TU	**EFT43G24B**	In-wall boxless 2-way speaker with 80 ohm and 100V Hi-Fi transformer, 24-12-6W, 100V, SPL 104 dB max, 91 dB 1W/1m, white.	2,62	**153,00**	1
TU	**EFT43G46B**	In-wall boxless 2-way speaker with 80 ohm and 100V Hi-Fi transformer, 46-24-12W, SPL 107 dB max, 90 dB 1W/1m,white.	3	**178,00**	1
TU	**EF530GB**	In-wall boxless 2-way speaker with amplifier, 30-20-10W, active, SPL 105 dB max, white.	2,18	**156,00**	1

EDOTTO



		In-wall power speaker for CFEM box (not included).			
TU	**E2GB**	In wall speaker in CFEM box, 2-way 8 ohm, 100W, SPL 106 dB max, 86 dB 1W/1m, white.	2,65	**281,00**	1
TU	**ET43G24B**	In-wall speaker in CFEM box, 2-way with Hi-Fi 80 ohm and 100V transformer, 24-12-6W, SPL 99 dB max, 85 dB 1W/1m, white.	3,25	**327,00**	1
TU	**ET43G46B**	In-wall speaker in CFEM box, 2-way with Hi-Fi 80 ohm and 100V transformer, 46-24-12W, 100V, SPL 101 dB max, 85 dB 1W/1m, white.	3,65	**337,00**	1
TU	**E530GB**	In-wall speaker in CFEM box, 2-way with amplifier, 30-20-10W, SPL 100 dB max, active, white.	2,8	**311,00**	1

LOGICO



		In-wall square speaker with CFLG box (not included).			
TU	**LG2GB**	2-way 8 ohm speaker, 30W, SPL 98 dB max, 83 dB 1W/1m, 8 ohm, white.	0,87	**44,00**	2
TU	**LGT43G24B**	2-way speaker with Hi-Fi transf. 80 ohm and 100V, 24-12-6W, SPL 95 dB max, 82 dB 1W/1m, white.	0,94	**90,00**	2
TU	**LG530GB**	2-way active speaker with amplifier, 30-20-10W, 24 Vdc, SPL 98 dB max, white.	1,23	**95,00**	2


In-wall frameless speakers

DIMMI



	Code	Description	kg	ΤΙΜΗ ΧΩΡΙΣ Φ.Π.Α Euro	Pack
		In-wall speaker for CF2D box (not included) or with mounting hole 125x250 mm.			
TU	**DMQ2G**	In-wall speaker, 8 ohm, 2-way 50W, SPL 103 dB max, 86 dB 1W/1m (net non included).	0,84	**105,00**	1
TU	**DMQT43G24**	In-wall speaker, line 80 ohm-100V, 2-way, Hi-Fi trasformer 24-12-6 W, SPL 99 dB max, 85 dB 1W/1m, (net non included).	0,84	**135,00**	1
TU	**DMQ530G**	2-way active speaker with amplifier, 30-20-10W, 24 Vdc, SPL 100 dB max, (net not included).	1,26	**141,00**	1
		Attention, speaker must be completed with net.			
		Nets			
TU	**RDMB**	White net for Dimmi speaker.	0,064	**22,00**	1
TU	**RDMN**	Black net for Dimmi speaker.	0,064	**22,00**	1
TU	**RDMMC**	Chrome metal (silver) net for Dimmi speaker.	0,064	**22,00**	1

FOLIO



	Code	Description	kg	ΤΙΜΗ ΧΩΡΙΣ Φ.Π.Α Euro	Pack
		Complete speaker (V0) for CF2D box (not included) or with mounting hole: 125x259 mm. **B=white N=black MC=painted chrome metal (silver)**			
TU	**F2L10B**	In-wall speaker, 1-way 10W, SPL 99 dB max, 89 dB 1W/1m, 8 ohm, white.	0,84	**50,00**	1
TU	**F2L10N**	In-wall speaker, 1-way 10W, SPL 99 dB max, 89 dB 1W/1m, 8 ohm, black.	0,84	**50,00**	1
TU	**F2L10MC**	In-wall speaker, 1-way 10W, SPL 99 dB max, 89 dB 1W/1m, 8 ohm, chrome metal (silver).	0,84	**68,00**	1
TU	**F2G30B**	In-wall speaker in CF2 box, 2-way 30W, SPL 99 dB max, 85 dB 1W/1m, 8 ohm, white.	1,26	**69,00**	1
TU	**F2G30N**	In-wall speaker in CF2 box, 2-way 30W, SPL 99 dB max, 85 dB 1W/1m, 8 ohm, black.	1,26	**69,00**	1
TU	**F2G30MC**	In-wall speaker in CF2 box, 2-way 30W, SPL 99 dB max, 85 dB 1W/1m, 8 ohm, chrome metal (silver).	1,26	**91,00**	1
TU	**F2PROB**	In-wall speaker in CF2 box, 2-way 50W, SPL 105 dB max, 87 dB 1W/1m, 8 ohm, white.	1,26	**145,00**	1
TU	**F2PRON**	In-wall speaker in CF2 box, 2-way 50W, SPL 105 dB max, 87 dB 1W/1m, 8 ohm, black.	1,26	**145,00**	1
TU	**F2PROMC**	In-wall speaker in CF2 box, 2-way 50W, SPL 105 dB max, 87 dB 1W/1m, 8 ohm, chrome metal (silver).	1,26	**171,00**	1
TU	**FT43L12B**	In-wall speaker, 1-way, 80 ohm and 100V Hi-Fi transformer, 12W, SPL 98 dB max, 88 dB 1W/1m, white.	1,01	**76,00**	1
TU	**FT43L12N**	In-wall speaker, 1-way, 80 ohm and 100V Hi-Fi transformer, 12W, SPL 98 dB max, 88 dB 1W/1m, black.	1,01	**76,00**	1
TU	**FT43L12MC**	In-wall speaker, 1-way, 80 ohm and 100V Hi-Fi transformer, 12W, SPL 98 dB max, 88 dB 1W/1m, chrome m. (silver).	1,01	**103,00**	1
TU	**EFLT43L12B**	Recessed loudspeaker, rectangular shape, for in-wall box CF2E or CF2EC, EN54-24 certified, separated ceramic IN/OUT terminals, thermal fuse, 5" double cone fullrange, 100V Hi-Fi transf. 12-6-3W, SPL max 95 dB, 84,2 dB 1W/1m, white (B).		**97,00**	1
TU	**EFLT43L12N**	Recessed loudspeaker, rectangular shape, for in-wall box CF2E or CF2EC, EN54-24 certified, separated ceramic IN/OUT terminals, thermal fuse, 5" double cone fullrange, 100V Hi-Fi transformer 12-6-3W, SPL max 95 dB, 84,2 dB 1W/1m, black (N).		**97,00**	1
TU	**EFLT43L12MC**	Recessed loudspeaker, rectangular shape, suitable for box CF2E or CF2EC, EN54-24 certified, with separated ceramic IN/OUT terminals, thermal fuse, 5" double cone fullrange, 100V Hi-Fi transf 12-6-3W, SPL max 95 dB, 84,2 dB 1W/1m, silver (MC).		**121,00**	1
TU	**FT43M24B**	In-wall speaker, 1-way, 80 ohm and 100V Hi-Fi transformer, 24-12-6W, SPL 104 dB max, 90 dB 1W/1m, white.	1,33	**84,00**	1
TU	**FT43M24N**	In-wall speaker, 1-way, 80 ohm and 100V Hi-Fi transformer, 24-12-6W, SPL 104 dB max, 90 dB 1W/1m, black.	1,33	**84,00**	1
TU	**FT43M24MC**	In-wall speaker, 1-way, 80 ohm and 100V Hi-Fi transformer, 24-12-6W, SPL 104 dB max, 90 dB 1W/1m, chr. m. (silver).	1,33	**109,00**	1
TU	**FT43G24B**	In-wall spkr in CF2 box, 2-way, 80 ohm and 100V Hi-Fi transformer, 24-12-6W, SPL 98 dB max, 84 dB 1W/1m, white.	1,53	**105,00**	1
TU	**FT43G24N**	In-wall spkr in CF2 box, 2-way, 80 ohm and 100V Hi-Fi transformer, 24-12-6W, SPL 98 dB max, 84 dB 1W/1m, black.	1,53	**105,00**	1
TU	**FT43G24MC**	In-wall spkr in CF2 box, 2-way, 80 ohm and 100V Hi-Fi transf. 24-12-6W, SPL 98 dB max, 84 dB 1W/1m, chr. m. (silver).	1,53	**130,00**	1
TU	**EFLT43G24B**	Recessed loudspeaker, rectangular shape, for in-wall box CF2E or CF2EC, EN54-24 certified, separated ceramic IN/OUT terminals, thermal fuse, 5" woofer, 1" tweeter, 2-ways,100V Hi-Fi transf. 24-12-6W, SPL max 96 dB, 82,2 dB 1W/1m, white (B).		**122,00**	1
TU	**EFLT43G24N**	Recessed loudspeaker, rectangular shape, for in-wall box CF2E or CF2EC, EN54-24 certified, separated ceramic IN/OUT terminals, thermal fuse, 5" woofer, 1" tweeter, 2-ways, 100V Hi-Fi transf. 24-12-6W, SPL max 96 dB, 82,2 dB 1W/1m, black (N).		**122,00**	1
TU	**EFLT43G24MC**	Recessed loudspeaker, rectangular shape, suitable for in-wall box CF2E or CF2EC, EN54-24 certified, with separated ceramic IN/OUT terminals, thermal fuse, 5" woofer and 1" tweeter, 2-ways, with 100V Hi-Fi transformer 24-12-6W, SPL max 96 dB, 82,2 dB 1W/1m, silver (MC).		**146,00**	1
TU	**F530LB**	In-wall active speaker, fullrange 24V 30-20-10W, SPL 99,5 dB max, white.	0,94	**73,00**	1
TU	**F530LN**	In-wall active speaker, fullrange 24V 30-20-10W, SPL 99,5 dB max, black.	0,94	**73,00**	1
TU	**F530LMC**	In-wall active speaker, fullrange 24V 30-20-10W, SPL 99,5 dB max, chrome metal (silver).	0,94	**97,00**	1
TU	**F530GB**	In-wall active spkr in CF2 box, 2-way 30-20-10W 24V, SPL 99 dB max, white.	1,38	**105,00**	1
TU	**F530GN**	In-wall active spkr in CF2 box, 2-way 30-20-10W 24V, SPL 99 dB max, black.	1,38	**105,00**	1
TU	**F530GMC**	In-wall active spkr in CF2 box, 2-way 30-20-10W 24V, SPL 99 dB max, chrome met. (silver).	1,38	**130,00**	1

EVAC EN 54

EVAC EN 54

KARIOTIS Audio & Lighting
TUTONDO

	Code	Description	kg	ΤΙΜΗ ΧΩΡΙΣ Φ.Π.Α Euro	Pack
ELOGIO FREE		**Compact in-wall speaker and 506E, 506NP etc. (not included)**			
		With mountig hole 98x75.2 mm.			
		Speaker 30W, SPL 98 dB max, 83 dB 1W/1m, 8 ohm			
TU	**ELF2B**	White.	0,38	**54,00**	1
TU	**ELF2N**	Black.		**54,00**	1
TU	**ELF2MC**	Chrome metal (silver).		**69,00**	1
		Speaker 10W, SPL 93 dB max, 80 ohm.			
TU	**ELFT3B**	White.	0,38	**52,00**	1
TU	**ELFT3N**	Black.		**52,00**	1
TU	**ELFT3MC**	Chrome metal (silver).		**69,00**	1
		Active amplified speaker 10W, 24 Vdc, SPL 93 dB max.			
TU	**ELF508B**	White.	0,38	**76,00**	1
TU	**ELF508N**	Black.		**76,00**	1
TU	**ELF508MC**	Chrome metal (silver).		**94,00**	1
EVAC EN 54		**Certified EN54-24,** ceramic terminals, thermal fuse, line 100V 6-3 W, SPL 93 dB max, 85 dB 1W/1m.			
TU	**EELT4L6B**	White.	0,38	**78,00**	1
TU	**EELT4L6N**	Black.		**78,00**	1
TU	**EELT4L6MC**	Chrome metal (silver).		**90,00**	1
ELOGIO		**Compact in-wall square speaker (506E)**			
		Speaker 30W, SPL 98 dB max, 83 dB 1W/1m, 8 ohm			
TU	**EL2B**	White.	0,38	**62,00**	1
TU	**EL2N**	Black.		**62,00**	1
TU	**EL2MC**	Chrome metal (silver).		**80,00**	1
		Speaker 10W, SPL 93 dB max, 80 ohm.			
TU	**ELT3B**	White.	0,38	**68,00**	1
TU	**ELT3N**	Black.		**68,00**	1
TU	**ELT3MC**	Chrome metal (silver).		**85,00**	1
		Active amplified speaker 10W, 24 Vdc, SPL 93 dB max.			
TU	**EL508B**	White.	0,38	**84,00**	1
TU	**EL508N**	Black.		**84,00**	1
TU	**EL508MC**	Chrome metal (silver).		**101,00**	1
MINIATURA		**In-wall miniature speaker**			
		In-wall Miniature speaker, 35x35 mm			
		B=white N=black MC=painted chrome metal (silver)			
TU	**MD2B**	1-way speaker, 3W, 4÷8 ohm, white.	0,046	**48,00**	1
TU	**MD2N**	As above, black.	0,046	**48,00**	1
TU	**MD2MC**	As above, chrome metal. (silver)	0,046	**48,00**	1
TU	**MD503B**	1-way active speaker, 3W, 24 Vdc, white.	0,051	**68,00**	1
TU	**MD503N**	As above, black.	0,051	**68,00**	1
TU	**MD503MC**	As above, chrome metal (silver).	0,051	**68,00**	1
		Note: for assembly, see "Control adapters"			
MIRAGGIO (a scomparsa)		**In-wall invisible speaker IP66**			
TU	**MR2G**	In-wall invisible 2-way 8 ohm speaker, 60 W SPL 101,2 dB max, 83,5 dB 1W/1m, IP 66	7,5	**1162,00**	1
		For flush mounting on plasterboard use the CFMRC box, for flush mounting use the CFMRM box. Boxes not included.			
TU	**EMRT4G46**	In-wall invisible 2-way 100V, 46,24,12 W Hi-Fi transformer, SPL 98,5dB max, 82dB 1W/1m. EN54-24 certified.IP66.	7,8	**1229,00**	1
EVAC EN 54		For flush mounting on plasterboard use the CFMRC box, for flush mounting use the CFMRM box. Boxes not included.			
Vibranti (a scomparsa)		**Drivers**			
TU	**MINIVIBRO**	Vibrating driver 8 ohm, 5W.		**31,00**	1
TU	**LO2**	Vibrating driver, 8 ohm, 30W with equalizer.		**142,00**	1

In-wall round speakers

	Code	Description	kg	TIMH ΧΩΡΙΣ Φ.Π.Α Euro	Pack
OLIMPIA		**In-wall round speaker (mounting hole 200 mm), or on CFOLS box (not included).**			
TU	**OLP2GB**	2-way 8 ohm speaker, 50W, SPL 104 dB max, 88 dB 1W/1m, white.	1,5	**105,00**	2
TU	**OLPT43G12B**	2-way speaker with Hi-Fi transf. 80 ohm and 12-6-3W, 100V, SPL 98,7 dB max, 88 dB 1W/1m, white.	1,7	**127,00**	2
TU	**OLPT43G24B**	2-way speaker with HI-Fi transf. 80 ohm and 24-12-6W, 100V, SPL 101,8 dB max, 88 dB 1W/1m, white.	1,8	**144,00**	2
TU	**OLP530GB**	2-way active speaker with amplifier, 30-20-10W, 24 Vdc, SPL 102,7 dB max, white.	1,5	**143,00**	2
OZIO		**In-wall round speaker (mounting hole 220 mm)**			
TU	**OZ2GB**	2-way 8 ohm speaker, 30W, SPL 102 dB max, 88 dB 1W/1m, white.	1,5	**63,00**	2
TU	**OZT43G24B**	2-way speaker with Hi-Fi transf. 80 ohm and 24-12-6W, 100V, SPL 103 dB max, 89 dB 1W/1m, white.	2,08	**119,00**	2
TU	**OZT43G46B**	2-way speaker with Hi-Fi transf. 80 ohm and 46-24-12W, 100V, SPL 105 dB max, 89 dB 1W/1m, white.	2,5	**156,00**	2
TU	**OZ530GB**	2-way active speaker with amplifier, 30-20-10W, 24 Vdc, SPL 102 dB max, white.	1,64	**95,00**	2
KRONO		**Complete speaker V0 (mounting hole 193 mm)**			
TU	**K2L10B**	1-way speaker 10W, 8 ohm, SPL 99 dB max, 89 dB 1W/1m, white.	0,84	**41,00**	1
TU	**K2L10N**	1-way speaker 10W, 8 ohm, SPL 99 dB max, 89 dB 1W/1m, black.	0,84	**41,00**	1
TU	**K2L10MC**	1-way speaker 10W, 8 ohm, SPL 99 dB max, 89 dB 1W/1m, chrome metal (silver).	0,84	**89,00**	1
TU	**K2G30B**	2-way speaker 30W, 8 ohm, SPL 103 dB max, 89 dB 1W/1m, white.	1,26	**61,00**	1
TU	**K2G30N**	2-way speaker 30W, 8 ohm, SPL 103 dB max, 89 dB 1W/1m, black.	1,26	**61,00**	1
TU	**K2G30MC**	2-way speaker 30W, 8 ohm, SPL 103 dB max, 89 dB 1W/1m, chrome metal (silver).	1,26	**109,00**	1
TU	**KT43L12B**	1-way speaker with 80 ohm and 100V Hi-Fi transformer 12W, SPL 98 dB max, 88 dB 1W/1m, white.	1,01	**75,00**	1
TU	**KT43L12N**	1-way speaker with 80 ohm and 100V Hi-Fi transformer 12W, SPL 98 dB max, 88 dB 1W/1m, black.	1,01	**75,00**	1
TU	**KT43L12MC**	1-way speaker with 80 ohm and 100V Hi-Fi transf. 12W, SPL 98 dB max, 88 dB 1W/1m, chrome metal (silver).	1,01	**119,00**	1
TU	**KT43M24B**	1-way speaker with 80 ohm and 100V Hi-Fi transf. 24-12-6W, SPL 102 dB max, 88 dB 1W/1m, white.	1,33	**90,00**	1
TU	**KT43M24N**	1-way speaker with 80 ohm and 100V Hi-Fi transf. 24-12-6W, SPL 102 dB max, 88 dB 1W/1m, black.	1,33	**90,00**	1
TU	**KT43M24MC**	1-way speaker with 80 ohm and 100V Hi-Fi transformer 24-12-6W, SPL 102 dB max, 88 dB 1W/1m, chrome metal (silver).	1,33	**130,00**	1
TU	**KT43G24B**	2-way speaker with 80 ohm and 100V Hi-Fi transf. 24-12-6W, SPL 102 dB max, 88 dB 1W/1m, white.	1,53	**97,00**	1
TU	**KT43G24N**	2-way speaker with 80 ohm and 100V Hi-Fi transf. 24-12-6W, SPL 102 dB max, 88 dB 1W/1m, black.	1,53	**97,00**	1
TU	**KT43G24MC**	2-way speaker with 80 ohm and 100V Hi-Fi transformer 24-12-6W, SPL 102 dB max, 88 dB 1W/1m, chrome metal (silver).	1,53	**146,00**	1
TU	**K530LB**	In-wall active speaker, fullrange 24V 30-20-10W, SPL 103,5 dB max, white.	0,94	**70,00**	1
TU	**K530LN**	In-wall active speaker, fullrange 24V 30-20-10W, SPL 103,5 dB max, black.	0,94	**70,00**	1
TU	**K530LMC**	In-wall active speaker, fullrange 24V 30-20-10W, SPL 103,5 dB max, chrome metal (silver).	0,94	**121,00**	1
TU	**K530GB**	2-way active speaker 30-20-10W 24 Vdc, SPL 103 dB max, white.	1,38	**92,00**	1
TU	**K530GN**	2-way active speaker 30-20-10W 24 Vdc, SPL 103 dB max, black.	1,38	**92,00**	1
TU	**K530GMC**	2-way active speaker 30-20-10W 24 Vdc, SPL 103 dB max, chrome metal (silver).	1,38	**145,00**	1
CORO		**In-wall round speaker (mounting hole 165 mm)**			
TU	**C2GB**	2-way 8 ohm speaker, 30W, SPL 105 dB max, 90 dB 1W/1m, white.	0,82	**45,00**	1
TU	**CT43G12B**	2-way speaker with 100V Hi-Fi transf. 12-6-3W, 100V, SPL 100 dB max, 89 dB 1W/1m, white.	0,88	**59,00**	1
TU	**CT43G24B**	2-way speaker with 100 V Hi-Fi transf. 24-12-6W, 100V, SPL 103 dB max, 89 dB 1W/1m, white.	0,88	**83,00**	1
TU	**C530GB**	2-way active speaker 30-20-10W, 24 Vdc, SPL 105 dB max, white.	1,17	**73,00**	1
		Ceiling round speaker EN54-24 (mounting hole 164 mm)			
TU	**ECT4L12B**	1-way speaker with 100V transf., 12-6-3W, SPL 103 dB max, 92 dB 1W/1m, white.	0,81	**48,00**	1
TU	**ECT4G6B**	2 way speaker with 100V Hi-Fi transf., 6-3-1,5W, SPL 99 dB max, 91 dB 1W/1m, thermal fuse, ceramic terminals, certified EN54-24. Color: white.	0,81	**84,00**	1
TU	**ECT4G12B**	2-way speaker with 100V Hi-Fi transf., 12-6-3W, SPL 102 dB max, 91 dB 1W/1m, thermal fuse, ceramic terminals, certified EN54-24. Color: white.	0,81	**94,00**	1
TU	**ECT4G24B**	2-way speaker with 100V Hi-Fi transf., 24-12-6W, SPL 105 dB max, 91 dB 1W/1m, thermal fuse, ceramic terminals, certified EN54-24. Color: white.	0,6	**100,00**	1
CREO		**In-wall round speaker, in metal with fireproof dome, EN 54-24**			
TU	**ECT4M8B**	1-way metal speaker with 100V transformer, (8-5-2,5-1,5-0,7 W), SPL 96 dB max, 87 dB 1W/1m, thermal fuse, dome and electrical junction box, white. Mounting hole 160 mm.		**55,00**	1
TU	**ECT4M10B**	1-way metal speaker with 100V transformer, 10-5-2,5 W, SPL 102 dB max, 92 dB 1W/1m, thermal fuse, dome and electrical junction box, white. Mounting hole 190 mm.		**92,00**	1
NET					
TU	**NET4L6**	**In-wall round speaker (mounting hole 95 mm)** 1-way speaker with 100V transformer, 6-3W, SPL 95 dB max, 87 dB 1W/1m, white.	0,47	**59,00**	1

On-wall or shelf speakers

	Code	Description	kg	TIMH ΧΩΡΙΣ Φ.Π.Α Euro	Pack
		Multi-position on-wall or shelf spherical speaker 2-ways (ring and dome excluded).			
OH	**SX33ASLWB**	White speaker, 8 ohm, 120 W, SPL 104 dB max, 84 dB 1W/1m.	3,7	**784,00**	1
OH	**SX33ASLBN**	Black speaker, 8 ohm, 120 W, SPL 104 dB max, 84 dB 1W/1m,	3,7	**784,00**	1
OH	**SX33ASLMC**	Silver speaker, 8 ohm, 120 W, SPL 104 dB max, 84 dB 1W/1m,	3,7	**784,00**	1
OH	**SM535WB**	Active White speaker, 30W, SPL 98 dB max.	3,1	**792,00**	1
OH	**SM535BN**	Active Black speaker, 30W, SPL 98 dB max.	3,1	**792,00**	1
OH	**SM535MC**	Active Silver speaker, 30W, SPL 98 dB max.	3,1	**792,00**	1
		Spherical speaker with floor stand 2-ways (ring and dome excluded).			
OH	**SX31ASLWB**	White speaker, 8 ohm, 120 W, SPL 104 dB max, 84 dB 1W/1m.	10,4	**900,00**	1
OH	**SX31ASLBN**	Black speaker, 8 ohm, 120 W, SPL 104 dB max, 84 dB 1W/1m.	10,4	**900,00**	1
OH	**SX31ASLMC**	Silver speaker, 8 ohm, 120 W, SPL 104 dB max, 84 dB 1W/1m.	10,4	**900,00**	1
OH	**SP535WB**	Active white speaker, 30W, SPL 98 dB max.	10,1	**946,00**	1
OH	**SP535BN**	Active black speaker, 30W, SPL 98 dB max.	10,1	**946,00**	1
OH	**SP535MC**	Active silver speaker, 30W, SPL 98 dB max.	10,1	**946,00**	1

Okè


		Multi-position spherical speaker 2-ways (ring and dome excluded).			
OH	**OK2GWB**	White speaker, 8 ohm, 120 W, SPL 104 dB max, 84 dB 1W/1m.	2,2	**557,00**	1
OH	**OK2GBN**	Black speaker, 8 ohm, 120 W, SPL 104 dB max, 84 dB 1W/1m.	2,2	**557,00**	1
OH	**OK2GMC**	Silver speaker, 8 ohm, 120 W, SPL 104 dB max, 84 dB 1W/1m.	2,2	**557,00**	1
OH	**OK530GWB**	Active White speaker, 30W, SPL 98 dB max.	2,2	**598,00**	1
OH	**OK530GBN**	Active Black speaker, 30W, SPL 98 dB max.	2,2	**598,00**	1
OH	**OK530GMC**	Active Silver speaker, 30W, SPL 98 dB max.	2,2	**598,00**	1
		Spherical speaker with floor stand 2-ways (ring and dome excluded).			
OH	**OKP2GWB**	White speaker, 8 ohm, 120W, SPL 104 dB max, 84 dB 1W/1m.	4	**732,00**	1
OH	**OKP2GBN**	Black speaker, 8 ohm, 120W, SPL 104 dB max, 84 dB 1W/1m.	4	**732,00**	1
OH	**OKP2GMC**	Silver speaker, 8 ohm, 120W, SPL 104 dB max, 84 dB 1W/1m.	4	**732,00**	1
OH	**OKP530GWB**	Active white speaker, 30W, SPL 98 dB max.	4	**787,00**	1
OH	**OKP530GBN**	Active black speaker, 30W, SPL 98 dB max.	4	**787,00**	1
OH	**OKP530GMC**	Active silver speaker, 30W, SPL 98 dB max.	4	**787,00**	1

OkeBall

		Spherical speaker for suspended installation, 2-ways (ring and dome excluded).			
OH	**OKB2GWB**	White speaker, 8 ohm, 120 W, SPL 104 dB max, 84 dB 1W/1m.	2,2	**557,00**	1
OH	**OKB2GBN**	Black speaker, 8 ohm, 120 W, SPL 104 dB max, 84 dB 1W/1m.	2,2	**557,00**	1
OH	**OKB2GMC**	Silver speaker, 8 ohm, 120 W, SPL 104 dB max, 84 dB 1W/1m.	2,2	**557,00**	1
OH	**OKB530GWB**	Active speaker, 30W, SPL 98 dB max, white.	2,2	**595,00**	1
OH	**OKB530GBN**	Active speaker, 30W, SPL 98 dB max, black.	2,2	**595,00**	1
OH	**OKB530GMC**	Active speaker, 30W, SPL 98 dB max, silver.	2,2	**595,00**	1
		Oh speakers accessories.			
		Ring			
OH	**SX34ABK**	Black.	0,1	**11,00**	1
OH	**SX34AWH**	White.	0,1	**11,00**	1
OH	**SX34ARD**	Red.	0,1	**11,00**	1
OH	**SX34ABL**	Blue.	0,1	**11,00**	1
OH	**SX34AGR**	Gray.	0,1	**11,00**	1
		Dome			
OH	**SX36ABK**	Black.	0,3	**79,00**	1
OH	**SX36AWH**	White.	0,3	**79,00**	1
OH	**SX36AGR**	Gray.	0,3	**79,00**	1
OH	**SX36AOR**	Orange.	0,3	**79,00**	1
OH	**SX36ABL**	Blue.	0,3	**79,00**	1

On-wall or standing speakers

TIBI



	Code	Description	kg	Euro	Pack
		Main body on-wall or standing base speaker (grille fabric or metal, to be added)			
OH	**TB2GWB**	Main body on-wall or standing speaker, 2-way, 8 ohm, 60W, SPL 103 dB max, 85 dB 1W/1m, white		**367,00**	1
OH	**TB2GBN**	Main body on-wall or standing speaker, 2-way, 8 ohm, 60W, SPL 103 dB max, 85 dB 1W/1m, black		**367,00**	1
OH	**TB2GMC**	Main body on-wall or standing speaker, 2-way, 8 ohm, 60W, SPL 103 dB max, 85 dB 1W/1m, chrome metal (silver)		**367,00**	1
OH	**TB530GWB**	Main body on-wall or standing active speaker, 2-way, 8 ohm, 30W, SPL 100 dB max, white		**402,00**	1
OH	**TB530GBN**	Main body on-wall or standing active speaker, 2-way, 8 ohm, 30W, SPL 100 dB max, black		**402,00**	1
OH	**TB530GMC**	main body on-wall or standing active speaker, 2-way, 8 ohm, 30W, SPL 100 dB max, chrome metal (silver)		**402,00**	1
OH	**TBT43G24WB**	Main body on-wall or standing speaker, 2-way, Hi-Fi transformer 100V 24-12-6 W, SPL 103 dB max, white		**389,00**	1
OH	**TBT43G24BN**	Main body on-wall or standing speaker, 2-way, Hi-Fi transformer 100V 24-12-6 W, SPL 103 dB max, black		**389,00**	1
OH	**TBT43G24MC**	Main body on-wall or standing speaker, 2-way, Hi-Fi transformer 100V 24-12-6 W, SPL 103 dB max, chrome metal (silver)		**389,00**	1
		Grille fabric (dim.177x177mm)			
OH	**AV36TWB**	White.		**58,00**	1
OH	**AV36TGR**	Grey.		**58,00**	1
OH	**AV36TBN**	Black.		**58,00**	1
OH	**AV36TOR**	Orange.		**58,00**	1
OH	**AV36TBL**	Heavenly.		**58,00**	1
OH	**AV36TG**	Only frame (no fabric) for custom applications.		**23,00**	1
		Grille metal (dim.177x177)			
OH	**AV36RWB**	White grid with screws.		**55,00**	1
OH	**AV36RMC**	Silver grid with screws.		**55,00**	1
OH	**AV36RBN**	Black grid with screws.		**55,00**	1






ΤΙΜΗ
ΧΩΡΙΣ Φ.Π.Α

OLI

On-wall or standing cylindrical speakers



	Code	Description	kg	Euro	Pack
		Compact on-wall or shelf speaker with support color: **B** white, **N** black, **MC** chrome metal (silver)			
TU	**OL2C1**	Speaker 30W, 8 ohm, SPL 97 dB max, 82 dB 1W/1m.		**183,00**	1
TU	**OL2C2G**	2-way speaker, 60W, 8 ohm, SPL 103 dB max, 85 dB 1W/1m.		**319,00**	1
TU	**OL2C2**	Speaker 60W, 8 ohm, SPL 103 dB max, 85 dB 1W/1m.		**287,00**	1
TU	**OL2C4**	Speaker 80W, 8 ohm, SPL 109 dB max, 90 dB 1W/1m.		**411,00**	1
TU	**OLT3C1**	Speaker 10W, 80 ohm.		**180,00**	1
TU	**OLT43G24C2**	2-way speaker with 80 ohm Hi-Fi transformer and 100V, 24-12-6 W, SPL 98 dB max, 84 dB 1W/1m.		**347,00**	1
TU	**OLT43M24C2**	Speaker with 80 ohm Hi-Fi transformer and 100V, 24-12-6 W, SPL 98 dB max, 84 dB 1W/1m.		**318,00**	1
TU	**OLT43M46C4**	Speaker with 80 ohm Hi-Fi transformer and 100V, 46-24-12 W, SPL 104 dB max, 89 dB 1W/1m.		**433,00**	1
TU	**EOLT43M46C4B**	On-wall metal cylindrical loudspeaker, with fixing bracket, EN54-24 certified, with external junction box with n°2 PG16 clamps, array of n°4 speakers, with ceramic terminals IN/OUT, thermal fuse, 100V Hi-Fi transformer 46-24-12W tappings, SPL max 100 dB, 83.4 dB 1W/1m, white (B)		**614,00**	1
TU	**EOLT43M46C4N**	On-wall metal cylindrical loudspeaker, with fixing bracket, EN54-24 certified, with external junction box with n°2 PG16 clamps, array of n°4 speakers, with ceramic terminals IN/OUT, thermal fuse, 100V Hi-Fi transformer 46-24-12W tappings, SPL max 100 dB, 83.4 dB 1W/1m, black (N)		**614,00**	1
TU	**EOLT43M46C4MC**	On-wall metal cylindrical loudspeaker, with fixing bracket, EN54-24 certified, with external junction box with n°2 PG16 clamps, array of n°4 speakers, with ceramic terminals IN/OUT, thermal fuse, 100V Hi-Fi transformer 46-24-12W tappings, SPL max 100 dB, 83.4 dB 1W/1m, silver (MC)		**614,00**	1
TU	**OL530C1**	Active speaker 10W, 24 Vdc, SPL 92 dB max.		**195,00**	1
TU	**OL530C2**	Active speaker 30W, 24 Vdc, SPL 100 dB max.		**312,00**	1
TU	**OL530C2G**	2-way active speaker 30W, 24 Vdc, SPL 100 dB max.		**343,00**	1
TU	**OL530C4**	Active speaker 30W, 24 Vdc, SPL 105 dB max.		**421,00**	1

EVAC EN 54

KARIOTIS Audio & Lighting
TUTONDO

MINNI




	Code	Description	kg	Euro	Pack
		On wall or standing speakers (V0)			
		Complete 2-way speaker 30W, 8 ohm, SPL 102 dB max, 87 dB 1W/1m			
TU	**MN2G30B**	White.	1,05	**61,00**	2
TU	**MN2G30N**	Black.	1,05	**61,00**	2
		2-way speaker 12-6-3W with 80 ohm and 100V Hi-Fi transformer, SPL 96 dB max, 86 dB 1W/1m			
TU	**MNT43G12B**	White.	1,18	**73,00**	2
TU	**MNT43G12N**	Black.	1,18	**73,00**	2
		2-way speaker 24-12-6W with 80 ohm and 100V Hi-Fi transformer, SPL 99 dB max, 86 dB 1W/1m			
TU	**MNT43G24B**	White.	1,53	**96,00**	2
TU	**MNT43G24N**	Black.	1,53	**96,00**	2
		2-way active speaker 30-20-10W, 24Vdc, SPL 102 dB max			
TU	**MN530GB**	White.	1,07	**90,00**	2
TU	**MN530GN**	Black.	1,07	**90,00**	2

MINNI




	Code	Description	kg	Euro	Pack
		2-way speaker 30W, EN54-24 certified.			
TU	**EMNT4G6B**	On-wall loudspeaker, with metal fixing bracket, EN54-24 certified, with ceramic terminals IN/OUT, thermal fuse, 100V Hi-Fi transformer 6-3-1.5 W tappings, SPL max 93 dB, 85.5 dB 1W/1m. Color: B white.	1,05	**86,00**	2
TU	**EMNT4G6N**	On-wall loudspeaker, with metal fixing bracket, EN54-24 certified, with ceramic terminals IN/OUT, thermal fuse, 100V Hi-Fi transformer 6-3-1.5 W tappings, SPL max 93 dB, 85.5 dB 1W/1m. Color: N black.	1,05	**86,00**	2
TU	**EMNT4G12B**	On-wall loudspeaker, with metal fixing bracket, EN54-24 certified, with ceramic terminals IN/OUT, thermal fuse, 100V Hi-Fi transformer 12-6-3 W tappings, SPL max 96 dB, 85.5 dB 1W/1m. Color: B white.	1,18	**97,00**	2
TU	**EMNT4G12N**	On-wall loudspeaker, with metal fixing bracket, EN54-24 certified, with ceramic terminals IN/OUT, thermal fuse, 100V Hi-Fi transformer 12-6-3 W tappings, SPL max 96 dB, 85.5 dB 1W/1m. Color: N black.	1,18	**97,00**	2
TU	**EMNT4G24B**	On-wall loudspeaker, with metal fixing bracket, EN54-24 certified, with ceramic terminals IN/OUT, thermal fuse, 100V Hi-Fi transformer 24-12-6 W tappings, SPL max 99 dB, 85.5 dB 1W/1m. Color: B white.	1,53	**109,00**	2
TU	**EMNT4G24N**	On-wall loudspeaker, with metal fixing bracket, EN54-24 certified, with ceramic terminals IN/OUT, thermal fuse, 100V Hi-Fi transformer 24-12-6 W tappings, SPL max 99 dB, 85.5 dB 1W/1m. Color: N black.	1,53	**109,00**	2


SYDNEY




	Code	Description	kg	Euro	Pack
		Main body speaker			
TU	**S2B**	Main body 8 ohm speaker, 2-way, 30W rms, SPL 98 dB max, 84 dB 1W/1m, white.	1,19	**79,00**	1
TU	**S2N**	Main body 8 ohm speaker, 2-way, 30W rms, SPL 98 dB max, 84 dB 1W/1m, black.	1,19	**79,00**	1
TU	**S2MC**	Main body 8 ohm speaker, 2-way, 30W rms, SPL 98 dB max, 84 dB 1W/1m, chrome metal (silver).	1,19	**99,00**	1
TU	**S2PROB**	Main body 8 ohm speaker, 2-way, 50W rms, SPL 99 dB max, 83 dB 1W/1m, white.	1,84	**157,00**	1
TU	**S2PRON**	Main body 8 ohm speaker, 2-way, 50W rms, SPL 99 dB max, 83 dB 1W/1m, black.	1,84	**157,00**	1
TU	**S2PROMC**	Main body 8 ohm speaker, 2-way, 50W rms, SPL 99 dB max, 83 dB 1W/1m, chrome metal (silver).	1,84	**177,00**	1
TU	**ST43G24B**	Main body spk. with Hi-Fi transformer, 2-way 80 ohm and 24-12-6W, SPL 97 dB max, 83 dB 1W/1m, 100V, white.	1,66	**111,00**	1
TU	**ST43G24N**	Main body spk. With Hi-Fi transformer, 2-way 80 ohm and 24-12-6W, SPL 97 dB max, 83 dB 1W/1m, 100V, black.	1,66	**111,00**	1
TU	**ST43G24MC**	Main body spk. With Hi-Fi transf., 2-way 80 ohm and 24-12-6W, SPL 97 dB max, 83 dB 1W/1m, 100V, chrome metal (silver).	1,66	**131,00**	1
TU	**S530B**	Main body active speaker, 2-way, 30-20-10W, 24 Vdc, SPL 99 dB max, white.	1,22	**112,00**	1
TU	**S530N**	Main body active speaker, 2-way, 30-20-10W, 24 Vdc, SPL 99 dB max, black.	1,22	**112,00**	1
TU	**S530MC**	Main body active speaker, 2-way, 30-20-10W, 24 Vdc, SPL 99 dB max, chrome metal (silver).	1,22	**132,00**	1




	Code	Description	kg	Euro	Pack
		Nets			
TU	**RBAS**	White net with screws.	0,1	**18,00**	5
TU	**RNOS**	Black net with screws.	0,1	**18,00**	5
TU	**RMCS**	Chrome metal (silver) net with screws.	0,1	**18,00**	5




	Code	Description	kg	Euro	Pack
		Sides		**pair**	**cp**
TU	**FBAS**	ABS white.	0,17	**10,00**	5
TU	**FNOS**	ABS black.	0,17	**10,00**	5
TU	**FMCS**	ABS chrome metal (silver).	0,17	**30,00**	5
TU	**FLFS**	Wood ash.	0,3	**30,00**	5




	Code	Description	kg	Euro	Pack
		Bands		**4 pc. Kit**	**kit**
TU	**BBAS**	ABS white.	0,03	**7,00**	5
TU	**BNOS**	ABS black.	0,03	**7,00**	5
TU	**BMCS**	ABS chrome metal (silver).	0,03	**20,00**	5
TU	**BNCS**	ABS pale nickel.	0,03	**20,00**	5



	Code	Description	kg	Euro	Pack
		Wall bracket			
		Bracket for Sydney complete with vertical and horizontal joint.			
TU	**SOV500B**	White.	0,15	**11,00**	5
TU	**SOV500N**	Black.	0,15	**11,00**	5
TU	**SOV500MC**	Chrome metal (silver).	0,15	**22,00**	5




RIO



	Code	Description	kg	Euro	Pack
TU	**R2L10B**	1-way speaker 10W, 8 ohm, SPL 99 dB max, 89 dB 1W/1m, white.	1,29	**84,00**	1
TU	**R2L10N**	1-way speaker 10W, 8 ohm, SPL 99 dB max, 89 dB 1W/1m, black.	1,29	**84,00**	1
TU	**R2L10MC**	1-way speaker 10W, 8 ohm, SPL 99 dB max, 89 dB 1W/1m, chrome metal (silver).	1,29	**134,00**	1
TU	**R2G30B**	2-way speaker 30W, 8 ohm, SPL 99 dB max, 85 dB 1W/1m, white.	1,72	**110,00**	1
TU	**R2G30N**	2-way speaker 30W, 8 ohm, SPL 99 dB max, 85 dB 1W/1m, black.	1,72	**110,00**	1
TU	**R2G30MC**	2-way speaker 30W, 8 ohm, SPL 99 dB max, 85 dB 1W/1m, chrome metal (silver).	1,72	**153,00**	1
TU	**R2PROB**	2-way speaker 60W, 8 ohm, SPL 103 dB max, 86 dB 1W/1m, white.	2	**187,00**	1
TU	**R2PRON**	2-way speaker 60W, 8 ohm, SPL 103 dB max, 86 dB 1W/1m, black.	2	**187,00**	1
TU	**R2PROMC**	2-way speaker 60W, 8 ohm, SPL 103 dB max, 86 dB 1W/1m, chrome metal (silver).	2	**239,00**	1
TU	**RT43L12B**	1-way speaker with 80 ohm and 100V transformer, 12-6-3W, SPL 98 dB max, white.	2,2	**110,00**	1
TU	**RT43L12N**	1-way speaker with 80 ohm and 100V transformer, 12-6-3W, SPL 98 dB max, black.	2,2	**110,00**	1
TU	**RT43L12MC**	1-way speaker with 80 ohm and 100V transformer, 12-6-3W, SPL 98 dB max, chrome metal (silver).	2,2	**157,00**	1

EVAC EN 54



TU	**ERT43L12B**	On-wall loudspeaker, rectangular shape, with metal fixing bracket, EN54-24 certified, fullrange 5" cone, with separated ceramic terminals IN/OUT, thermal fuse, 100V transformer 12-6-3W tappings, SPL max 96 dB, 85.2 dB 1W/1m, white (B)		**144,00**	1
TU	**ERT43L12N**	On-wall loudspeaker, rectangular shape, with metal fixing bracket, EN54-24 certified, fullrange 5" cone, with separated ceramic terminals IN/OUT, thermal fuse, 100V transformer 12-6-3W tappings, SPL max 96 dB, 85.2 dB 1W/1m, black (N)		**144,00**	1
TU	**ERT43L12MC**	On-wall loudspeaker, rectangular shape, with metal fixing bracket, EN54-24 certified, fullrange 5" cone, with separated ceramic terminals IN/OUT, thermal fuse, 100V transformer 12-6-3W tappings, SPL max 96 dB, 85.2 dB 1W/1m, silver (MC)		**206,00**	1
TU	**RT43M24B**	1-way speaker with 80 ohm and 100V Hi-Fi transformer, 24-12-6W, SPL 105 dB max, 91 dB 1W/1m, white.	1,7	**120,00**	1
TU	**RT43M24N**	1-way speaker with 80 ohm and 100V Hi-Fi transformer, 24-12-6W, SPL 105 dB max, 91 dB 1W/1m, black.	1,7	**120,00**	1
TU	**RT43M24MC**	1-way speaker with 80 ohm and 100V Hi-Fi transf., 24-12-6W, SPL 105 dB max, 91 dB 1W/1m, chrome metal (silver).	1,7	**166,00**	1
TU	**RT43G24B**	2-way spk. with 80 ohm and 100V Hi-Fi transformer, 24-12-6W, SPL 98 dB max, 84 dB 1W/1m, white.	1,92	**144,00**	1
TU	**RT43G24N**	2-way spk. with 80 ohm and 100V Hi-Fi transformer, 24-12-6W, SPL 98 dB max, 84 dB 1W/1m, black.	1,92	**144,00**	1
TU	**RT43G24MC**	2-way spk. with 80 ohm and 100V Hi-Fi transformer, 24-12-6W, SPL 98 dB max, 84 dB 1W/1m, chrome metal (silver).	1,92	**193,00**	1


EVAC EN 54

TU	**ERT43G24B**	On-wall loudspeaker, rectangular shape, with metal fixing bracket, EN54-24 certified, 2-ways, with separated ceramic terminals IN/OUT, thermal fuse, 100V transformer 24-12-6W tappings, SPL max 96.5 dB, 83 dB 1W/1m, white (B)		**168,00**	1
TU	**ERT43G24N**	On-wall loudspeaker, rectangular shape, with metal fixing bracket, EN54-24 certified, 2-ways, with separated ceramic terminals IN/OUT, thermal fuse, 100V transformer 24-12-6W tappings, SPL max 96.5 dB, 83 dB 1W/1m, black (N)		**168,00**	1
TU	**ERT43G24MC**	On-wall loudspeaker, rectangular shape, with metal fixing bracket, EN54-24 certified, 2-ways, with separated ceramic terminals IN/OUT, thermal fuse, 100V transformer 24-12-6W tappings, SPL max 96.5 dB, 83 dB 1W/1m, silver (MC)		**230,00**	1
TU	**RT43G46B**	2-way spk. with 80 ohm and 100V Hi-Fi transf., 46-24-12W, SPL 100 dB max, 84 dB 1W/1m, white.	1,92	**171,00**	1
TU	**RT43G46N**	2-way spk. with 80 ohm and 100V Hi-Fi transformer, 46-24-12W, SPL 100 dB max, 84 dB 1W/1m, black.	1,92	**171,00**	1
TU	**RT43G46MC**	2-way spk. with 80 ohm and 100V Hi-Fi transformer, 46-24-12W, SPL 100 dB max, 84 dB 1W/1m,chrome metal (silver).	1,92	**219,00**	1
TU	**R530LB**	active speaker, fullrange 24V 30-20-10W, SPL 103,5 dB max,, white.	1,35	**107,00**	1
TU	**R530LN**	active speaker, fullrange 24V 30-20-10W, SPL 103,5 dB max, black.	1,35	**107,00**	1
TU	**R530LMC**	active speaker, fullrange 24V 30-20-10W, SPL 103,5 dB max, chrome metal (silver).	1,35	**152,00**	1
TU	**R530GB**	2-way active speaker 30-20-10W 24V, SPL 100 dB max, white.	1,78	**142,00**	1
TU	**R530GN**	2-way active speaker 30-20-10W 24V, SPL 100 dB max, black.	1,78	**142,00**	1
TU	**R530GMC**	2-way active speaker 30-20-10W 24V, SPL 100 dB max, chrome metal (silver).	1,78	**196,00**	1

WINNER

Sound projector

EVAC EN 54



TU	**EWT4M10B**	On-wall metal loudspeaker with metal fire dome, round shape, EN54-24 certified, with junction box, with separated ceramic terminals IN/OUT, thermal fuse and n°2 PG16 clamps, 6" double cone fullrange, with 100V transformer 10-5-2.5W, SPL max 102 dB, 92 dB 1W/1m, white (B)		**97,00**	1

SPOT

Sound projector

EVAC EN 54



TU	**ESPT4L12B**	Directional loudspeaker, EN54-24 certified, fullrange 5" cone, with ceramic terminals IN/OUT, thermal fuse, 100V transformer 12-6-3 W, SPL max 97 dB, 86.3 dB 1W/1m. Color: white.		**84,00**	1
TU	**ESPT4M24EXB**	Directional loudspeaker IP66, EN54-24 certified, fullrange 5" cone, with ceramic terminals IN/OUT, thermal fuse, 100V transformer 12-6-3 W, SPL max 100 dB, 86.3 dB 1W/1m. Color: white.		**114,00**	1
TU	**ESPT4G24B**	Directional loudspeaker, EN54-24 certified, fullrange 5" cone, with ceramic terminals IN/OUT, thermal fuse, 100V transformer 12-6-3 W, SPL max 100 dB, 86.3 dB 1W/1m. Color: white.		**122,00**	1

EVAC EN 54



TU	**EPT43L12**	On-wall rectangular speaker, EN54-24 certified, with separated ceramic terminals IN/OUT, thermal fuse, 5" fullrange, with 100V transformer 12-6-3W, SPL max 95 dB, 84 dB 1W/1m, white (B), black (N), chrome metal (MC).		**97,00**	1

EVAC EN 54




TU	**EPT4M12B**	On-wall speaker, EN54-24 certified, with separated ceramic terminals, thermal fuse, with 100V transformer 12-6-3W, SPL max 102 dB, 91,2 dB 1W/1m. Color: white.		**68,00**	1

BALDO




	Code	Description	kg	Euro	Pack
		On-wall loudspeaker, 2-way, 6,5" cone, 8 ohm, 50W, SPL max 103 dB, 86 dB 1W/1m, Color: B (white)			
TU	**BB2GB**	B (white)	1,29	**122,00**	1
TU	**BB2GN**	N (black).	1,29	**122,00**	1
		On-wall loudspeaker, 2-way, 6,5" cone, 8 ohm, 100W, SPL max 106 dB, 86 dB 1W/1m, Color: B (white)			
TU	**BB2GPROB**	B (white)	1,29	**207,00**	1
TU	**BB2GPRON**	N (black).	1,29	**207,00**	1
		On-wall loudspeaker, 2-way, 6,5" cone, Hi-Fi transformer 80 ohm - 100V, 24-12-6 W, SPL max 98,8dB, 85 dB 1W/1m,			
TU	**BBT43G24B**	B (white)	1,72	**147,00**	1
TU	**BBT43G24N**	N (black).	1,72	**147,00**	1
		On-wall loudspeaker, 2-way, 6,5" cone, Hi-Fi transformer 80 ohm - 100V, 46-24-12 W, SPL max 101,6dB, 85 dB 1W/1m			
TU	**BBT43G46B**	B (white).	1,72	**174,00**	1
TU	**BBT43G46N**	N (black).	1,72	**174,00**	1
		On-wall active speaker, 2-way, 6,5" cone, 30-20-10 W, SPL max 101 dB.			
TU	**BB530GB**	B (white)	1,72	**168,00**	1
TU	**BB530GN**	N (black).	1,72	**168,00**	1
		IP55 kit for Baldo speaker			
TU	**KBBEXB**	B (white)		**22,00**	
TU	**KBBEXN**	N (black).		**22,00**	
		Outdoor 2-ways standing or on-wall power speakers, EN54-24 certified, Baldo IP55			
TU	**EBBT4G24EXB**	On-wall loudspeaker, 2-way, 6,5" cone, EN54-24 certified, with ceramic terminals IN/OUT, thermal fuse, 100V transformer 24-12-6 W tappings, SPL max 98 dB, 84,5 dB 1W/1m, IP55. Color: B (white)		**172,00**	1
TU	**EBBT4G24EXN**	On-wall loudspeaker, 2-way, 6,5" cone, EN54-24 certified, with ceramic terminals IN/OUT, thermal fuse, 100V transformer 24-12-6 W tappings, SPL max 98 dB, 84,5 dB 1W/1m, IP55. Color: N (black).		**172,00**	1
TU	**EBBT4G46EXB**	On-wall loudspeaker, 2-way, 6,5" cone, EN54-24 certified, with ceramic terminals IN/OUT, thermal fuse, 100V transformer 46-24-12 W tappings, SPL max 101 dB, 84,5 dB 1W/1m, IP55. Color: B (white)		**198,00**	1
TU	**EBBT4G46EXN**	On-wall loudspeaker, 2-way, 6,5" cone, EN54-24 certified, with ceramic terminals IN/OUT, thermal fuse, 100V transformer 46-24-12 W tappings, SPL max 101 dB, 84,5 dB 1W/1m, IP55. Color: N (black).		**198,00**	1

LAPSUS




		2-way 8 ohm speaker, 100W, SPL 108 dB max, 88 dB 1W/1m,			
TU	**L2GB**	White.	7,25	**356,00**	1
TU	**L2GN**	Black.	7,25	**356,00**	1
		2-way 8 ohm speaker, 200W, SPL 115 dB max			
TU	**L2GPROB**	White.	7,25	**484,00**	1
TU	**L2GPRON**	Black.	7,25	**484,00**	1
		2-way speaker with Hi-Fi 80 ohm and 100V transformer 46-24-12W, SPL 103 dB max, 87 dB 1W/1m			
TU	**LT43G46B**	White.	8,2	**337,00**	1
TU	**LT43G46N**	Black.	8,2	**337,00**	1
		2-way speaker with Hi-Fi transformer, 120-60-40W 100V, SPL 107 dB max, 87 dB 1W/1m			
TU	**LT4G120B**	White.	10,3	**492,00**	1
TU	**LT4G120N**	Black.	10,3	**492,00**	1
		2-way active speaker, 30-20-10W, 24V, SPL 102 dB max			
TU	**L530GB**	White.	7,5	**337,00**	1
TU	**L530GN**	Black.	7,5	**337,00**	1



		Professional speaker			
TU	**DP300GN**	2-way speaker, woofer 12', tweeter 1.5", 8 ohm, 200W, RMS 380W music power, S.P.L. 1W/1m 92,5dB, SPL max 115,5dB F.r. 65 Hz- 20kHz, Speakon© in.	12,3	**381,00**	1
TU	**DP300T4G200N**	With audio transformer 200W (200-180-120-60W), RMS, 100V.	15,3	**586,00**	1

EVENTO



		Horn professional speaker			
TU	**EV2G200EXN**	Horn speaker, with fixing bracket, outdoor speaker IP55, 8 ohm, 200W, SPL 122dB max, 98,5dB 1W/1m, black cabinet , covering grid stainless steel color.	13,2	**967,00**	1
TU	**EV2G360EXN**	Horn speaker, with fixing bracket, outdoor speaker IP55, 8 ohm, 360W, SPL 125dB max, 100dB 1W/1m, black cabinet , covering grid stainless steel color.	14	**1571,00**	1
TU	**EEVT4G200EXN**	Horn speaker, with fixing bracket, outdoor speaker IP55, EN54-24 certified, separated ceramic terminals IN/OUT, thermal fuse, 100V, 200-180-120-60-40 W, SPL 121 dB max, 98,5 dB 1W/1m, black cabinet, covering grid stainless steel color.	16,3	**1216,00**	1

Bidirectional speakers

RIO



	Code	Description	kg	Euro	Pack
		Complete bidirectional speaker RIO, 1-way spkr with 2 loudspeakers, with 100V transformer, 12W, SPL 94 dB max, 87 dB 1W/1m, B=white **N**=black **MC**=painted chrome metal (silver).			
TU	**RRT4MB**	White.	1,72	**138,00**	1
TU	**RRT4MN**	Black.	1,72	**138,00**	1
TU	**RRT4MMC**	Chrome metal (silver).	1,72	**186,00**	1




TU	**ERRT4MB**	On-wall bi-directional loudspeaker, rectangular shape, with metal fixing box, EN54-24 certified, 2 x fullrange 5" cone, with separated ceramic terminals IN/OUT, thermal fuse, 100V transformer 12-6 W, SPL max 94 dB, 83.2 dB 1W/1m, white (B).		**172,00**	1
TU	**ERRT4MN**	On-wall bi-directional loudspeaker, rectangular shape, with metal fixing box, EN54-24 certified, 2 x fullrange 5" cone, with separated ceramic terminals IN/OUT, thermal fuse, 100V transformer 12-6 W, SPL max 94 dB, 83.2 dB 1W/1m, black (N).		**172,00**	1
TU	**ERRT4MMC**	On-wall bi-directional loudspeaker, rectangular shape, with metal fixing box, EN54-24 certified, 2 x fullrange 5" cone, with separated ceramic terminals IN/OUT, thermal fuse, 100V transformer 12-6 W, SPL max 94 dB, 83.2 dB 1W/1m, silver (MC).		**228,00**	1
		1-way speaker with 2 active loudspeakers, 12W, SPL 98 dB max, 24 Vdc			
TU	**RR508MB**	White.	1,78	**168,00**	1
TU	**RR508MN**	Black.	1,76	**168,00**	1
TU	**RR508MMC**	Chrome metal (silver).	1,76	**219,00**	1



		2 components bidirectional speaker, with 100V transformer, 12W, SPL 99 dB max, 88 dB 1W/1m, metal, IP 54. Jeans Line			
JL	**CSP512D**	White.	0,9	**58,00**	1

Hanging speakers

ZAFFIRO



		Hanging speaker			
TU	**ZFT4G40N**	Hanging speaker, 100V with transformer 50-25-12.5-6 W SPL 104dB max, 88dB 1W/1m, black.	2,2	**136,00**	1
TU	**ZF530GN**	Active hanging speaker, 30-20-10W, SPL 102,7 dB max, black.	2,2	**172,00**	1



		Kit hanging speaker for suspended installation, with Winner TU EWT4M10B and TU SWP braket.	2,1	**121,00**	1




		Kit hanging speaker for suspended installation, with Winner **TU ESPT4L12B** and **TU SSP** braket.	2,1	**90,00**	1
		Kit hanging speaker for suspended installation, with Winner **TU ESPT4M24EXB** and **TU SSP** braket.	2,1	**121,00**	1
		Kit hanging speaker for suspended installation, with Winner **TU ESPT4G24B** and **TU SSP** braket.	2,1	**128,00**	1


OKEBALL



		Spherical speaker for suspended installation, 2-ways. Ring and dome excluded			
OH	**OKB2GWB**	8 ohm speaker, 120 W, SPL 104 dB max, 84 dB 1W/1m, white.	2,2	**557,00**	1
OH	**OKB2GBN**	8 ohm speaker, 120 W, SPL 104 dB max, 84 dB 1W/1m, black.	2,2	**557,00**	1
OH	**OKB2GMC**	10 ohm speaker, 120 W, SPL 104 dB max, 84 dB 1W/1m, silver.	2,2	**557,00**	1
OH	**OKB530GWB**	Active speaker, 30W, SPL 98 dB max, white.	2,2	**595,00**	1
OH	**OKB530GBN**	Active speaker, 30W, SPL 98 dB max, black.	2,2	**595,00**	1
OH	**OKB530GMC**	Active speaker, 30W, SPL 98 dB max, silver.	2,2	**595,00**	1




TU	**DPST4L20**	Hanging spherical speaker with 100V transformer, 20-10-5W, SPL 101 dB max, 88 dB 1W/1m, white color.	1,8	**97,00**	1




	Code	Description	kg	Euro	Pack
		Outdoor/indoor column acoustic speaker, stainless steel case.IP66.			
TU	**C4P2M200**	Column acoustic speaker, 1 mid-low unit, 8 ohm, 200W, SPL 116,5dB max, 1W/1m 92,8dB. Stainless steel case, Colour RAL 9003. IP65. Bracket included.		**600,00**	1
TU	**C8P2M400**	Column acoustic speaker, 2 mid-low unit, 8 ohm, 400W, SPL 122,5dB max, 1W/1m 98,8dB. Stainless steel case, Colour RAL 9003. IP65. For bracket see SCPO and SCPOV.		**1316,00**	1
TU	**C4P2G200**	Column acoustic speaker, 1 mid-low unit, 1 high unit, 4 ohm, 200W + 48W, SPL 116,2dB max, 1W/1m 93,2dB. Stainless steel case, Colour RAL 9003. IP65. Bracket included.		**1223,00**	1
TU	**C8P2G400**	Column acoustic speaker, 2 mid-low unit, 1 high unit, 8 ohm, 400W + 48W, SPL 119dB max, 1W/1m 96,8dB. Stainless steel case, Colour RAL 9003. IP65. For bracket see SCPO and SCPOV.		**1980,00**	1
		Column acoustic speakers EN54-24 certified for 100V line.			
TU	**EC4PT4M200**	Column acoustic speaker, 1 broadbands unit, 100V, 200-180-120-60-40W, SPL 116,5dB max, 1W/1m 92,8dB. Stainless steel case, Colour RAL 9003. IP65. EN54-24 certified. Bracket included.		**723,00**	1
TU	**EC4PT4G200**	Column acoustic speaker, 1 broadbands with high unit, 100V, 200-180-120-60-40,W+48-24W, SPL 116,2dB max, 1W/1m 93,2dB. Stainless steel case, Colour RAL 9003. IP65. EN54-24 certified. Bracket included.		**1354,00**	1
		Kit for assembling a 2-ways column speaker consisting of 2 EC4PT4M200 broadband units, 100V, 400W, SPL 122,5dB max, 1W/1m 98dB. Stainless steel case, Colour RAL 9003. IP65. EN54-24 certified. For bracket see SCPO and SCPOV.		**1675,00**	1
		Kit for assembling a 2-ways column speaker consisting of 1 EC4PT4M200 broadband units, and 1 EC4PT4G200 broadband with high unit, 100V, 400W + 48W, SPL 119dB max, 1W/1m 96,8dB. Stainless steel case, Colour RAL 9003. IP65. EN54-24 certified.For bracket see SCPO and SCPOV.		**2413,00**	1
		Brackets for CP and ECP column			
TU	**SCPO**	Brackets with horizontal adjustment. The model of bracket SCPO is suitable for columns composed by C8P2M400 / C4P2G200 / C8P2G400 / EC4PT4G200 acoustic modules, and allows the horizontal adjustment (by rotating around the vertical axis). Equipped with stainless steel screws for fixing to the acoustic speaker.		**81,00**	1
TU	**SCPOV**	Brackets with horizontal and vertical adjustment. This model of bracket is suitable for columns composed by C8P2M400 / C4P2G200 / C8P2G400 / EC4PT4G200 acoustic modules, and allows both horizontal and vertical adjustment. The tilt obtained with this bracket is 5 ° downwards, while the horizontal adjustment can reach up to 40 ° in steps of 5 °. Equipped with stainless steel screws for fixing to the acoustic speaker		**130,00**	1

OLI EX



		Outdoor OLI speaker with aluminum frame. IP54.			
TU	**OL2C2GEX...**	2-way outdoor speaker, IP 54, 60W, 8 ohm, SPL 103 dB max, 85 dB 1W/1m. Colour: B white, N black, MC silver.		**442,00**	1
TU	**OL530C2GEX...**	2-way outdoor speaker, IP54, active speaker, 2-way, 30W, SPL100dB max. Colour: B white, N black, MC silver.		**479,00**	1
TU	**OLT43G24C2EX...**	2-way outdoor speaker, IP54, 2-way, with transformer 100V and 80 ohm, 24-12-6 W, SPL 98dB max, 84dB 1W/1m. Colour: B white, N black, MC silver.		**482,00**	1
TU	**OL2C4EX...**	2-way outdoor speaker, IP54, 4 loudspeakers, 80W, 8 ohm, SPL109dB max, 90dB 1W/1m. Colour: B white, N black, MC silver.		**543,00**	1
TU	**OL530C4EX...**	2-way outdoor speaker, IP54, active speaker,4 loudspeakers, 30W, SPL105dB max. Colour: B white, N black, MC silver.		**576,00**	1
TU	**OLT43M46C4EX...**	2-way outdoor speaker, IP54, 4 loudspeakers with transformer 100V and 80 ohm, 46-24-12W, SPL104dB max, 89dB 1W/1m. Colour: B white, N black, MC silver.		**604,00**	1

MAX




		Max, metal garden speaker, coverage angle 360°. IP54.			
TU	**M2**	2-way, 8 ohm, 30W rms, SPL 96 dB max, 82 dB 1W/1m, white.	12,5	**1106,00**	1
TU	**MT43G24**	2-way with 80 ohm and 100V transformer, 24-12-6W, SPL 94 dB max, 81 dB 1W/1m, white.	13	**1225,00**	1
TU	**M530-10**	2-way active 10W, 24 Vdc, SPL 92 dB max, white.	12,6	**1225,00**	1
TU	**M530-20**	2-way active 20W, 24 Vdc, SPL 95 dB max, white.	12,6	**1225,00**	1
TU	**M530-30**	2-way active 30W, 24 Vdc, SPL 96 dB max, white.	12,6	**1225,00**	1

Outdoor speakers


GOCCIA A VENEZIA



	Code	Description	kg	Euro	Pack
TU	**G2GEXB**	Outdoor speakers Goccia a Venezia, with Led 24Vdc, 8Ω, 100W, 2-way, passive woofer, 89 dB 1W/1m, SPL 109 dB max. IP66.	0,9	**2791,00**	1
TU	**G530GEXB**	Outdoor speakers Goccia a Venezia, with Led 24Vdc,active 30W, 24 Vdc, 2-way, passive woofer, SPL 105,8 dB max.IP66.	0,9	**2822,00**	1
TU	**GT4G46EXB**	Outdoor speakers Goccia a Venezia, with Led 24Vdc,100V, 46-24-12W, 2-way, passive woofer,91 dB 1W/1m, SPL 107,6 dB max. IP66.	0,9	**2822,00**	1



TU	**DG78EX**	Outdoor speakers 8 ohm, 100 V 32-16-8-4-2 W. Color: green. IP56.	0,9	**431,00**	1
TU	**DG530EX**	Active outdoor speakers, 30 W, 24 Vdc. Color: green. IP56.	0,9	**462,00**	1




		Stone speaker			
TU	**RST4GEX**	Stone type outdoor speaker, 2-way 30W, SPL 100 dB max, 85 dB 1W/1m, transformer 100V, IP55.	4	**224,00**	1
TU	**RS508GEX**	Stone type outdoor speaker, 2-way, active 8W, SPL 93 dB max, 24 Vdc, IP55.	4	**240,00**	1
TU	**MSS2GEX**	Flush mounting waterproof roundspeaker, 2-ways, 30W, 8 ohm, SPL 102 dB max, 88 dB 1W/1m, IP55.	1	**48,00**	1



JL	**CSP506**	1 way speaker with 100V transformer, 6W, SPL 97 dB max, 90 dB 1W/1m, metal, IP54, white colour. Jeans Line.	0,9	**43,00**	1
JL	**CSP512D**	**2 components bidirectional speaker,** with 100V transformer, 12W, SPL 99 dB max, 88 dB 1W/1m, metal, IP 54, Jeans Line. White.	0,9	**58,00**	1

SYDNEY




		Sydney Ex, outdoor speaker. IP54 Complete with white net, sides and bands.			
TU	**S2EXB**	2-way, 8 ohm, 30W rms, SPL 98 dB max, 84 dB 1W/1m, white.	1,2	**122,00**	1
TU	**ST43G24EXB**	2-way with 80 ohm and 100V transformer, 24-12-6W, SPL 96 dB max, 83 dB 1W/1m, white.	1,7	**156,00**	1
TU	**S530EXB**	2-way active 10-20-30W, SPL 99 dB max, 24V, white.	1,25	**152,00**	1



		Bracket for Sydney Ex outdoor speaker			
TU	**SOV500EXB**	Bracket for SYDNEY outdoor speaker complete with vertical and horizontal joint, white.	0,15	**12,00**	5

RIO



		Rio Ex outdoor speaker. IP54			
TU	**R2GEXB**	2-way speaker 30W, SPL 103 dB max, 88 dB 1W/1m, 8 ohm, white.	1,26	**176,00**	1
TU	**RT43M24EXB**	1-way speaker with 80 ohm and 100V transformer 24-12-6W, SPL 101 dB max, 88 dB 1W/1m, white, IP54.	1,33	**184,00**	1
TU	**RT43G24EXB**	2-way speaker with 80 ohm and 100V transformer 24-12-6W, SPL 101 dB max, 88 dB 1W/1m, white, IP54.	1,53	**195,00**	1
TU	**R508LEXB**	1-way active outdoor speaker 8W 24V, SPL 97 dB max, white, IP54.	0,94	**178,00**	1
TU	**R508GEXB**	2-way active outdoor speaker 8W 24V, SPL 97 dB max, white, IP54.	1,38	**194,00**	1
TU	**R530MEXB**	1-way active outdoor speaker 30W 24V, SPL 103 dB max, white, IP54.	1,2	**191,00**	1
TU	**R530GEXB**	2-way active outdoor speaker 30W 24V, SPL 103 dB max, white, IP54.	1,4	**209,00**	1

EVAC EN 54

TU	**ERT43L12EXB**	On-wall outdoor loudspeaker, IP55, rectangular shape, with metal fixing bracket,EN54-24 certified, fullrange 5" cone, with separated ceramic terminals IN/OUT, thermal fuse, 100V transformer 12-6-3W tappings, SPL max 94dB, 83.2dB 1W/1m, white (B).		**182,00**	1

BALDO

Outdoor 2-ways standing or on-wall power speakers, EN54-24 certified, Baldo IP55

EVAC EN 54



TU	**EBBT4G24EXB**	On-wall loudspeaker, 2-way, 6,5" cone, EN54-24 certified, with ceramic terminals IN/OUT, thermal fuse, 100V transformer 24-12-6 W tappings, SPL max 98 dB, 84,5 dB 1W/1m, IP55. Color: B (white)		**172,00**	1
TU	**EBBT4G24EXN**	On-wall loudspeaker, 2-way, 6,5" cone, EN54-24 certified, with ceramic terminals IN/OUT, thermal fuse, 100V transformer 24-12-6 W tappings, SPL max 98 dB, 84,5 dB 1W/1m, IP55. Color: N (black).		**172,00**	1
TU	**EBBT4G46EXB**	On-wall loudspeaker, 2-way, 6,5" cone, EN54-24 certified, with ceramic terminals IN/OUT, thermal fuse, 100V transformer 48-24-12 W tappings, SPL max 101 dB, 84,5 dB 1W/1m, IP55. Color: B (white)		**198,00**	1
TU	**EBBT4G46EXN**	On-wall loudspeaker, 2-way, 6,5" cone, EN54-24 certified, with ceramic terminals IN/OUT, thermal fuse, 100V transformer 48-24-12 W tappings, SPL max 101 dB, 84,5 dB 1W/1m, IP55. Color: N (black).		**198,00**	1

EVAC EN 54



TU	**ESPT4M24EXB**	Directional loudspeaker IP66, EN54-24 certified, fullrange 5" cone, with ceramic terminals IN/OUT, thermal fuse, 100V transformer 24-12-6 W, SPL max 100 dB, 86.3 dB 1W/1m. Color: white.		**114,00**	1


Outdoor speakers



Horn loudspeakers, self-extinguishing ABS case. IP66.

	Code	Description	kg	Euro	Pack
TU	**TT4Q15**	Horn speaker, with 100V transformer 15-7,5-3,7W, SPL 117,2 max, 105,5dB 1W/1m.IP66.	1,8	**122,00**	1
TU	**TT4Q30**	Horn speaker, with 100V transformer 30-15-7,5W, SPL 120,2 max, 105,5dB 1W/1m.IP66.	1,99	**138,00**	1
TU	**T530Q**	Horn with amplifier 30-20-10W, 24VDC, SPL 120,2 max, 105,5dB 1W/1m.IP66.		**134,00**	1
TU	**ETT4Q15**	Horn with 100V transformer 15-7,5-3,7W, SPL 117,2 max, 105,5dB 1W/1m. Eq per EN54-24(+3dB 6300Hz - +5dB 8000Hz) IP66	1,4	**134,00**	1
TU	**ETT4Q30**	Horn with 100V transformer, 30-15-7,5W, SPL 120,2 max, 105,5dB 1W/1m. Eq per EN54-24(+3dB 6300Hz - +5dB 8000Hz) IP66	1,61	**147,00**	1
TU	**EQBILQ**	Equalizer for Q series horn.		**47,00**	1
		Outdoor treatment			
TU	**TROPIC**	Outdoor treatment for speakers. *Please, specify code in the order*		**29,00**	1

EVENTO




Power horn loudspeakers. IP55.

	Code	Description	kg	Euro	Pack
TU	**EV2G200EXN**	Horn speaker, with fixing bracket, outdoor speaker IP55, 8 ohm, 200W, SPL 122dB max, 98,5dB 1W/1m, black cabinet , covering grid stainless steel color.	13,2	**967,00**	1
TU	**EV2G360EXN**	Horn speaker, with fixing bracket, outdoor speaker IP55, 8 ohm, 360W, SPL 125dB max, 100dB 1W/1m, black cabinet , covering grid stainless steel color.	14	**1571,00**	1
TU	**EEVT4G200EXN**	Horn speaker, with fixing bracket, outdoor speaker IP55, EN54-24 certified, separated ceramic terminals IN/OUT, thermal fuse, 100V, 200-180-120-60-40 W, SPL 121 dB max, 98,5 dB 1W/1m, black cabinet, covering grid stainless steel color.	16,3	**1216,00**	1

COLUMN SPEAKERS

Column speakers complete with fixing bracket



	Code	Description	kg	Euro	Pack
		Column speaker, 100V line.			
		Column speaker with 100V transformer, 30-15-7, 5W, SPL 105 dB max, 91 dB 1W/1m.			
TU	**C105T4B**	White.	3,5	**396,00**	1
		Column speaker with 100V transformer, 46-24-12 W, SPL 105 dB max, 91 dB 1W/1m.			
TU	**C107T4B**	White.	3,5	**396,00**	1
		Column speaker with 100V transformer, 60-30-15W, SPL 112 dB max, 95 dB 1W/1m.			
TU	**C110T4B**	White.	6,2	**650,00**	1
		Column speaker, 100V line.			
		Column speaker with 100V transformer, 20-10W, SPL 104 dB max, 91 dB 1W/1m.			
TU	**CS204T4B**	White.	3,4	**100,00**	1
		Column speaker with 100V transformer, 40-20W, SPL 109 dB max, 93 dB 1W/1m.			
TU	**CS208T4B**	White.	3,4	**167,00**	1


Amplified, digital column speaker

		Digital column speaker			
TU	**CRT24AD**	The CRT series speakers consist by a column of wide-band loudspeakers. IIR parametric equalizers available: 10 Notch parametric IIR filters available: 10. Delay adjustable for external channel (1): 0-150 ms.Coverage depht:> 35 m Horizontal dispersion angle: 120 degrees.Opening adjustable vertical dispersion angle: from 10 to 60 degrees.SPL max >90 dB at 35 m.Vertical tilt range: + / - 60 degrees.Vertically pointing tilt step: 1 degree.Complete with adjustable support for fixing. Weight: 18 kg. Dimensions: H2750 x L113 x P122 mm. White B color.	18	**9835,00**	1


Column speakers. (CP serie stainless steel see pg 37)

SUBWOOFERS

On-floor and built-on amplified subwoofers




TU	**SB198**	**On floor amplified subwoofer 150W**, SPL 105 dB max, with adjustable filter.	16	**492,00**	1



OHL

		200W, SPL 113 dB max, Amplified Subwoofer + Lamp mod. OhL			
		Subwoofer lamp, a design element that combines ambient light and electroacoustic technology.			
OH	**OHLWB**	Subwoofer Lamp White.	30	**4080,00**	1
OH	**OHLBN**	Subwoofer Lamp Black.	30	**4080,00**	1
OH	**OHLMC**	Subwoofer Lamp Chrome metal (silver).	30	**4080,00**	1



PC

		200W, SPL 111 dB max, Amplified Subwoofer	22,6		
OH	**PC33ASLWB**	Subwoofer White.		**1830,00**	1
OH	**PC33ASLBN**	Subwoofer Black.		**1830,00**	1
OH	**PC33ASLMC**	Subwoofer Chrome metal (silver).		**1830,00**	1



AVS200


		200 W in-wall amplified Subwoofer (in-wall box not included)	22,6		
OH	**AVS200**	200 W, SPL 109 dB max, in-wall amplified Subwoofer.		**1230,00**	1
		NOTES: Attention, each speaker must be completed with in-wall box and finishing grid.			
OH	**CFAVSP**	In-wall box for AVS200 subwoofer.		**391,00**	1
OH	**AVS36WB**	White finishing grid with magnets.		**58,00**	1

Aria di Venezia





Folio




Elogio




Miraggio




Coro



Creo



Oli



Minni



Baldo




	Code	Description	kg	Euro	Pack
		Flush mount square speaker (installation requires an acoustic cabinet that can be purchased separately).			
OH	**EAVHT43G46**	Main body 2-way speaker 46W Hi-Fi transformer, 100V, SPL 104,5 dB max, 88 dB 1W/1m., EN54-24 certified. (Without recessed acoustic cabinet cod. : OH CFAVHQ). Plastic Free.	4,3	**362,00**	1
		Flush mount round speaker (installation requires an acoustic cabinet that can be purchased separately).			
OH	**EAVHT43G46**	Main body 2-way speaker 46W Hi-Fi transformer, 100V, SPL 104,5 dB max, 88 dB 1W/1m., EN54-24 certified. (Without recessed acoustic cabinet box code: OH CFAVHC). Plastic Free.	4,3	**362,00**	1
		Complete speaker (V0) for CF2 box. B=white N=black MC=painted chrome metal (silver)			
TU	**EFLT43L12B**	Recessed loudspeaker, rectangular shape, for in-wall box CF2E or CF2EC, EN54-24 certified, separated ceramic IN/OUT terminals, thermal fuse, 5" double cone fullrange, 100V Hi-Fi transf. 12-6-3W, SPL max 95 dB, 84,2 dB 1W/1m, white (B).		**97,00**	1
TU	**EFLT43L12N**	Recessed loudspeaker, rectangular shape, for in-wall box CF2E/CF2EC, EN54-24 certified, separated ceramic IN/OUT, thermal fuse, 5" double cone fullrange, 100V Hi-Fi transformer 12-6-3W, SPL max 95 dB, 84,2 dB 1W/1m, black (N).		**97,00**	1
TU	**EFLT43L12MC**	Recessed loudspeaker, rectangular shape, suitable for box CF2E or CF2EC, EN54-24 certified, with separated ceramic IN/OUT terminals, thermal fuse, 5" double cone fullrange, 100V Hi-Fi transf 12-6-3W, SPL max 95 dB, 84,2 dB 1W/1m, silver (MC).		**121,00**	1
TU	**EFLT43G24B**	Recessed loudspeaker, rectangular shape, for in-wall box CF2E or CF2EC, EN54-24 certified, separated ceramic IN/OUT, thermal fuse, 5" woofer, 1" tweeter, 2-ways,100V Hi-Fi transf. 24-12-6W, SPL max 96 dB, 82,2 dB 1W/1m, white		**122,00**	1
TU	**EFLT43G24N**	Recessed loudspeaker, rectangular shape, for in-wall box CF2E or CF2EC, EN54-24 certified, separated ceramic IN/OUT, thermal fuse, 5" woofer, 1" tweeter, 2-ways, 100V Hi-Fi transf. 24-12-6W, SPL max 96 dB, 82,2 dB 1W/1m, black (N)		**122,00**	1
TU	**EFLT43G24MC**	Recessed loudspeaker, rectangular shape, for in-wall box CF2E or CF2EC, EN54-24 certified, ceramic IN/OUT terminals, thermal fuse, 5" woofer and 1" tweeter, 2-ways, 100V Hi-Fi transf. 24-12-6W, SPL max 96 dB, 82,2 dB 1W/1m, silver (MC).		**146,00**	1
		Certified EN54-24, ceramic terminals, thermal fuse, line 100V 6-3 W, SPL 93 dB max, 85 dB 1W/1m.			
TU	**EELT4L6B**	White.	0,38	**78,00**	1
TU	**EELT4L6N**	Black.		**78,00**	1
TU	**EELT4L6MC**	Chrome metal (silver).		**90,00**	1
		In-wall invisible speaker IP66			
TU	**EMRT4G46**	In-wall invisible 2-way 100V, 46,24,12 W Hi-Fi transformer, SPL 98,5dB max, 82dB 1W/1m. EN54-24 certified.IP66. *Note: non-standard accessories: CFMRC for flush-mounting in plasterboard; CFMRM for flush-mounting in masonry*	7,8	**1229,00**	1
		Ceiling round speaker EN54-24 (mounting hole 164 mm)			
TU	**ECT4L12B**	1-way speaker with 100V transf., 12-6-3W, SPL 103 dB max, 92 dB 1W/1m, white.	0,81	**48,00**	1
TU	**ECT4G6B**	2 way speaker with 100V Hi-Fi transf., 6-3-1,5W, SPL 99 dB max, 91 dB 1W/1m, thermal fuse, ceramic terminals, certified EN54-24. Color: white.	0,81	**84,00**	1
TU	**ECT4G12B**	2-way speaker with 100V Hi-Fi transf., 12-6-3W, SPL 102 dB max, 91 dB 1W/1m, thermal fuse, ceramic terminals, certified EN54-24. Color: white.	0,81	**94,00**	1
TU	**ECT4G24B**	2-way speaker with 100V Hi-Fi transf., 24-12-6W, SPL 105 dB max, 91 dB 1W/1m, thermal fuse, ceramic terminals, certified EN54-24. Color: white.	0,6	**100,00**	1
		In-wall round speaker, in metal with fireproof dome, EN 54-24			
TU	**ECT4M8B**	1-way metal speaker with 100V transformer, (8-5-2,5-1,5-0,7 W), SPL 96 dB max, 87 dB 1W/1m, thermal fuse, dome and electrical junction box, white. Mounting hole 160 mm.		**55,00**	1
TU	**ECT4M10B**	1-way metal speaker with 100V transformer, 10-5-2,5 W, SPL 102 dB max, 92 dB 1W/1m, thermal fuse, dome and electrical junction box, white. Mounting hole 190 mm.		**92,00**	1
		Compact on-wall or shelf speaker with support			
		color: **B** white, **N** black, **MC** chrome metal (silver)			
TU	**EOLT43M46C4B**	On-wall metal cylindrical loudspeaker, with fixing bracket, EN54-24 certified, with external junction box with n°2 PG16 clamps, array of n°4 speakers, with ceramic terminals IN/OUT, thermal fuse, 100V Hi-Fi transformer 46-24-12W tappings, SPL max 100 dB, 83.4 dB 1W/1m, white (B)		**614,00**	1
TU	**EOLT43M46C4N**	On-wall metal cylindrical loudspeaker, with fixing bracket, EN54-24 certified, with external junction box with n°2 PG16 clamps, array of n°4 speakers, with ceramic terminals IN/OUT, thermal fuse, 100V Hi-Fi transformer 46-24-12W tappings, SPL max 100 dB, 83.4 dB 1W/1m, black (N)		**614,00**	1
TU	**EOLT43M46C4MC**	On-wall metal cylindrical loudspeaker, with fixing bracket, EN54-24 certified, with external junction box with n°2 PG16 clamps, array of n°4 speakers, with ceramic terminals IN/OUT, thermal fuse, 100V Hi-Fi transformer 46-24-12W tappings, SPL max 100 dB, 83.4 dB 1W/1m, silver (MC)		**614,00**	1
		2-way speaker 30W, EN54-24 certified.			
TU	**EMNT4G6B**	On-wall loudspeaker, with metal fixing bracket, EN54-24 certified, with ceramic terminals IN/OUT, thermal fuse, 100V Hi-Fi transformer 6-3-1.5 W tappings, SPL max 93 dB, 85.5 dB 1W/1m. Color: B white.	1,05	**86,00**	2
TU	**EMNT4G6N**	On-wall loudspeaker, with metal fixing bracket, EN54-24 certified, with ceramic terminals IN/OUT, thermal fuse, 100V Hi-Fi transformer 6-3-1.5 W tappings, SPL max 93 dB, 85.5 dB 1W/1m. Color: N black.	1,05	**86,00**	2
TU	**EMNT4G12B**	On-wall loudspeaker, with metal fixing bracket, EN54-24 certified, with ceramic terminals IN/OUT, thermal fuse, 100V Hi-Fi transformer 12-6-3 W tappings, SPL max 96 dB, 85.5 dB 1W/1m. Color: B white.	1,18	**97,00**	2
TU	**EMNT4G12N**	On-wall loudspeaker, with metal fixing bracket, EN54-24 certified, with ceramic terminals IN/OUT, thermal fuse, 100V Hi-Fi transformer 12-6-3 W tappings, SPL max 96 dB, 85.5 dB 1W/1m. Color: N black.	1,18	**97,00**	2
TU	**EMNT4G24B**	On-wall loudspeaker, with metal fixing bracket, EN54-24 certified, with ceramic terminals IN/OUT, thermal fuse, 100V Hi-Fi transformer 24-12-6 W tappings, SPL max 99 dB, 85.5 dB 1W/1m. Color: B white.	1,53	**109,00**	2
TU	**EMNT4G24N**	On-wall loudspeaker, with metal fixing bracket, EN54-24 certified, with ceramic terminals IN/OUT, thermal fuse, 100V Hi-Fi transformer 24-12-6 W tappings, SPL max 99 dB, 85.5 dB 1W/1m. Color: N black.	1,53	**109,00**	2
		Outdoor 2-ways standing or on-wall power speakers, EN54-24 certified, Baldo IP55			
TU	**EBBT4G24EXB**	On-wall loudspeaker, 2-way, 6,5" cone, EN54-24 certified, with ceramic terminals IN/OUT, thermal fuse, 100V transformer 24-12-6 W tappings, SPL max 98 dB, 84,5 dB 1W/1m, IP55. Color: B (white)		**172,00**	1
TU	**EBBT4G24EXN**	On-wall loudspeaker, 2-way, 6,5" cone, EN54-24 certified, with ceramic terminals IN/OUT, thermal fuse, 100V transformer 24-12-6 W tappings, SPL max 98 dB, 84,5 dB 1W/1m, IP55. Color: N (black).		**172,00**	1
TU	**EBBT4G46EXB**	On-wall loudspeaker, 2-way, 6,5" cone, EN54-24 certified, with ceramic terminals IN/OUT, thermal fuse, 100V transformer 46-24-12 W tappings, SPL max 101 dB, 84,5 dB 1W/1m, IP55. Color: B (white)		**198,00**	1
TU	**EBBT4G46EXN**	On-wall loudspeaker, 2-way, 6,5" cone, EN54-24 certified, with ceramic terminals IN/OUT, thermal fuse, 100V transformer 46-24-12 W tappings, SPL max 101 dB, 84,5 dB 1W/1m, IP55. Color: N (black).		**198,00**	1


EVAC EN 54

EN 54 EVAC speakers recap

Rio




Winner




Spot








Evento



Rio bidirezionale





















	Code	Description	kg	Euro	Pack
		On-wall speaker			
TU	**ERT43L12B**	On-wall loudspeaker, rectangular shape, with metal fixing bracket, EN54-24 certified, fullrange 5" cone, with separated ceramic terminals IN/OUT, thermal fuse, 100V transformer 12-6-3W tappings, SPL max 96 dB, 85.2 dB 1W/1m, white (B)		**144,00**	1
TU	**ERT43L12N**	On-wall loudspeaker, rectangular shape, with metal fixing bracket, EN54-24 certified, fullrange 5" cone, with separated ceramic terminals IN/OUT, thermal fuse, 100V transformer 12-6-3W tappings, SPL max 96 dB, 85.2 dB 1W/1m, black (N)		**144,00**	1
TU	**ERT43L12MC**	On-wall loudspeaker, rectangular shape, with metal fixing bracket, EN54-24 certified, fullrange 5" cone, with separated ceramic terminals IN/OUT, thermal fuse, 100V transf.12-6-3W tappings, SPL max 96 dB, 85.2 dB 1W/1m, silver (MC)		**206,00**	1
TU	**ERT43G24B**	On-wall loudspeaker, rectangular shape, with metal fixing bracket, EN54-24 certified, 2-ways, with separated ceramic terminals IN/OUT, thermal fuse, 100V transformer 24-12-6W tappings, SPL max 96.5 dB, 83 dB 1W/1m, white (B)		**168,00**	1
TU	**ERT43G24N**	On-wall loudspeaker, rectangular shape, with metal fixing bracket, EN54-24 certified, 2-ways, with separated ceramic terminals IN/OUT, thermal fuse, 100V transformer 24-12-6W tappings, SPL max 96.5 dB, 83 dB 1W/1m, black (N)		**168,00**	1
TU	**ERT43G24MC**	On-wall loudspeaker, rectangular shape, with metal fixing bracket, EN54-24 certified, 2-ways, with separated ceramic terminals IN/OUT, thermal fuse, 100V transformer 24-12-6W tappings, SPL max 96.5 dB, 83 dB 1W/1m, silver (MC)		**230,00**	1
		Sound projector			
TU	**EWT4M10B**	On-wall metal loudspeaker with metal fire dome, round shape, EN54-24 certified, with junction box, with separated ceramic terminals IN/OUT, thermal fuse and n°2 PG16 clamps, 6" double cone fullrange, with 100V transformer 10-5-2.5W, SPL max 102 dB, 92 dB 1W/1m, white (B)		**97,00**	1
		Sound projector			
TU	**ESPT4L12B**	Directional loudspeaker, EN54-24 certified, fullrange 5" cone, with ceramic terminals IN/OUT, thermal fuse, 100V transformer 12-6-3 W, SPL max 97 dB, 86.3 dB 1W/1m. Color: white.		**84,00**	1
TU	**ESPT4M24EXB**	Directional loudspeaker IP66, EN54-24 certified, fullrange 5" cone, with ceramic terminals IN/OUT, thermal fuse, 100V transformer 12-6-3 W, SPL max 100 dB, 86.3 dB 1W/1m. Color: white.		**114,00**	1
TU	**ESPT4G24B**	Directional loudspeaker, EN54-24 certified, fullrange 5" cone, with ceramic terminals IN/OUT, thermal fuse, 100V transformer 12-6-3 W, SPL max 100 dB, 86.3 dB 1W/1m. Color: white.		**122,00**	1
		On-wall speaker			
TU	**EPT43L12**	On-wall rectangular speaker, EN54-24 certified, with separated ceramic terminals IN/OUT, thermal fuse, 5" fullrange, with 100V transformer 12-6-3W, SPL max 95 dB, 84 dB 1W/1m, white (B), black (N), chrome metal (MC).		**97,00**	1
		On-wall speaker			
TU	**EPT4M12B**	On-wall speaker, EN54-24 certified, with separated ceramic terminals, thermal fuse, with 100V transformer 12-6-3W, SPL max 102 dB, 91,2 dB 1W/1m. Color: white.		**68,00**	1
		Horn professional speaker			
TU	**EEVT4G200EXN**	Horn speaker, with fixing bracket, outdoor speaker IP55, EN54-24 certified, separated ceramic terminals IN/OUT, thermal fuse, 100V, 200-180-120-60-40 W, SPL 121 dB max, 98,5 dB 1W/1m, black cabinet, covering grid stainless steel color.	16,3	**1216,00**	1
		Complete bidirectional speaker RIO **B**=white **N**=black **MC**=painted chrome metal (silver).			
TU	**ERRT4MB**	On-wall bi-directional loudspeaker, rectangular shape, with metal fixing box, EN54-24 certified, 2 x fullrange 5" cone, with separated ceramic terminals IN/OUT, thermal fuse, 100V transformer 12-6 W, SPL max 94 dB, 83.2 dB 1W/1m, white (B).		**172,00**	1
TU	**ERRT4MN**	On-wall bi-directional loudspeaker, rectangular shape, metal box, EN54-24 certified, 2 x fullrange 5"cone, separated ceramic terminals IN/OUT, thermal fuse, 100V transformer 12-6 W, SPL max 94 dB, 83.2 dB 1W/1m, black (N).		**172,00**	1
TU	**ERRT4MMC**	On-wall bi-directional loudspeaker, rectangular shape, with metal fixing box, EN54-24 certified, 2 x fullrange 5" cone, with separated ceramic terminals IN/OUT, thermal fuse, 100V transformer 12-6 W, SPL max 94 dB, 83.2 dB 1W/1m, silver (MC).		**228,00**	1
		Hanging speakers			
		Kit hanging speaker for suspended installation, with Winner TU EWT4M10B and TU SWP braket.	2,1	**121,00**	1
		Hanging speakers			
		Kit hanging speaker for suspended installation, with Winner **TU ESPT4L12B** and **TU SSP** braket.	2,1	**90,00**	1
		Kit hanging speaker for suspended installation, with Winner **TU ESPT4M24EXB** and **TU SSP** braket.	2,1	**121,00**	1
		Kit hanging speaker for suspended installation, with Winner **TU ESPT4G24B** and **TU SSP** braket.	2,1	**128,00**	1
		Column acoustic speakers EN54-24 certified for 100V line.			
TU	**EC4PT4M200**	Column acoustic speaker, 1 broadbands unit, 100V, 200-180-120-60-40W, SPL 116,5dB max, 1W/1m 92,8dB. Stainless steel case, Colour RAL 9003. IP65. EN54-24 certified. Bracket included.		**723,00**	1
TU	**EC4PT4G200**	Column acoustic speaker, 1 broadbands with high unit, 100V, 200-180-120-60-40,W+48-24W, SPL 116,2dB max, 1W/1m 93,2dB. Stainless steel case, Colour RAL 9003. IP65. EN54-24 certified. Bracket included.		**1354,00**	1
		Horn loudspeakers, self-extinguishing ABS case. IP66.			
TU	**ETT4Q15**	Horn with 100V transformer 15-7,5-3,7W, SPL 117,2 max, 105,5dB 1W/1m. Eq per EN54-24(+3dB 6300Hz - +5dB 8000Hz) IP66	1,4	**134,00**	1
TU	**ETT4Q30**	Horn with 100V transformer, 30-15-7,5W, SPL 120,2 max, 105,5dB 1W/1m. Eq per EN54-24(+3dB 6300Hz - +5dB 8000Hz) IP66	1,61	**147,00**	1

Boxes and accessories for flush-mounted speakers

		Code	Description	kg	Euro	Pack
	TU	**BF**	Fixing bars for FOLIO For in-wall speakers in crumbly walls.	0,233	**17,00**	1
	TU	**CF2D**	**Dimmi and Folio** in-wall box Made of thermoplastic material. Black. For PAPIRO and FOLIO speakers	0,178	**8,00**	48
	TU	**CF2E**	In-wall box, self extinguishing V0, red color, suitable for recessed EN54-24 loudspeakers.	0,178	**17,00**	48
	TU	**CF2EC**	Gypsum board recessed box, self extinguishing V0, red color, suitable for recessed EN54-24 loudspeakers.		**30,00**	1
	TU	**CFKRC**	Recessed acoustic cabinet made of galvanized sheet, sealed for flush mounting on wall, for C**oro** round speakers. Calculated volume for maximum acoustic output and linear frequency response. Sound-absorbing material, external plastic net for masonry fixed, front closure to prevent the entrance of dust or waste materials and sealing gaskets for cables entry. Dimensions: 270x270x70 mm. Product packed individually.		**59,00**	1
	TU	**CFKRS**	Sheet metal recessed box, 270x270x70 mm, for **Coro** round loudspeakers.		**21,00**	1
	TU	**CFMSS**	Stainless steel recessed box, 270x270x70 mm, for **MSS2GEX** round loudspeakers.		**84,00**	1
	TU	**CFLGC**	Recessed acoustic cabinet made of galvanized sheet, sealed for flush mounting on wall, for **Logico** speakers. Calculated volume for maximum acoustic output and linear frequency response. Sound-absorbing material, external plastic net for masonry fixed, front closure to prevent the entrance of dust or waste materials and sealing gaskets for cables entry. Dimensions: 270x270x70 mm. Product packed individually.		**59,00**	1
	TU	**CFLGS**	Steel recessed box, 270x270x70 mm, for **Logico** square loudspeakers.		**21,00**	1
	TU	**CFEM**	In-wall box Made of sheet metal. For **Edotto** speakers	4,8	**122,00**	1
	TU	**CFMRM**	In-wall box for masonry For **Miraggio** invisible speakers	1,83	**122,00**	1
	TU	**CFMRC**	Recessed frame for plasterboard For **MIRAGGIO** invisible speakers	2,1	**63,00**	1
	OH	**CFAVSP**	In-wall box for **AVS200** subwoofer		**391,00**	1
	TU	**CFVLC**	**Recessed acoustic cabinet** made of galvanized sheet, sealed for flush mounting on wall, for **Vela** speakers. Calculated volume for maximum acoustic output and linear frequency response. Sound-absorbing material, external plastic net for masonry fixed, front closure to prevent the entrance of dust or waste materials and sealing gaskets for cables entry. Dimensions: 300x450x75 mm. Product packed individually.	2,5	**74,00**	1
	TU	**CFVLS**	**In-wall box** made of sheet metal, 300x450x75 mm for **Vela** speakers	1,9	**23,00**	1
	TU	**CFOLS**	**In-wall box** made of sheet metal, 300x300x110 mm for **Olimpia** speakers	1,8	**21,00**	1
	OH	**CFSVHQ**	Recessed acoustic cabinet made of stainless steel, sealed for flush mounting on wall, for **Sonata di Venezia square** speakers. Calculated volume for maximum acoustic output and linear frequency response. Sound-absorbing material, external plastic net for masonry fixed, front closure to prevent the entrance of dust or waste materials and sealing gaskets for cables entry. Dimensions: 372x372x86.5 mm.		**185,00**	1
	OH	**CFSVHC**	Recessed acoustic cabine**t** made of stainless steel, sealed for flush mounting on wall, for **Sonata di Venezia Round** speakers. Calculated volume for maximum acoustic output and linear frequency response. Sound-absorbing material, external plastic net for masonry fixed, front closure to prevent the entrance of dust or waste materials and sealing gaskets for cables entry. Dimensions: 372x372x86.5 mm.		**185,00**	1
	OH	**CFAVHQ**	Recessed acoustic cabinet made of stainless steel, sealed for flush mounting on wall, for **Aria di Venezia square** speakers. Calculated volume for maximum acoustic output and linear frequency response. Sound-absorbing material, external plastic net for masonry fixed, front closure to prevent the entrance of dust or waste materials and sealing gaskets for cables entry. Dimensions: 277x277x86.5 mm.		**123,00**	1
	OH	**CFAVHC**	Recessed acoustic cabinet made of stainless steel, sealed for flush mounting on wall, for **Aria di Venezia round** speakers. Calculated volume for maximum acoustic output and linear frequency response. Sound-absorbing material, external plastic net for masonry fixed, front closure to prevent the entrance of dust or waste materials and sealing gaskets for cables entry. Dimensions: 277x277x86.5 mm.		**123,00**	1







	Code	Description	kg	Euro	Pack
TU	**SSL**	**Bracket** for Lapsus speaker mount.	0,632	**65,00**	1
		Horizontal bracket			
TU	**SOR12DP**	for 12" speaker, DP.		**243,00**	1
TU	**ACR-M10**	**Mounting ring** for suspended speakers (10MA).	0,14	**2,00**	1
TU	**SP/SX**	**Metal floor stand** for power speakers. Jeans Line.	4,9	**222,00**	1
TU	**SPPA**	**Wall support** with universal joint. Jeans Line.	2,3	**97,00**	1
TU	**SWP**	**Kit with bracket and steel wire rope** for suspendent installation of Winner speaker.	0,1	**23,00**	1
TU	**SSP**	**Kit with screw** for suspendent installation of Spot speaker.	0,1	**7,00**	1

Brackets and accessories for Evento cluster and Subwoofer

TU	**KCE**	**Kit with A2 stainless steel bracket** for installation of Evento speakers (without steel wire rope).	1	**194,00**	1
TU	**SCE**	**Kit with A2 stainless steel bracket** for final installation of Evento speakers (without steel wire rope).	1	**292,00**	1
TU	**KSS**	**Kit with A2 stainless steel bracket** for final installation of subwoofer (without steel wire rope).	1	**490,00**	1


Brackets and accessories for video projectors

		video projector support			
TU	**SVS150**	150 mm, max 10 kg.	1,6	**242,00**	1
TU	**SVS600**	600 mm, max 10 kg.	2,3	**273,00**	1
TU	**SVS1100**	1100 mm, max 10 kg.	4,3	**376,00**	1

Components and accessories



		Driver for audio signal			
TU	**TXBA**	Driver board, unbalanced audio input, balanced output, active. 24 Vdc power supply.	100 gr	**41,00**	1
TU	**DATM**	For 12Vpp active lines, 1 Vrms, mono output, power supply not included.	281 gr	**163,00**	1
TU	**DATS**	For 12Vpp active lines 2 insulated inputs 1 Vrms, 2x12vpp outputs, XLR, power supply not included.	596 gr	**217,00**	1
		Audio transformer			
TU	**TR600.DIN/M**	Audio transformer with isolation transformers, for 1 audio line, 600 ohm. DIN rail mounting.	50 gr	**92,00**	1
TU	**TR600.DIN/S**	Audio transformer with isolation transformers, for 2 audio lines, 600 ohm. DIN rail mounting.	100 gr	**172,00**	1
TU	**TR600**	Audio insulation transformer for connections to other systems, 600 ohm.	23 gr	**78,00**	1



		Standard active amplifier card			
TU	**ST503**	3W, 24 Vdc, 8 ohm.	12 gr	**18,00**	1
TU	**ST508B**	8W, 24 Vdc, 8 ohm.	21 gr	**23,00**	1
TU	**ST530EX**	30W, 24 Vdc, 4 - 8 ohm. Waterproofed with resin.	21 gr	**48,00**	1
TU	**ST530**	30W, 24 Vdc, 4 - 8 ohm.	21 gr	**31,00**	1
TU	**ST503AUX**	3W, 24 Vdc, in 1V, out 8 ohm output.	12 gr	**21,00**	1
TU	**ST508BAUX**	8W, 24 Vdc, in 1V, out 8 ohm output.	21 gr	**21,00**	1
TU	**ST530AUX**	30W, 24Vdc, in 1V, out 4-8 ohm output.	21 gr	**31,00**	1
		Audio transformer 100V, 80 ohm			
TU	**T43D12**	80 ohm and 100V, 12-6-3W for 8 ohm loudspeakers.		**18,00**	1
TU	**T43D24**	80 ohm and 100V, 24-12-6W for 8 ohm loudspeakers.		**24,00**	1

Measuring instruments




TU	**IMPMET**	Impedance speakers lines 100 V. Reading ohm at 1 kHz.	0,7	**246,00**	

Audio cables

		Audio Shielded cables			
TU	**C2SM**	2x0,35 mm twisted pair and shilded microphone cable. 100 m. Diameter: 5,6 mm.	4,6	**246,00**	
TU	**C2X075EX**	Shielded mesh cable for outdoor use, blue color. UV resistant. 100 m coil.	8,6	**185,00**	
TU	**C22TST**	2x0,75 + 2x 0,22 mm, shilded, for "active" audio lines. 100 m. (CPR).	6,3	**183,00**	
TU	**C52TST**	2x0,75 + 8x 0,22 mm, shilded, for "active" audio lines. 100 m. (CPR).	6,3	**219,00**	
		Audio Twisted cable			
TU	**C2T15**	2x1,5 mm for 100 V audio system. 100 m.	8,6	**256,00**	

Audio cables




	Code	Description	kg	Euro	Pack
TU	**PXBSXB**	**Balanced connection cable**, 2 m., XLR socket, XLR pin.		**39,00**	1
TU	**PXBSXB10**	**Balanced connection cable**, 10 m., XLR socket, XLR pin.		**50,00**	1
TU	**PXBSXU**	**Unbalanced connection cable**, 2 m., XLR socket, XLR pin.		**32,00**	1
TU	**PXBJSB**	**Balanced connection cable**, 2 m., XLR socket, Stereo 6,3 mm Jack.		**26,00**	1
TU	**PXUJMU**	**Unbalanced connection cable**, 2 m., XLR socket, Mono 6,3 mm Jack.		**28,00**	1
TU	**PXURCA**	**Unbalanced connection cable**, 2 m., XLR socket, RCA pin.		**30,00**	1
TU	**PXU2RCA**	**Unbalanced connection cable**, 2 m., XLR socket, 2 RCA pins.		**41,00**	1
TU	**JSB2RCA**	**Unbalanced connection cable**, 2 m., Stereo 6,3 mm Jack, 2 RCA pins.		**35,00**	1
TU	**JSB2SXB**	**Balanced connection cable**, 2 m., Stereo 6,3 mm Jack, 2 XLR pins.		**35,00**	1
TU	**2SXUJS3,5**	**Connection cable**, 2 m., stereo 3,5 mm Jack, 2 XLR pins.		**35,00**	1
TU	**JSB4SXB**	**Balanced connection cable**, 2 m., Stereo 6,3 mm Jack, 4 XLR pins.		**51,00**	1
TU	**JSBSXB**	**Balanced connection cable**, 2 m., Stereo 6,3 mm Jack, XLR pin.		**32,00**	1
TU	**2JSBSXU**	**Unbalanced connection cable**, 2 m., 2 Stereo 6,3 mm Jack, XLR pin.		**29,00**	1
TU	**JSBJSB**	**Balanced connection cable**, 2 m., Stereo 6,3 mm Jack, Stereo 6,3 mm Jack.		**26,00**	1
TU	**JSB3,5JSB3,5**	**Balanced connection cable**, 1,5 m., Stereo 3,5 mm Jack, Stereo 3,5 mm Jack.		**3,00**	1
TU	**JMUSXU**	**Unbalanced connection cable**, 2 m., Mono 6,3 mm Jack, XLR pin.		**26,00**	1
TU	**RCASXU**	**Unbalanced connection cable**, 2 m., RCA pin, XLR pin.		**26,00**	1
TU	**2RCA2JMU**	**Unbalanced connection cable**, 2 m., 2 RCA pins, 2 Mono 6,3 mm Jacks.		**39,00**	1
TU	**RCAJMU**	**Unbalanced connection cable**, 2 m., RCA pin, Mono 6,3 mm Jack.		**28,00**	1
TU	**2RCAJS3,5**	**Unbalanced connection cable**, 2 m., 2 RCA pins, 1 stereo 3,5 mm Jack.		**18,00**	1
TU	**2RCASXU**	**Unbalanced connection cable**, 2 m., 2 RCA pins, XLR pin.		**37,00**	1
TU	**2RCA2RCA**	**Unbalanced connection cable**, 2 m., 2 RCA pins, 2 RCA pins.		**7,00**	1
TU	**P2RCASXU**	**Bridged cable**, 2 m., 2 RCA pins, XLR pin.		**34,00**	1
TU	**LIN12SXU**	**Unbalanced connection cable**, 2 m., 1V attenuated 12Vpp line, XLR pin.		**28,00**	1
TU	**LINSXU**	**Unbalanced connection cable**, 2 m., 1V line, XLR plug.		**23,00**	1
TU	**LIN12RCA**	**Unbalanced connection cable**, 2 m., 1V attenuated 12Vpp line, RCA pin.		**24,00**	1
TU	**LIN12JMU**	**Unbalanced connection cable**, 2 m., 1V attenuated 12Vpp line, Mono 6,3 mm jack.		**23,00**	1
TU	**LINJMU**	**Unbalanced connection cable**, 2 m., 1V line, mono 6,3 mm jack.		**18,00**	1
TU	**3PINB3PINB**	**Balanced connection cable**, shielded, 0,5m, Euroblock 3 pins connector.		**11,00**	1
TU	**PXB3PINB**	**Balanced connection cable**, shielded, XLRF to Euroblock 3 pins connector, 2m.		**21,00**	1
TU	**2PXB3PINB**	**Balanced connection cable**, shielded, 2 x XLRF to Euroblock 3 pins connector, 2m.		**28,00**	1
TU	**JSB3PINB**	**Balanced connection cable**, shielded, JACK 6,3mm to Euroblock 3 pins connector, 2m.		**14,00**	1
TU	**2JSB3PINB**	**Balanced connection cable**, shielded, 2 x JACK 6,3mm to Euroblock 3 pins connector, 2m.		**20,00**	1
TU	**RCA3PINU**	**Unbalanced connection cable**, shielded, RCA to Euroblock 3 pins connector, 2m.		**18,00**	1
TU	**P2RCA3PINU**	**Unbalanced connection cable**, shilded, 2 x RCA to Euroblock 3 pins connector, 2m.		**23,00**	1
		Passive mixer 3 inputs			
TU	**M3RCA**	Mixer 3 Aux inputs, 1 Aux output.	130 gr	**75,00**	1
TU	**SP2RCAT**	**Cable with attenuation** and insulation transformers for picking up the loudspeaker output signal from an amplifier with separate negatives between the L and R channels.	130 gr	**178,00**	1

CABLES AND VIDEO ACCESSORIES


TU	**HDMI20**	20m **HDMI Cable,** 22mm diameter		**244,00**	1
TU	**HDMI10**	10m **HDMI Cable,** 22mm diameter		**147,00**	1
TU	**HDMI5**	5m **HDMI Cable,** 22mm diameter		**48,00**	1
TU	**HDMI3**	3m **HDMI Cable,** 22mm diameter		**34,00**	1
TU	**HDMI1.5**	1,5m **HDMI Cable,** 22mm diameter		**34,00**	1
TU	**HDMI0.5**	0,5m **HDMI Cable,** 22mm diameter		**18,00**	1

Certified Racks


EN 54-16 certified cabinets, according to 19 "rack standards, in pre-galvanized and epoxy powder coated sheet metal.




	Code	Description	kg	Euro	Pack	U. R.
		19" Certified rack cabinet				
		Complete with: 2 sides, 1 top, 1 bottom, 1 rear panel.				
TU	**MRKG40U**	H. mm 1849 - L. mm 530 - D. mm 600, Grey RAL 7035, 40 units.	42,2	**1279,00**	1	
TU	**MRKG30U**	H. mm 1396 - L. mm 530 - D. mm 600, Grey RAL 7035, 30 units.	37,2	**898,00**	1	
TU	**MRKG20U**	H. mm 956 - L. mm 530 - D. mm 600, Grey RAL 7035, 20 units.	28,6	**718,00**	1	
TU	**MRKG10U**	H. mm 506 - L. mm 530 - D. mm 600, Grey RAL 7035, 12 units	21,7	**449,00**	1	
		Rack adapter for Metcube				
TU	**METAMR9**	Rack mounting adapters for METCUBE V and VS.		**35,00**	1	9
TU	**METAMR7**	Rack mounting adapters for METCUBE.		**33,00**	1	7
TU	**METSFS**	Bracket for fixing a source over the Metcube central unit. Supplied in pairs. Fixed on the existing holes.	0,1	**24,00**	1	



TU	**GRK2U**	**Standard rack slides** for 2U TUTONDO equipment.	0,8	**39,00**	1	
TU	**GRPW**	**Rack slides** for equipment and final amplifiers.	1,16	**37,00**	1	1
		Rack adapter				
TU	**ARTK**	for amplifiers P.A. TUTONDO.	0,74	**31,00**	1	2
TU	**ARSL**	for RD, ALD, 1 Unit.	0,06	**18,00**	1	1



TU	**PS1**	**Sliding Rack shelf**, keiboard or mixer holder 1U.	5	**219,00**	1	1
TU	**PSK**	**Kit** for installing hi-fi audio in a rack cabinet, with screws and nuts	1,9	**97,00**	1	1
TU	**C2**	**Sliding** compartment with lock, 2U.	5,4	**213,00**	1	2




TU	**PFK1**	**Fixed rack shelf** for non-standard rack size equipment.	2,6	**92,00**	1	1



		Vented Panels				
TU	**PRK1UA**	H. mm 43.6, 1 unit, with screws and nuts.	0,21	**20,00**	2	1
TU	**PRK2UA**	H. mm 88.7, 2 units, with screws and nuts.	0,38	**26,00**	2	2




		Blank Panel				
TU	**PRK0,5U**	H. mm 21.8, 1/2 units, with screws and nuts.	0,16	**17,00**	2	0,5
TU	**PRK1U**	H. mm 43.6, 1 units, with screws and nuts.	0,24	**19,00**	2	1
TU	**PRK2U**	H. mm 88.7, 2 units, with screws and nuts.	0,41	**21,00**	2	2
TU	**PRK3U**	H. mm 132.5, 3 units, with screws and nuts.	0,6	**29,00**	1	3
TU	**PRK4U**	H. mm 177, 4 units, with screws and nuts.	0,75	**39,00**	1	4
TU	**PRK11U**	H. mm 488, 11 units, with screws and nuts.	1,9	**47,00**	1	11




		Rack shelves				
TU	**PP3A2**	Mounting rack panel for "MET" amplifiers, 2 units	0,16	**110,00**	1	2
TU	**PP5A3**	Mounting rack panel for "MET" amplifiers, 3 units	0,24	**113,00**	1	3



		Panel for six 2-gang CZ controllers				
TU	**PPCK6**	H. mm 43.6.	0,41	**65,00**	1	1



TU	**PPM**	Panel for rack installation of an MXL503 mixer. Size 2UR.	0,16	**23,00**	1	2
		Audio monitor for vented panels				



TU	**PMA100V**	100V line audio monitor, for vented panels. Vented panel not included	0,82	**57,00**	1	1
TU	**PMA500**	Amplified line audio monitor for vented panels. Vented panel not included	0,78	**57,00**	1	1




TU	**PPUS**	Panel with USB socket, RCA STIpa signal input, 3.5mm AUX Jack input. Dimension 1 UR.		**70,00**	1	



TU	**PCDTR**	Power bar with 7 sockets (Schuko and italian standard) Maximum current 16A	0,93	**120,00**	1	2



TU	**BDM**	DIN bar kit, with clamps and accessories for rack mounting	0,93	**116,00**	1	1
		Door with ventilation and lock				



TU	**PMRG40U**	Door for Rack cabinet 40U. Grey RAL 7035 color.	9,5	**574,00**	1	40
TU	**PMRG30U**	Door for Rack cabinet 30U. Grey RAL 7035 color.	7,35	**367,00**	1	30
TU	**PMRG20U**	Door for Rack cabinet 20U. Grey RAL 7035 color.	5	**275,00**	1	20
TU	**PMRG10U**	Door for Rack cabinet 10U. Grey RAL 7035 color.	3,5	**220,00**	1	10



TU	**K4R**	**Kit of 4 wheels** with screws and washers.	1,73	**102,00**	1	
TU	**K4RR**	**Kit of 4 wheels** with brake, with screws and washers.	2,5	**207,00**	1	

	Code	Description	kg	Euro	Pack
TU	**AC10B**	**White**. For: Leg: Mos, Cros, Vela, Vimar Eikon, Evo, Arké.	0,007	**3,00**	1
TU	**AC10BA**	**Glossy white**. For: Tic. Axolute, Axolute Etèris, Axolute Air.	0,007	**11,00**	1
TU	**AC10N**	**Anthracite gray**. For: Leg. Vela, Vimar Eikon, Evo, Arké.	0,007	**3,00**	1
TU	**AC10AN**	**Anthracite gray**. For: Tic. Axolute, Axolute Etèris, Axolute Air.	0,007	**11,00**	1
TU	**AC10MC**	**Chrome metal (silver).** Per: Tic. Axolute, Axolute Etèris, Axolute Air.	0,007	**11,00**	1
TU	**AC10MCV**	**Chrome metal (silver)**. For: Vim. Eikon Evo, Next.	0,007	**11,00**	1
TU	**AC11N**	**Anthracite gray**. For: Tic. Living.	0,014	**11,00**	1
TU	**AC12B**	**White**. For: Tic. Livin Light Air - Siem. Delta Fut.Graf. - Gewiss Play Bus - Vim. Idea - ABB Elos - Master Mix e Modo - Eutech.	0,013	**4,00**	1
TU	**AC12AB**	**White**. For: Ave S45.Banquise.	0,013	**4,00**	1
TU	**AC12N**	**Anthracite gray**. For: Tic. Living Int. - Livin Light Air - Living Ligh - Siem. Delta Fut.Graf. - Gewiss Play - Bus - Vim. Idea - Ave S45 - ABB Elos - Master Mix e Modo - Eutech.	0,013	**4,00**	1
TU	**AC12MC**	**Chrome metal (silver)**. For: Tic. Light Tech - Livin Light Air - Living Ligh - Master Mixe e Modo - Eutech.	0,013	**11,00**	1
TU	**AC12MCV**	**Chrome metal (silver)**. For: Vim. Idea.	0,013	**11,00**	1
TU	**AC13B**	**White**. For: Vim. Plan.	0,011	**9,00**	1
TU	**AC13MCV**	**Silver**. For: Vim. Plana silver.	0,011	**11,00**	1
TU	**AC14B**	**White**. For: Tic. Matix.	0,013	**11,00**	1
TU	**AC15B**	**White**. For: Feller, Edizio white.	0,067	**30,00**	1
TU	**AC16B**	**White**. For: Berker Gira white.	0,07	**28,00**	1
TU	**AC16N**	**Black**. For: Berker Gira black.	0,07	**28,00**	1
TU	**AC16MC**	**Chrome metal (silver)**. For: Berker Gira	0,07	**28,00**	1
TU	**AC17B**	**White**. For: Jung white.	0,083	**28,00**	1
TU	**AC18B**	**White**. **Fo**r: Ave S44, Domus 100, Life	0,019	**9,00**	1
TU	**AC18MC**	**Chrome metal (silver).** For: Ave S44 Allumia.	0,019	**11,00**	1
TU	**AC18N**	**Black**. For: Ave S44, Domus 100, Life	0,019	**9,00**	1
TU	**AC19AC**	**Steel**. For: Eclettis.	0,052	**39,00**	1
TU	**AC19B**	**Steel**. For: Eclettis, white.	0,052	**39,00**	1
TU	**AC20B**	**White**. For: Gewiss Chorus white.	0,02	**4,00**	1
TU	**AC20N**	**Black**. For: Gewiss Chorus black.	0,02	**10,00**	1
TU	**AC20MC**	**Silver**. For: Gewiss Chorus silver.	0,02	**10,00**	1
TU	**AC21AC**	**Steel metal**. For: Mert. Artec.	0,08	**32,00**	1
TU	**AC22B**	**White**. For: Jun. AS500.	0,04	**35,00**	1
TU	**AC23B**	**White**. For: Berk. S1.	0,04	**35,00**	1
TU	**AC23N**	**Black**. For: Berk. S1.	0,04	**33,00**	1
TU	**AC24B**	**White**. For: Legrand Galea.	0,06	**30,00**	1

Adapters for control unit

Adapters for the installation of audio controls on the main flush-mounted civil series

	Code	Description	kg	Euro	Pack
TU	**AC24AN**	**Black** For: Legrand Galea.	0,06	**30,00**	1
TU	**AC25MC**	**Chrome metal (silver).** For: Sung a Creation.	0,06	**35,00**	1
TU	**AC26B**	**White**. For: Schneider Zencelo	0,06	**32,00**	1
TU	**AC27AC**	**Inox**. For: Jun. LS990.FD-Design	0,06	**39,00**	1
TU	**AC27B**	**White**. For: Jun. LS990.FD-Design	0,06	**39,00**	1
TU	**AC27N**	**Black.** For: Jun. LS990.FD-Design	0,06	**39,00**	1
TU	**AC27MC**	**Chrome metal (silver).** For: Jun. LS990, FD-Design.	0,06	**39,00**	1
TU	**AC28B**	**White**. For: Merten, M serie.	0,06	**39,00**	1
TU	**AC29B**	**White**. For: Jun. LSP981ES-LIT.	0,07	**42,00**	1
TU	**AC30B**	**White**. For: Berker Q.	0,06	**32,00**	1
TU	**AC30N**	**Black.** For: Berker Q.	0,06	**32,00**	1
TU	**AC31B**	**White**. For: Berker K.	0,06	**32,00**	1
TU	**AC31N**	**Black.** For: Berker K.	0,06	**32,00**	1
TU	**AC32B**	**White**. For: Gira standard 55 White	0,06	**39,00**	1
TU	**AC33B**	**White.** For: Tic. Now	0,06	**10,00**	1
TU	**AC33N**	**Black.** For: Tic. Now	0,06	**10,00**	1
TU	**AC33S**	**Sand.** For: Tic. Now	0,06	**10,00**	1
TU	**MODIFICA COM**	**Customization to different series of plates**, please specify series and colours.		**23,00**	1

ALPHABETIC PRICE LIST

COD.	EURO	pag.
2JSB3PINB	20,00	45
2JSBSXU	29,00	45
2PXB3PINB	28,00	45
2RCA2JMU	39,00	45
2RCA2RCA	7,00	45
2RCAJS3,5	18,00	45
2RCASXU	37,00	45
2SXUJS3,5	35,00	45
3PINB3PINB	11,00	45
6315FS	62,00	21
AC10AN	11,00	47
AC10B	3,00	47
AC10BA	11,00	47
AC10MC	11,00	47
AC10MCV	11,00	47
AC10N	3,00	47
AC11N	11,00	47
AC12AB	4,00	47
AC12B	4,00	47
AC12MC	11,00	47
AC12MCV	11,00	47
AC12N	4,00	47
AC13B	9,00	47
AC13MCV	11,00	47
AC14B	11,00	47
AC15B	30,00	47
AC16B	28,00	47
AC16MC	28,00	47
AC16N	28,00	47
AC17B	28,00	47
AC18B	9,00	47
AC18MC	11,00	47
AC18N	9,00	47
AC19AC	39,00	47
AC19B	39,00	47
AC20B	4,00	47
AC20MC	10,00	47
AC20N	10,00	47
AC21AC	32,00	47
AC22B	35,00	47
AC23B	35,00	47
AC23N	33,00	47
AC24AN	30,00	48
AC24B	30,00	47
AC25MC	35,00	48
AC26B	32,00	48
AC27AC	39,00	48
AC27B	39,00	48
AC27MC	39,00	48
AC27N	39,00	48
AC28B	39	48
AC29B	42	48
AC30B	32	48
AC30N	32	48
AC31B	32	48
AC31N	32	48
AC32B	39	48
AC33B	10	48
AC33N	10	48
AC33S	10	48

COD.	EURO	pag.
ACR-M10	2,00	44
AL505S	470,00	17
ALBD502	81,00	9, 17
ALBD504	122,00	9, 17
ALD516	557,00	17
ALD526	748,00	17
ALD536	938,00	17
APM40	106,00	20
APM41	106,00	20
ARSL	18,00	46
ARTK	31,00	46
ATM502T	295,00	17
AV34EBN	48,00	25
AV34EMC	48,00	25
AV34EWB	48,00	25
AV34FBN	48,00	25
AV34FMC	48,00	25
AV34FWB	48,00	25
AV36RBN	55,00	25, 32
AV36RMC	55,00	25, 32
AV36RSBN	44,00	25
AV36RSMC	44,00	25
AV36RSWB	44,00	25
AV36RWB	55,00	25, 32
AV36TBL	58,00	25, 32
AV36TBN	58,00	25, 32
AV36TG	23,00	25, 32
AV36TGR	58,00	25, 32
AV36TOR	58,00	25, 32
AV36TWB	58,00	25, 32
AVC36RBN	55,00	26
AVC36RMC	55,00	26
AVC36RWB	55,00	26
AVC36TBL	58,00	26
AVC36TBN	58,00	26
AVC36TG	23,00	26
AVC36TGR	58,00	26
AVC36TOR	58,00	26
AVC36TWB	58,00	26
AVH2G	268,00	25, 26
AVH530G	296,00	25, 26
AVHT43G46	339,00	25, 26
AVL1002J	54,00	20
AVL1002X	54,00	20
AVL2500X	122,00	20
AVL6304	74,00	21
AVL6305S	110,00	21
AVL680	194,00	20
AVS200	1.230,00	40
AVS36WB	58,00	40
BB2GB	122	35
BB2GN	122	35
BB2GPROB	207	35
BB2GPRON	207	35
BB530GB	168	35
BB530GN	168	35
BBAS	7	33
BBT43G24B	147	35
BBT43G24N	147	35
BBT43G46B	174	35

COD.	EURO	pag.
BBT43G46N	174,00	35
BDM	116,00	46
BEK100A6U	2.093,00	14
BEK27A3U	860,00	14
BEK42A4U	1.144,00	14
BEK80A6U	1.817,00	14
BEKF100A6U	1.888,00	14
BEKF27A3U	673,00	14
BEKF42A4U	952,00	14
BEKF80A6U	1.629,00	14
BEKFA27A3U	612,00	14
BEKFA42A4U	957,00	14
BF	17,00	43
BM40J	92,00	20
BMCS	20,00	33
BMM29J	173,00	20
BMM29X	180,00	20
BMM30X	207,00	20
BMM32X	207,00	20
BMT80	117,00	21
BMT82	228,00	21
BNCS	20,00	33
BNOS	7,00	33
BTWJK	140,00	11
C105T4B	396,00	40
C107T4B	396,00	40
C110T4B	650,00	40
C2	213,00	46
C22TST	183,00	44
C2GB	45,00	30
C2SM	246,00	44
C2T15	256,00	44
C2X075EX	185,00	44
C4P2G200	1.223,00	37
C4P2M200	600,00	37
C52TST	219,00	44
C530GB	73,00	30
C8P2G400	1.980,00	37
C8P2M400	1.316,00	37
CBD560	492,00	16
CBP561	512,00	16
CCP505	99,00	16
CCP510	121,00	16
CCP515	144,00	16
CCP530	212,00	16
CENT-PA	172,00	16
CF2D	8,00	43
CF2E	17,00	43
CF2EC	30,00	43
CFAVHC	123,00	26, 43
CFAVHQ	123	25, 43
CFAVSP	391	40, 43
CFEM	122	43
CFKRC	59	43
CFKRS	21	43
CFLGC	59	43
CFLGS	21	43
CFMRC	63	43
CFMRM	122	43
CFMSS	84	43

ALPHABETIC PRICE LIST

COD.	EURO	pag.
CFOLS	**21,00**	43
CFSVHC	**185,00**	24, 43
CFSVHQ	**185,00**	23, 43
CFVLC	**74,00**	43
CFVLS	**23,00**	43
CRC71	**33,00**	8
CRM501	**747,00**	16
CRT24AD	**9.835,00**	40
CS204T4B	**100,00**	40
CS208T4B	**167,00**	40
CSP506	**43,00**	38
CSP512D	**58,00**	36, 38
CT43G12B	**59,00**	30
CT43G24B	**83,00**	30
CZ100V20B	**72,00**	19
CZ100V20MC	**72,00**	19
CZ100V20N	**72,00**	19
CZ100V20RB	**79,00**	19
CZ100V20RMC	**79,00**	19
CZ100V20RN	**79,00**	19
CZ100V50B	**84,00**	19
CZ100V50MC	**84,00**	19
CZ100V50N	**84,00**	19
CZ100V50RB	**94,00**	19
CZ100V50RMC	**94,00**	19
CZ100V50RN	**94,00**	19
CZ1522B	**121,00**	9, 18
CZ1522MC	**130,00**	9, 18
CZ1522N	**121,00**	9, 18
CZ1B	**69,00**	9
CZ1MC	**78,00**	9
CZ1N	**69,00**	9
CZ83B	**117,00**	5, 6, 14, 18
CZ83MC	**130,00**	5, 6, 14, 18
CZ83N	**117,00**	5, 6, 14, 18
DAB71	**110,00**	8, 9
DAP90	**431,00**	10, 11
DATM	**163,00**	44
DATS	**217,00**	44
DG530EX	**462,00**	38
DG78EX	**431,00**	38
DMH44K	**1.454,00**	5, 6, 15
DMP128	**4.090,00**	16
DMQ2G	**105,00**	28
DMQ530G	**141,00**	28
DMQT43G24	**135,00**	28
DP300GN	**381,00**	35
DP300T4G200N	**586,00**	35
DPST4L20	**97,00**	36
E2GB	**281,00**	27
E530GB	**311,00**	27
EAVHT43G46	**362,00**	41
EBBT4G24EXB	**172,00**	35, 38, 41
EBBT4G24EXN	**172,00**	35, 38, 41
EBBT4G46EXB	**198,00**	35, 38, 41
EBBT4G46EXN	**198**	35, 38, 41
EC4PT4G200	**1354**	37, 42
EC4PT4M200	**723**	37, 42
ECT4G12B	**94**	30, 41
ECT4G24B	**100**	30, 41

COD.	EURO	pag.
ECT4G6B	**84,00**	30, 41
ECT4L12B	**48,00**	30, 41
ECT4M10B	**92,00**	30, 41
ECT4M8B	**55,00**	30, 41
EELT4L6B	**78,00**	29, 41
EELT4L6MC	**90,00**	29, 41
EELT4L6N	**78,00**	29, 41
EEVT4G200EXN	**1.216,00**	35, 39, 42
EF2GB	**125,00**	27
EF530GB	**156,00**	27
EFLT43G24B	**122,00**	28, 41
EFLT43G24MC	**146,00**	28, 41
EFLT43G24N	**122,00**	28, 41
EFLT43L12B	**97,00**	28, 41
EFLT43L12MC	**121,00**	28, 41
EFLT43L12N	**97,00**	28, 41
EFT43G24B	**153,00**	27
EFT43G46B	**178,00**	27
EL2B	**62,00**	29
EL2MC	**80,00**	29
EL2N	**62,00**	29
EL508B	**84,00**	29
EL508MC	**101,00**	29
EL508N	**84,00**	29
ELF2B	**54,00**	29
ELF2MC	**69,00**	29
ELF2N	**54,00**	29
ELF508B	**76,00**	29
ELF508MC	**94,00**	29
ELF508N	**76,00**	29
ELFT3B	**52,00**	29
ELFT3MC	**69,00**	29
ELFT3N	**52,00**	29
ELT3B	**68,00**	29
ELT3MC	**85,00**	29
ELT3N	**68,00**	29
EMNT4G12B	**97,00**	33, 41
EMNT4G12N	**97,00**	33, 41
EMNT4G24B	**109,00**	33, 41
EMNT4G24N	**109,00**	33, 41
EMNT4G6B	**86,00**	33, 41
EMNT4G6N	**86,00**	33, 41
EMRT4G46	**1.229,00**	29, 41
EOLT43M46C4B	**614,00**	32, 41
EOLT43M46C4MC	**614,00**	32, 41
EOLT43M46C4N	**614,00**	32, 41
EPT43L12	**97,00**	34, 42
EPT4M12B	**68,00**	34, 42
EQBILQ	**47,00**	39
ERRT4MB	**172,00**	36, 42
ERRT4MMC	**228,00**	36, 42
ERRT4MN	**172,00**	36, 42
ERT43G24B	**168,00**	34, 42
ERT43G24MC	**230,00**	34, 42
ERT43G24N	**168,00**	34, 42
ERT43L12B	**144,00**	34, 42
ERT43L12EXB	**182,00**	38
ERT43L12MC	**206**	34, 42
ERT43L12N	**144**	34, 42
ESPT4G24B	**122**	34, 42

COD.	EURO	pag.
ESPT4L12B	**84,00**	34, 42
ESPT4M24EXB	**114,00**	34, 38, 42
ET43G24B	**327,00**	27
ET43G46B	**337,00**	27
ETT4Q15	**134,00**	39, 42
ETT4Q30	**147,00**	39, 42
EV2G200EXN	**967,00**	35, 39
EV2G360EXN	**1.571,00**	35, 39
EWT4M10B	**97,00**	34, 42
F2G30B	**69,00**	28
F2G30MC	**91,00**	28
F2G30N	**69,00**	28
F2L10B	**50,00**	28
F2L10MC	**68,00**	28
F2L10N	**50,00**	28
F2PROB	**145,00**	28
F2PROMC	**171,00**	28
F2PRON	**145,00**	28
F530GB	**105,00**	28
F530GMC	**130,00**	28
F530GN	**105,00**	28
F530LB	**73,00**	28
F530LMC	**97,00**	28
F530LN	**73,00**	28
FBAS	**10,00**	33
FLFS	**30,00**	33
FMCS	**30,00**	33
FNOS	**10,00**	33
FT43G24B	**105,00**	28
FT43G24MC	**130,00**	28
FT43G24N	**105,00**	28
FT43L12B	**76,00**	28
FT43L12MC	**103,00**	28
FT43L12N	**76,00**	28
FT43M24B	**84,00**	28
FT43M24MC	**109,00**	28
FT43M24N	**84,00**	28
G2GEXB	**2.791,00**	38
G530GEXB	**2.822,00**	38
GKT503	**684,00**	17
GM20	**76,00**	21
GM3	**146,00**	8
GM38	**155,00**	21
GRK2U	**39,00**	46
GRPW	**37,00**	46
GT4G46EXB	**2.822,00**	38
HDMI0.5	**18,00**	45
HDMI1.5	**34,00**	45
HDMI10	**147,00**	45
HDMI20	**244,00**	45
HDMI3	**34,00**	45
HDMI5	**48,00**	45
IMPMET	**246,00**	44
IS61	**243,00**	10, 11
IS61AP	**486,00**	8
IS61KA	**281**	7, 9, 11
JMUSXU	**26**	45
JSB2RCA	**35**	45
JSB2SXB	**35**	45
JSB3,5JSB3,5	**3**	45

ALPHABETIC PRICE LIST

COD.	EURO	pag.
JSB3PINB	14,00	45
JSB4SXB	51,00	45
JSBJSB	26,00	45
JSBSXB	32,00	45
K2G30B	61,00	30
K2G30MC	109,00	30
K2G30N	61,00	30
K2L10B	41,00	30
K2L10MC	89,00	30
K2L10N	41,00	30
K4R	102,00	46
K4RR	207,00	46
K530GB	92,00	30
K530GMC	145,00	30
K530GN	92,00	30
K530LB	70,00	30
K530LMC	121,00	30
K530LN	70,00	30
KBBEXB	22,00	35
KBBEXN	22,00	35
KCE	194,00	44
KESPR	220,00	13
KSS	490,00	44
KT43G24B	97,00	30
KT43G24MC	146,00	30
KT43G24N	97,00	30
KT43L12B	75,00	30
KT43L12MC	119,00	30
KT43L12N	75,00	30
KT43M24B	90,00	30
KT43M24MC	130,00	30
KT43M24N	90,00	30
L24DE	64,00	17
L2GB	356,00	35
L2GN	356,00	35
L2GPROB	484,00	35
L2GPRON	484,00	35
L530GB	337,00	35
L530GN	337,00	35
LG2GB	44,00	27
LG530GB	95,00	27
LGT43G24B	90,00	27
LIN12JMU	23,00	45
LIN12RCA	24,00	45
LIN12SXU	28,00	45
LINJMU	18,00	45
LINSXU	23,00	45
LO2	142,00	29
LT43G46B	337,00	35
LT43G46N	337,00	35
LT4G120B	492,00	35
LT4G120N	492,00	35
M2	1.106,00	37
M3RCA	75,00	45
M530-10	1.225,00	37
M530-20	1.225,00	37
M530-30	1225	37
MC1501B	130	5, 6, 7, 20
MC1501MC	134	5, 6, 7, 20
MC1501N	130	5, 6, 7, 20

COD.	EURO	pag.
MC1NTCB	193,00	5, 6, 20
MC1NTCMC	202,00	5, 6, 20
MC1NTCN	193,00	5, 6, 20
MC500	228,00	16, 20
MC500XLR	157,00	20
MCZ501N	352,00	20
MCZ505N	411,00	20
MCZ510N	459,00	20
MD2B	48,00	29
MD2MC	48,00	29
MD2N	48,00	29
MD503B	68,00	29
MD503MC	68,00	29
MD503N	68,00	29
MET15A1S	404,00	13, 17
MET15A1SL	353,00	13
MET15A2S	710,00	13, 17
MET15A2SL	525,00	13
MET16TZ	430,00	13
MET18A1P	528,00	13, 17
MET18A1S	411,00	13, 17
MET1CFL	34,00	13
MET1CFLE	34,00	13
MET1CTL	34,00	13
MET4SC	99,00	13
MET50A1S	845,00	13, 17
MET50A2S	1.500,00	13, 17
MET6A2S	393,00	13, 17
MET6A3P	640,00	13, 17
MET6A3S	493,00	13, 17
MET6CB	1.331,00	14
MET720P1	452,00	14
MET720P2	715,00	14
MET8CV4	3.265,00	13
MET8CV8	3.634,00	13
MET8CVE8	2.070,00	13
MET8SC	146,00	13
MET8TZ	274,00	13
METAMR7	33,00	46
METAMR9	35,00	46
METARMMC8	243,00	13
METCR5	492,00	13
METMC1	386,00	13
METMC1A	450,00	13
METMC1AC	613,00	13
METMC8C	532,00	13
METMC8CP	519,00	13
METSFS	24,00	46
METSPC	122,00	14
MINIVIBRO	31,00	29
MN2G30B	61,00	33
MN2G30N	61,00	33
MN530GB	90,00	33
MN530GN	90,00	33
MNT43G12B	73,00	33
MNT43G12N	73,00	33
MNT43G24B	96,00	33
MNT43G24N	96,00	33
MODIFICA COM	23	48
MR2G	1162	29

COD.	EURO	pag.
MRKG10U	449,00	46
MRKG20U	718,00	46
MRKG30U	898,00	46
MRKG40U	1.279,00	46
MSS2GEX	48,00	38
MT43G24	1.225,00	37
MTA561	1.337,00	15
MTA816	2.463,00	5, 15
MTA816PRO	1.903,00	15
MTAE816	1.841,00	5, 15
MTAE816PRO	1.337,00	15
MTAE816S	1.711,00	6, 15
MTAM816S	1.947,00	6, 15
MUSBCB	132,00	11
MUSBCMC	132,00	11
MUSBCN	132,00	11
MV1511	183,00	16
MX4U	244,00	16
MX8U	491,00	16
MX952	680,00	16
MXL503	116,00	16
MZ3532BLB	238,00	7, 9, 15, 18
MZ3532BLMC	241,00	7, 9, 15, 18
MZ3532BLN	241,00	7, 9, 15, 18
MZ3532LB	201,00	7, 9, 15, 18
MZ3532LMC	205,00	7, 9, 15, 18
MZ3532LN	205,00	7, 9, 15, 18
MZ71BTB	365,00	8, 15, 18
MZ71BTMC	369,00	8, 15, 18
MZ71BTN	369,00	8, 15, 18
MZ71TB	284,00	8, 18
MZ71TMC	287,00	8, 18
MZ71TN	287,00	8, 18
MZ830B	228,00	5, 6, 14, 18
MZ830MC	230,00	5, 6, 14, 18
MZ830N	230,00	5, 6, 14, 18
NET4L6	59,00	30
OHLBN	4.080,00	40
OHLMC	4.080,00	40
OHLWB	4.080,00	40
OK2GBN	557,00	31
OK2GMC	557,00	31
OK2GWB	557,00	31
OK530GBN	598,00	31
OK530GMC	598,00	31
OK530GWB	598,00	31
OKB2GBN	557,00	31, 36
OKB2GMC	557,00	31, 36
OKB2GWB	557,00	31, 36
OKB530GBN	595,00	31, 36
OKB530GMC	595,00	31, 36
OKB530GWB	595,00	31, 36
OKP2GBN	732,00	31
OKP2GMC	732,00	31
OKP2GWB	732,00	31
OKP530GBN	787,00	31
OKP530GMC	787	31
OKP530GWB	787	31
OL2C1	183	32
OL2C2	287	32

ALPHABETIC PRICE LIST

COD.	EURO	pag.
OL2C2G	**319,00**	32
OL2C2GEX…	**442,00**	37
OL2C4	**411,00**	32
OL2C4EX…	**543,00**	37
OL530C1	**195,00**	32
OL530C2	**312,00**	32
OL530C2G	**343,00**	32
OL530C2GEX…	**479,00**	37
OL530C4	**421,00**	32
OL530C4EX…	**576,00**	37
OLP2GB	**105,00**	30
OLP530GB	**143,00**	30
OLPT43G12B	**127,00**	30
OLPT43G24B	**144,00**	30
OLT3C1	**180,00**	32
OLT43G24C2	**347,00**	32
OLT43G24C2EX…	**482,00**	37
OLT43M24C2	**318,00**	32
OLT43M46C4	**433,00**	32
OLT43M46C4EX…	**604,00**	37
OZ2GB	**63,00**	30
OZ530GB	**95,00**	30
OZT43G24B	**119,00**	30
OZT43G46B	**156,00**	30
P2RCA3PINU	**23,00**	45
P2RCASXU	**34,00**	45
PA101X	**66,00**	20
PA229X	**234,00**	20
PC33ASLBN	**1.830,00**	40
PC33ASLMC	**1.830,00**	40
PC33ASLWB	**1.830,00**	40
PCDTR	**120,00**	46
PFK1	**92,00**	46
PHM950	**234,00**	20
PHM956X	**483,00**	20
PINJ3K	**42,00**	5, 6, 7, 9
PINJ71	**30,00**	8, 9
PL13X	**138,00**	20
PMA100V	**57,00**	46
PMA500	**57,00**	46
PMRG10U	**220,00**	46
PMRG20U	**275,00**	46
PMRG30U	**367,00**	46
PMRG40U	**574,00**	46
PP3A2	**110,00**	46
PP4020V	**97,00**	16
PP4060V	**308,00**	16
PP4240V	**924,00**	16
PP5A3	**113,00**	46
PPCK6	**65,00**	46
PPM	**23,00**	46
PPUS	**70,00**	13, 46
PQ415	**1.078,00**	17
PRK0,5U	**17,00**	46
PRK11U	**47,00**	46
PRK1U	**19,00**	46
PRK1UA	**20**	46
PRK2U	**21**	46
PRK2UA	**26**	46
PRK3U	**29**	46
PRK4U	**39,00**	46
PS1	**219,00**	46
PS1201	**2.142,00**	17
PS2001	**2.385,00**	17
PS4121V	**341,00**	16
PS600	**702,00**	17
PSK	**97,00**	46
PSR4120V	**329,00**	16
PSRS3352V	**1.143,00**	16
PSRS4352V	**1.298,00**	16
PXB3PINB	**21,00**	45
PXBJSB	**26,00**	45
PXBSXB	**39,00**	45
PXBSXB10	**50,00**	45
PXBSXU	**32,00**	45
PXLR	**61,00**	21
PXU2RCA	**41,00**	45
PXUJMU	**28,00**	45
PXURCA	**30,00**	45
R1500S	**553,00**	15
R1NTR	**157,00**	5, 6, 19
R2G30B	**110,00**	34
R2G30MC	**153,00**	34
R2G30N	**110,00**	34
R2GEXB	**176,00**	38
R2L10B	**84,00**	34
R2L10MC	**134,00**	34
R2L10N	**84,00**	34
R2PROB	**187,00**	34
R2PROMC	**239,00**	34
R2PRON	**187,00**	34
R508GEXB	**194,00**	38
R508LEXB	**178,00**	38
R530GB	**142,00**	34
R530GEXB	**209,00**	38
R530GMC	**196,00**	34
R530GN	**142,00**	34
R530LB	**107,00**	34
R530LMC	**152,00**	34
R530LN	**107,00**	34
R530MEXB	**191,00**	38
RBAS	**18,00**	33
RC3MZ	**22,00**	5, 6, 7, 8, 9, 19
RC8300	**242,00**	5, 6, 19
RC83R	**131,00**	5, 6, 19
RCA3PINU	**18,00**	45
RCAJMU	**28,00**	45
RCASXU	**26,00**	45
RD2502N	**789,00**	7
RD4501	**758,00**	15
RD501	**738,00**	15
RD511	**738,00**	15
RD561	**1.098,00**	15
RDAB71	**145,00**	8
RDMB	**22,00**	28
RDMMC	**22,00**	28
RDMN	**22,00**	28
RMCS	**18,00**	33
RNOS	**18**	33
RR508MB	**168**	36
RR508MMC	**219,00**	36
RR508MN	**168,00**	36
RRT4MB	**138,00**	36
RRT4MMC	**186,00**	36
RRT4MN	**138,00**	36
RS508GEX	**240,00**	38
RS-83 UF-18	**433,00**	21
RS-83 UT-62	**551,00**	21
RS-95 UST-6	**682,00**	21
RST4GEX	**224,00**	38
RT43G24B	**144,00**	34
RT43G24EXB	**195,00**	38
RT43G24MC	**193,00**	34
RT43G24N	**144,00**	34
RT43G46B	**171,00**	34
RT43G46MC	**219,00**	34
RT43G46N	**171,00**	34
RT43L12B	**110,00**	34
RT43L12MC	**157,00**	34
RT43L12N	**110,00**	34
RT43M24B	**120,00**	34
RT43M24EXB	**184,00**	38
RT43M24MC	**166,00**	34
RT43M24N	**120,00**	34
S2B	**79,00**	33
S2EXB	**122,00**	38
S2MC	**99,00**	33
S2N	**79,00**	33
S2PROB	**157,00**	33
S2PROMC	**177,00**	33
S2PRON	**157,00**	33
S2R2UT	**1.917,00**	10, 11
S530B	**112,00**	33
S530EXB	**152,00**	38
S530MC	**132,00**	33
S530N	**112,00**	33
SB198	**492,00**	40
SCE	**292,00**	44
SCPO	**81,00**	37
SCPOV	**130,00**	37
SM1625	**480,00**	16
SM535BN	**792,00**	31
SM535MC	**792,00**	31
SM535WB	**792,00**	31
SMP	**23,00**	21
SOR12DP	**243,00**	44
SOV500B	**11,00**	33
SOV500EXB	**12,00**	38
SOV500MC	**22,00**	33
SOV500N	**11,00**	33
SP/SX	**222,00**	44
SP2RCAT	**178,00**	45
SP535BN	**946,00**	31
SP535MC	**946,00**	31
SP535WB	**946,00**	31
SPPA	**97,00**	44
SSL	**65**	44
SSP	**7**	44
ST43G24B	**111**	33
ST43G24EXB	**156**	38

ALPHABETIC PRICE LIST

COD.	EURO	pag.
ST43G24MC	**131,00**	33
ST43G24N	**111,00**	33
ST503	**18,00**	44
ST503AUX	**21,00**	44
ST508B	**23,00**	44
ST508BAUX	**21,00**	44
ST530	**31,00**	44
ST530AUX	**31,00**	44
ST530EX	**48,00**	44
STIFK	**244,00**	10
STIFM	**339,00**	10
SV36RBN	**57,00**	23
SV36RMC	**57,00**	23
SV36RWB	**57,00**	23
SV36TBL	**61,00**	23
SV36TBN	**61,00**	23
SV36TG	**29,00**	23
SV36TGR	**61,00**	23
SV36TOR	**61,00**	23
SV36TWB	**61,00**	23
SVC36RBN	**55,00**	24
SVC36RMC	**55,00**	24
SVC36RWB	**55,00**	24
SVC36TBL	**61,00**	24
SVC36TBN	**61,00**	24
SVC36TG	**29,00**	24
SVC36TGR	**61,00**	24
SVC36TOR	**61,00**	24
SVC36TWB	**61,00**	24
SVH2G	**424,00**	23, 24
SVH530G	**479,00**	23, 24
SVHT43G46	**520,00**	23, 24
SVS1100	**376,00**	44
SVS150	**242,00**	44
SVS600	**273,00**	44
SWP	**23,00**	44
SX31ASLBN	**900,00**	31
SX31ASLMC	**900,00**	31
SX31ASLWB	**900,00**	31
SX33ASLBN	**784,00**	31
SX33ASLMC	**784,00**	31
SX33ASLWB	**784,00**	31
SX34ABK	**11,00**	31
SX34ABL	**11,00**	31
SX34AGR	**11,00**	31
SX34ARD	**11,00**	31
SX34AWH	**11,00**	31
SX36ABK	**79,00**	31
SX36ABL	**79,00**	31
SX36AGR	**79,00**	31
SX36AOR	**79,00**	31
SX36AWH	**79,00**	31
T43D12	**18,00**	44
T43D24	**24,00**	44
T530Q	**134,00**	39
TB2GBN	**367,00**	32
TB2GMC	**367**	32
TB2GWB	**367**	32
TB530GBN	**402**	32
TB530GMC	**402**	32

COD.	EURO	pag.
TB530GWB	**402,00**	32
TBT43G24BN	**389,00**	32
TBT43G24MC	**389,00**	32
TBT43G24WB	**389,00**	32
TR600	**78,00**	44
TR600.DIN/M	**92,00**	44
TR600.DIN/S	**172,00**	44
TRCD4	**828,00**	11
TRCD4C	**1.123,00**	10
TRCD4T	**1.123,00**	10, 11
TROPIC	**29,00**	39
TT4Q15	**122,00**	39
TT4Q30	**138,00**	39
TXBA	**41,00**	44
USBJ71	**72,00**	8, 9
UXD-100UF-61D	**726,00**	21
VL2GB	**107,00**	27
VL2GPROB	**130,00**	27
VL530GB	**136,00**	27
VL530PROB	**156,00**	27
VLT43G12B	**127,00**	27
VLT43G24B	**140,00**	27
ZF530GN	**172,00**	36
ZFT4G40N	**136,00**	36

COD.	EURO	pag.

1. Prices are quoted in Euro excluding VAT and any other tax for which the customer is liable.

2. The prices and the models may change even without notice.

3. The prices are intended for payment as specified in the sales invoice; in the event of delays in payments, interest will be charged directly at the official Italian discount rate plus 5 percent.

4. The terms of delivery are for guidance only; the manufacturer A.T.E.C. will not be held liable for any delays.

5. The goods are sold ex works in Noventa di Piave (VE), so transport costs and any damage suffered in transit are the customer's responsibility.

6. The customer undertakes to submit any complaints within 8 days of receipt of the goods.

7. Returns are not accepted unless they have been explicitly authorized by the manufacturer. It is strictly not permitted to return products not included in the catalogue and price list, or without their intact original packaging.

8. The manufacturer's guarantee is intended for a period of 24 months as of the date of delivery of the goods. The guarantee is restricted to defective products: no claims may be made for any direct or indirect damage to persons or property caused by the operation or failure to operate of the product delivered. The guarantee does not include failures due to wear, misuse, faulty assembly, manhandling or inadequate or erroneous servicing. The manufacturer accepts no liability for damage caused by goods delivered to persons or property unless they are powered downstream from a 0.03A residual current thermomagnetic circuit breaker, assured an adequate air circulation and installed well away from flammable materials.


9. The product codes starting with the letters ”JL” refers to products that are selected and distributed by A.T.E.C. with their legitimate owners logo.

10. Any controversies shall come under the cognizance of the Venice law courts.

Tutondo is a registered trademark of A.T.E.C.
A.T.E.C. srl reserves the right to make changes, without prior notice, to the information contained in this printed matter. All registered marks mentioned in this printed matter belong to the respective owners.

TUTONDO

www.tutondo.com



tutondosales@tutondo.com

SALES SUPPORT +39.0421.65288
TECHNICAL SUPPORT +39.0421.308385



venditeitalia@tutondo.com

SUPPORTO COMMERCIALE +39.0421.65288
SUPPORTO TECNICO +39.0421.308385

COMPANY WITH QUALITY SYSTEM CERTIFIED BY DNV GL = ISO 9001 =

ANIESICUREZZA SICUREZZA E AUTOMAZIONE EDIFICI

ANIE FEDERAZIONE CONFINDUSTRIA

PARTNER KNX



TUTONDO

EVAC EN 54 | PUBLIC ADDRESS | HOME AUDIO

A.T.E.C. Srl
Via Nobel, 8 - 30020 Noventa di Piave
Venezia - Italy
T +39 0421 65288

www.tutondo.com